09/06/2020	Kit Components	
Product code	Description	
AS1330	Maxwell® RSC Viral TNA	
Components:		
P119G	Nuclease-Free Water	
MC501C	Lysis Buffer	
MC500D	Proteinase K (PK) Solution, 1ml	
AA399	Nanopure Water, (N/A)	
K200	4/40 Wash	
K300	Ethanol Solution	
K105	MagneSil® Resin A	
K406	100% Isopropanol	
A937	Alcohol Wash	



Printing date 09/06/2020

Reviewed on 08/28/2020

Page 1/7

1 Identification

Product identifier Trade name: Nuclease-Free Water

Article number: P119G CAS Number: 7732-18-5 EC number: 231-791-2 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 0 HMIS-ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 Reactivity = 0

(Contd. on page 2)

US

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: Nuclease-Free Water

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 7732-18-5 water Identification number(s) EC number: 231-791-2

4 First-aid measures

Description of first aid measuresGeneral information: No special measures required.After inhalation: If the patient feels unwell or is concerned, obtain medical advice.After skin contact: Generally the product does not irritate the skin.After eye contact: Rinse opened eye for several minutes under running water.After swallowing: If the patient feels unwell or is concerned, obtain medical advice.Information for doctor:Most important symptoms and effects, both acute and delayedNoneNo further relevant information available.Indication of any immediate medical attention and special treatment neededNo further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.Environmental precautions: Dilute with plenty of water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Reference to other sectionsNo dangerous substances are released.See Section 7 for information on safe handling.

(Contd. of page 1)

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: Nuclease-Free Water

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: Not required. *Additional information:* The lists that were valid during the creation were used as basis.

Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Not required. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Eye protection: Not required.

Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Fluid			
Color:	Colorless			
Odor:	Odorless			
Odor threshold:	Not determined.			
Change in condition				
Melting point/Melting range:	0 °C (32 °F)			
Boiling point/Boiling range:	100 °C (212 °F)			
Flash point:	Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Not determined.			
Danger of explosion:	Product does not present an explosion hazard.			

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: Nuclease-Free Water

		(Contd. of page
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1 g/cm ³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/w	uter): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Water:	100.0 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The substance is not subject to classification.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 5)

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: Nuclease-Free Water

(Contd. of page 4)

12 Ecological information

Toxicity Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: *Remark:* Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name DOT, ADR, IMDG, IATA ADN	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: Nuclease-Free Water

		(Contd. of page 5)
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	I of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act) Inventory:

Substance is listed.

Hazardous Air Pollutants

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

Water hazard class: Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: Nuclease-Free Water

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison. WI Ph:(608)274-4330 Date of preparation / last revision 09/06/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit * Data compared to the previous version altered.



Printing date 09/06/2020

*

Reviewed on 09/04/2020

Article	ame: <u>Lysis Buffer</u> number: MC501C tion of the substance / the mixture For Laboratory Use
Details	of the supplier of the safety data sheet acturer/Supplier:
2800 Wo Madisor U.S.A.	a Corporation oods Hollow Road 1, WI 53711 56-9526 or (608)-274-4330
SDS aut Promeg 2800 W Madison U.S.A. 1-800-3 Emerge For Che and Car	ttion department: hor: ChemicalRegulatory@promega.com a Corporation oods Hollow Road n, WI 53711 56-9526 or (608)-274-4330 ncy telephone number: emical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within U tada: 1-800-424-9300 USA and Canada: +1 703-527-3887 (collect calls accepted)
Hazar	d(s) identification
Classifi	cation of the substance or mixture GHS08 Health hazard

GHS07

Acute Tox. 4 H302 Harmful if swallowed. Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Page 1/9

US

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

(Contd. of page 1) Hazard pictograms GHS07 GHS08 Signal word Warning Hazard-determining components of labeling: guanidinium chloride sodium dodecyl sulphate Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves / eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a poison center/doctor. Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) *Health* = 2Fire = 1*Reactivity* = 0HMIS-ratings (scale 0 - 4) Health $= \overline{*2}$ Fire = 1 *Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant **Primary route(s) of entry:** Dermal Oral Target Organ(s): May affect Nervous system (Neurotoxin) May cause behavioral changes May affect Bones **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. (Contd. on page 3)

on page 5

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

vPvB: Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:		
50-01-1	guanidinium chloride	38.2%
57-13-6	urea	25-50%
151-21-3	sodium dodecyl sulphate	1-5%

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Wear protective clothing.

(Contd. on page 4)

US

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. **Information about protection against explosions and fires:** No special measures required.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

57-13-6 urea

WEEL Long-term value: 10 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat or drink while working. Clean skin thoroughly immediately after handling the product. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves (Contd. on page 5)

(Contd. of page 3)

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

(Contd. of page 4)

Select the glove material considering penetration time, rate of diffusion and degradation time. It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eve protection:**

Safety glasses

*

Use equipment for eye protection tested and approved under government NIOSH standards.

Information on basic physical and chemical properties			
General Information			
Appearance:			
Form:	Fluid		
Color:	Not determined.		
Odor:	Not determined		
Odor threshold:	Not determined.		
pH-value at 20 °C (68 °F):	6.4		
Change in condition			
Melting point/Melting range:	Undetermined.		
Boiling point/Boiling range:	100 °C (212 °F)		
Flash point:	> 100 °C (> 212 °F)		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature:	Not determined.		
Auto igniting:	Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
Vapor pressure:	Not determined.		
Density at 20 °C (68 °F):	1.205 g/cm ³ (10.05573 lbs/gal)		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with			
Water:	Fully miscible.		
Partition coefficient (n-octanol/water):	Not determined.		
Viscosity:			
Dynamic:	Not determined.		
Kinematic:	Not determined.		
Water:	12.2 %		
VOC content:	0.00 %		
Solids content:	0.0%		

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

(Contd. of page 5)

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. **Chemical stability Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

50-01-1 guanidinium chloride

Oral	LD50	475 mg/kg (Rat)
Irritation of eyes	acute	500 mg (Rabbit) Severe Irritation

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity Aquatic toxicity: Not available No further relevant information available. **Persistence and degradability** Not available No further relevant information available.

(Contd. on page 7)

US

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

(Contd. of page 6)

Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not applicable	

(Contd. on page 8)

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

(Contd. of page 7)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

57-13-6 urea

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Warning

Hazard-determining components of labeling: guanidinium chloride sodium dodecyl sulphate Hazard statements Harmful if swallowed. Causes skin irritation. *Causes serious eye irritation.* May cause damage to organs. **Precautionary statements** Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves / eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

US

Ш

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Lysis Buffer

(Contd. of page 8)

IF exposed or concerned: Call a poison center/doctor. Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/06/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 * Data compared to the previous version altered.



Printing date 09/06/2020

Reviewed on 07/21/2020

Page 1/8

1 Identification

Product identifier Trade name: <u>Proteinase K (PK) Solution, 1ml</u>

Article number: MC500D Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 **Emergency telephone number:** For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms



Signal word Danger

Hazard-determining components of labeling: Proteinase, Tritirachium album serine

(Contd. on page 2)

US

Printing date 09/06/2020

Reviewed on 07/21/2020

Trade name: Proteinase K (PK) Solution, 1ml

	(Contd. of page 1)
Hazard statements	
May cause allergy or asthma symptoms or breathing difficulties if inhaled.	
Precautionary statements	
Avoid breathing dust/fume/gas/mist/vapors/spray	
[In case of inadequate ventilation] wear respiratory protection.	
If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.	
If experiencing respiratory symptoms: Call a poison center/doctor.	
Dispose of contents/container in accordance with local/regional/national/international regulations	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 2	
Fire = 1	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
Health = 2	
Fire = 1	
Reactivity = 0	
OSHA Hazard Overview (Criteria according to 29CFR1910.1200):	
Irritant	
Sensitizer	
Primary route(s) of entry: Inhalation	
Target Organ(s): May cause Kidney damage (Nephrotoxin)	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable.	
vPvB: Not applicable.	

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

	Dangerous	components:	
ſ	56-81-5	glycerol	25-50%
	39450-01-6	Proteinase, Tritirachium album serine	1-5%

4 First-aid measures

Description of first aid measures

After inhalation: Supply fresh air and to be sure call for a doctor. In case of unconsciousness place patient stably in side position for transportation. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor:

Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

US

Printing date 09/06/2020

Reviewed on 07/21/2020

Trade name: Proteinase K (PK) Solution, 1ml

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

 Precautions for safe handling

 Keep receptacles tightly sealed.

 Ensure good ventilation/exhaustion at the workplace.

 Prevent formation of aerosols.

 Work only in fume cabinet.

 Information about protection against explosions and fires: Keep respiratory protective device available.

 Conditions for safe storage, including any incompatibilities

 Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)

Printing date 09/06/2020

Reviewed on 07/21/2020

Trade name: Proteinase K (PK) Solution, 1ml

(Contd. of page 3)

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

56-81-5 glycerol

PEL Long-term value: $15*5**mg/m^3$

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time. It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Not determined	
Odor threshold:	Not determined.	
pH-value at 20 °C (68 °F):	7.2	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	$> 100 \ \circ C \ (> 212 \ \circ F)$	

Printing date 09/06/2020

Reviewed on 07/21/2020

Trade name: Proteinase K (PK) Solution, 1ml

		(Contd. of page
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not selfigniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:	· ·	
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure at 20 °C (68 °F):	<0.1 hPa	
Density at 20 °C (68 °F):	1.119 g/cm³ (9.33806 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:	,	
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Organic solvents:	50.0 %	
Water:	47.8 %	
VOC content:	0.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: No data available. Sensitization: Sensitization possible through inhalation. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

(Contd. on page 6)

Printing date 09/06/2020

Reviewed on 07/21/2020

Trade name: Proteinase K (PK) Solution, 1ml

(Contd. of page 5)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program) None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number	Not hazardous for transportation	
DOT, ADR, IMDG, IATA	Not applicable	
UN proper shipping name	None	
DOT, ADR, ADN, IMDG, IATA	Not applicable	

Printing date 09/06/2020

Reviewed on 07/21/2020

Trade name: Proteinase K (PK) Solution, 1ml

		(Contd. of page
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards:	Not applicable.	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

56-81-5 glycerol

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

(Contd. on page 8)

US

Printing date 09/06/2020

Reviewed on 07/21/2020

Trade name: Proteinase K (PK) Solution, 1ml

(Contd. of page 7)

Hazard-determining components of labeling: Proteinase, Tritirachium album serine Hazard statements May cause allergy or asthma symptoms or breathing difficulties if inhaled. **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray [In case of inadequate ventilation] wear respiratory protection. If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. If experiencing respiratory symptoms: Call a poison center/doctor. Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. **Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

* Data compared to the previous version altered.

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/06/2020 / 2.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Resp. Sens. 1: Respiratory sensitisation - Category 1



Printing date 09/06/2020

Reviewed on 09/04/2020

Page 1/7

1 Identification

Product identifier Trade name: Nanopure Water, (N/A)

Article number: AA399 CAS Number: 7732-18-5 EC number: 231-791-2 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 0 HMIS-ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 Reactivity = 0

(Contd. on page 2)

US

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Nanopure Water, (N/A)

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 7732-18-5 water Identification number(s) EC number: 231-791-2

4 First-aid measures

Description of first aid measuresGeneral information: No special measures required.After inhalation: If the patient feels unwell or is concerned, obtain medical advice.After skin contact: Generally the product does not irritate the skin.After eye contact: Rinse opened eye for several minutes under running water.After swallowing: If the patient feels unwell or is concerned, obtain medical advice.Information for doctor:Most important symptoms and effects, both acute and delayedNoneNo further relevant information available.Indication of any immediate medical attention and special treatment neededNo further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.Environmental precautions: Dilute with plenty of water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Reference to other sectionsNo dangerous substances are released.See Section 7 for information on safe handling.

(Contd. of page 1)

(Contd. on page 3)

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Nanopure Water, (N/A)

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: The lists that were valid during the creation were used as basis.

Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Not required. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Eye protection: Not required.

Information on basic physical and	chemical properties	
General Information		
Appearance:		
Form:	Fluid	
Color:	Colorless	
Odor:	Odorless	
Odor threshold:	Not determined.	
Change in condition		
Melting point/Melting range:	0 °C (32 °F)	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
Danger of explosion:	Product does not present an explosion hazard.	

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Nanopure Water, (N/A)

		(Contd. of page 2
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1 g/cm³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/w	ater): Not determined.	
Viscosity:	,	
Dynamic at 20 °C (68 °F):	0.0952 mPas	
Kinematic:	Not determined.	
Water:	100.0 %	
VOC content:	0.00 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The substance is not subject to classification.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 5)

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Nanopure Water, (N/A)

(Contd. of page 4)

12 Ecological information

Toxicity Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: *Remark:* Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	Not hazardous for transportation Not applicable	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Nanopure Water, (N/A)

		(Contd. of page 5)
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex I MARPOL73/78 and the IBC Code	l of Not applicable.	
UN "Model Regulation":	Not applicable	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act) Inventory:

Substance is listed.

Hazardous Air Pollutants

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

Water hazard class: Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Nanopure Water, (N/A)

(Contd. of page 6)

	'his information is based on our present knowledge. However, this shall not constitute a guarantee for a pecific product features and shall not establish a legally valid contractual relationship.
L	Department issuing SDS:
P	Promega Corporation
	Chemical Regulatory Department
	800 Woods Hollow Road
-	Iadison. WI
	h:(608)274-4330
	Date of preparation / last revision 09/06/2020 / 1.0
	bbreviations and acronyms:
	ID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning
	nternational Transport of Dangerous Goods by Rail)
	DR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the Internatio
	arriage of Dangerous Goods by Road)
	MDG: International Maritime Code for Dangerous Goods
	OT: US Department of Transportation 1TA: International Air Transport Association
	CGIH: American Conference of Governmental Industrial Hygienists
	INECS: European Inventory of Existing Commercial Chemical Substances
	AS: Chemical Abstracts Service (division of the American Chemical Society)
	FPA: National Fire Protection Association (USA)
H	MIS: Hazardous Materials Identification System (USA)
	OC: Volatile Organic Compounds (USA, EU)
	C50: Lethal concentration, 50 percent
	D50: Lethal dose, 50 percent
	BT: Persistent, Bioaccumulative and Toxic
	PvB: very Persistent and very Bioaccumulative
	IOSH: National Institute for Occupational Safety ISHA: Occupational Safety & Health
	LV: Threshold Limit Value
	EL: Permissible Exposure Limit
	EL: Recommended Exposure Limit



Printing date 09/06/2020

Reviewed on 08/28/2020

Page 1/11

Product identifier Trade name: <u>4/40 Wash</u>	
Article number: K200 Application of the substance / the mixture A	For Laboratory Use
Details of the supplier of the safety data sh Manufacturer/Supplier:	eet
Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330	
Information department: SDS author: ChemicalRegulatory@promega Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Leak, Fire and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-388	Exposure, or Accident Call CHEMTREC Day or Night Within US

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

US

Printing date 09/06/2020

Trade name: 4/40 Wash

(Contd. of page 1)

Reviewed on 08/28/2020



U

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

(Contd. of page 2)

40.098%

25-50%

Primary route(s) of entry: Dermal Inhalation Oral Target Organ(s): May affect Nervous system (Neurotoxin) May cause Kidney damage (Nephrotoxin) May affect Bones Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

50-01-1 guanidinium chloride

67-63-0 2-Propanol

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing:

Immediately call a doctor. Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

- Headache
- Dizziness
- Nausea

(Contd. on page 4)

U

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known

No further relevant information available.

Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Wear protective equipment. Keep unprotected persons away. Keep away from ignition sources Wear protective clothing. **Environmental precautions:** Prevent seepage into sewage system, workpits and cellars. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 5)

(Contd. of page 3)

US

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

67-63-0 2-Propanol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- *TLV* Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

Ingredients with biological limit values:

67-63-0 2-Propanol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time. It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:**

Eye protection.

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

(Contd. on page 6)

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

(Contd. of page 5)

9 Physical and chemical proper	ties
Information on basic physical and c	chemical properties
General Information	
Appearance:	
Form:	Fluid
Color:	Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	82 °C (179.6 °F)
Flash point:	< 23 °C (< 73.4 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapor mixtures are possible.
Explosion limits:	
Lower:	2 Vol %
Upper:	12 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	1.034 g/cm ³ (8.62873 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	
Viscosity:	· /· · · · · · · · · · · · · · · · · ·
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	40.0 %
Water:	19.9 %
VOC content:	40.00 %
Solids content:	40.2 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions Reacts with strong acids and oxidizing agents. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents

(Contd. on page 7)

US

(Contd. of page 6)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

50-01-1 guanidinium chloride

Oral	LD50	475 mg/kg (Rat)
Irritation of eyes	acute	500 mg (Rabbit)
		Severe Irritation

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

67-63-0 2-Propanol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 8)

3

US

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

(Contd. of page 7)

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, IMDG, IATA	UN1219
UN proper shipping name	0111217
DOT	Isopropanol
ADR	1219 ISOPROPANOL (ISOPROPYL ALCOHOL)
IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL)
Transport hazard class(es)	
DOT	
3	
Class	3 Flammable liquids
Label	3
ADR	
•	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
3	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	II

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

	(Contd. of pag
Environmental hazards:	17
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler co	de): 33
EMS Number:	F- E , S - D
Stowage Category	В
Transport in bulk according to Annex II of	of
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 2-Propanol

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

(Contd. on page 10)

US

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

(Contd. of page 9)
Cancerogenity categories
EPA (Environmental Protection Agency)
None of the ingredients are listed.
TLV (Threshold Limit Value established by ACGIH)
67-63-0 2-Propanol A4
NIOSH-Ca (National Institute for Occupational Safety and Health)
None of the ingredients are listed.
GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). Signal word Danger
 Hazard-determining components of labeling: guanidinium chloride 2-Propanol Hazard statements Highly flammable liquid and vapor. Harmfui if swallowed. Causes skin irritation. Causes serious eye irritation. Causes serious eye irritation. Causes active drowsiness or dizziness. Precutionary statements Keep away from heat/sparks/open flames/hot surfaces No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. Take off contaminated clothing and wash it before reuse. If shi irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention.
Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

(Contd. on page 11)

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: 4/40 Wash

(Contd. of page 10) Department issuing SDS: Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/06/2020 / 2.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.



Printing date 09/06/2020

Reviewed on 09/04/2020

Product identifier Trade name: <u>Ethanol Solution</u>	
Article number: K300 Application of the substance / the mixtu	re For Laboratory Use
Details of the supplier of the safety data Manufacturer/Supplier:	sheet
Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330	
Information department: SDS author: ChemicalRegulatory@prom Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Leak, F and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3	ire, Exposure, or Accident Call CHEMTREC Day or Night Within US

2 Hazard(s) identification

Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger Hazard statements Highly flammable liquid and vapor.

(Contd. on page 2) US

Page 1/9

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Ethanol Solution

Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Keep container tightly closed.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep cool.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Classification system:	
NFPA ratings (scale 0 - 4)	
Health = 0	
Fire = 3	
Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
Health = 0	
Fire = 3	
Reactivity = 0	
OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Flammable	
Primary route(s) of entry: Inhalation	
Target Organ(s):	
May cause Liver damage (Hepatotoxin)	
May affect Nervous system (Neurotoxin)	
Other hazards	
Results of PBT and vPvB assessment	
<i>PBT:</i> Not applicable.	
vPvB: Not applicable.	

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-17-5 ethanol

75-100%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice. *Information for doctor:*

Most important symptoms and effects, both acute and delayed Headache

(Contd. on page 3)

⁻ US

Printing date 09/06/2020

Reviewed on 09/04/2020

(Contd. of page 2)

Trade name: Ethanol Solution

Dizziness Nausea

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures

 Remove persons from danger area.

 Wear protective equipment. Keep unprotected persons away.

 Keep away from ignition sources

 Wear protective clothing.

 Environmental precautions:

 Prevent seepage into sewage system, workpits and cellars.

 Dilute with plenty of water.

 Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up:

 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Ensure adequate ventilation.

 Reference to other sections

 See Section 7 for information on safe handling.

 See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

US

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Ethanol Solution

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eve protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

Information on basic physical and General Information Appearance:	chemical properties	
Form:	Fluid	
Color:	Colorless	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	78 °C (172.4 °F)	
Flash point:	< 23 °C (< 73.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	

(Contd. of page 3)

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Ethanol Solution

	(Contd. of page
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	•
Lower:	3.5 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	59 hPa (44.3 mm Hg)
Density at 20 °C (68 °F):	0.832 g/cm ³ (6.94304 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/wate	
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	80.0 %
Water:	20.0 %
VOC content:	80.00 %
Solids content:	0.0 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: No data available. Sensitization: No sensitizing effects known. Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 6)

US

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Ethanol Solution

(Contd. of page 5)

1

Carcinogenic categories

IARC (International Agency for Research on Cancer)

64-17-5 ethanol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, IMDG, IATA	UN1170	
UN proper shipping name		
DOT	Ethanol	

US

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Ethanol Solution

	(Contd. of pag
ADR	1170 ETHANOL (ETHYL ALCOHOL)
IMDG	ETHANOL (ETHYL ALCOHOL)
IATA	ETHANOL
Transport hazard class(es)	
DOT	
P SUBJECT COST	
Class	3 Elammable liquids
Label	3 Flammable liquids 3
ADR	
3	
•	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, ÎMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code): EMS Number:	33 F-E,S-D
Stowage Category	A
Transport in bulk according to Annex II of	
MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2 Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	maximum nei quuminy per ouier pueruging. 500 mi

Printing date 09/06/2020

Reviewed on 09/04/2020

(Contd. of page 7)

Trade name: Ethanol Solution

UN "Model Regulation":

UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger **Hazard statements**

Highly flammable liquid and vapor. Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

AЗ

Printing date 09/06/2020

Reviewed on 09/04/2020

Trade name: Ethanol Solution

(Contd. of page 8)

Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 **Date of preparation / last revision** 09/06/2020 / 2.0 Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 * Data compared to the previous version altered.



Printing date 09/06/2020

Reviewed on 08/28/2020

Page 1/9

Identification	
Product identifier Trade name: <u>MagneSil® Resin A</u>	
<i>Article number:</i> K105 <i>Application of the substance / the mixture</i> For Laboratory Use	
Details of the supplier of the safety data sheet Manufacturer/Supplier:	
Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330	
Information department: SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)	Day or Night Within USA

2 Hazard(s) identification

Classification of the substance or mixture

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Warning

(Contd. on page 2)

US

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 1)
Hazard-determining components of labeling:
guanidinium chloride
Hazard statements
Harmful if swallowed.
Causes skin irritation.
Causes serious eye irritation.
Precautionary statements
Wash thoroughly after handling.
Do not eat, drink or smoke when using this product.
Wear protective gloves / eye protection / face protection.
If swallowed: Call a poison center/doctor if you feel unwell.
If on skin: Wash with plenty of water.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Rinse mouth.
Take off contaminated clothing and wash it before reuse.
If skin irritation occurs: Get medical advice/attention.
If eye irritation persists: Get medical advice/attention.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Classification system:
NFPÅ ratings (scale 0 - 4)
Health = 2
Fire = 0
Reactivity = 0
HMIS-ratings (scale 0 - 4)
Health = 2
Fire = 0
Reactivity = 0
OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant
Primary route(s) of entry:
Dermal
Oral
Target Organ(s):
May affect Nervous system (Neurotoxin)
May affect Bones
Other hazards
Results of PBT and vPvB assessment
PBT: Not applicable.
vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

50-01-1 guanidinium chloride

Additional information: For the wording of the listed risk phrases refer to section 15.

(Contd. on page 3)

66.614%

US

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 2)

4 First-aid measures

Description of first aid measures General information: Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eye contact: Rinse opened eve for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: Immediately call a doctor. Seek immediate medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures

 Remove persons from danger area.

 Wear protective clothing.

 Environmental precautions:

 Dilute with plenty of water.

 Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up:

 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Dispose contaminated material as waste according to Section 13.

 Ensure adequate ventilation.

 Reference to other sections

 See Section 7 for information on safe handling.

 See Section 13 for disposal information.

(Contd. on page 4)

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 3)

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about protection against explosions and fires: The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin.

Do not eat or drink while working.

Clean skin thoroughly immediately after handling the product.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

(Contd. on page 5)

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 4)

Information on basic physical and	chemical properties	
General Information		
Appearance: Form:	Fluid	
Color:	Colorless	
Odor:	Not determined	
Odor threshold:	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	100 °C (212 °F)	
Flash point:	Not applicable.	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:Product is not selfigniting.		
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	
Density at 20 °C (68 °F):	1.25099 g/cm³ (10.43951 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wat	ter): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Water:	32.4 %	
VOC content:	0.00 %	
Solids content:	68.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions Reacts with strong acids and oxidizing agents. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

US

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 5)

Acute toxicity:		ogical effects	
LD/LC50 values that are relevant for classification:			
50-01-1 guanidin	ium cl	hloride	
Oral LD50 475 mg/kg (Rat)			
Irritation of eyes	Irritation of eyes acute 500 mg (Rabbit)		
		Severe Irritation	
Additional toxico The product show Harmful Irritant Carcinogenic cat	sensiti ologication vs the fo	izing effects known. l information: following dangers according to internally approved calculation methods for preparation	
1309-37-1 iron t	~		
7631-86-9 silico	n dioxi	de	
NTP (National Toxicology Program)			
1111 (110000001 1		are listed.	

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

(Contd. on page 7)

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 6)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number DOT, ADR, ADN, IMDG, IATA	<i>Not hazardous for transportation</i> <i>Not applicable</i>	
UN proper shipping name DOT, ADR, ADN, IMDG, IATA	None Not applicable	
Transport hazard class(es)	None	
DOT, ADR, ADN, IMDG, IATA Class	Not applicable	
Packing group DOT, ADR, IMDG, IATA	None Not applicable	
Environmental hazards: Marine pollutant:	No	
Special precautions for user	Not applicable.	
Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.	
UN "Model Regulation":	<i>Not applicable</i>	

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

(Contd. on page 8)

⁻ US

Printing date 09/06/2020

Proposition 65

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 7)

A4

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

1309-37-1 iron trioxide

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Warning

Hazard-determining components of labeling:

guanidinium chloride Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. **Precautionary statements** Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves / eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI

Printing date 09/06/2020

Reviewed on 08/28/2020

Trade name: MagneSil® Resin A

(Contd. of page 8)
Ph:(608)274-4330
Date of preparation / last revision 09/06/2020 / 2.0
Abbreviations and acronyms:
RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the
International Transport of Dangerous Goods by Rail)
ICAO: Internation Civil Aviation Organization
ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International
Carriage of Dangerous Goods by Road)
IMDG: International Maritime Code for Dangerous Goods
DOT: US Department of Transportation
IATA: International Air Transport Association
ACGIH: American Conference of Governmental Industrial Hygienists
EINECS: European Inventory of Existing Commercial Chemical Substances
ELINCS: European List of Notified Chemical Substances
CAS: Chemical Abstracts Service (division of the American Chemical Society)
NFPA: National Fire Protection Association (USA)
HMIS: Hazardous Materials Identification System (USA)
VOC: Volatile Organic Compounds (USA, EU)
LC50: Lethal concentration, 50 percent
LD50: Lethal dose, 50 percent
PBT: Persistent, Bioaccumulative and Toxic
vPvB: very Persistent and very Bioaccumulative
NIOSH: National Institute for Occupational Safety
OSHA: Occupational Safety & Health
TLV: Threshold Limit Value
PEL: Permissible Exposure Limit
REL: Recommended Exposure Limit
Acute Tox. 4: Acute toxicity – Category 4
Skin Irrit. 2: Skin corrosion/irritation – Category 2
Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A
* Data compared to the previous version altered.
US



Printing date 09/06/2020

Reviewed on 08/25/2020

1 Identification

Product identifier Trade name: 100% Isopropanol

Article number: K406 CAS Number: 67-63-0 EC number: 200-661-7 Index number: 603-117-00-0 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 *Hazard(s) identification*

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

Page 1/10

The substance is classified and labeled according to the Globally Harmonized System (GHS).

Printing date 09/06/2020

Label elements GHS label elements

Hazard pictograms

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

(Contd. of page 1)

GHS02 GHS07 Signal word Danger Hazard-determining components of labeling: 2-Propanol Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1Fire = 3*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 1Fire = 3 *Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Irritant Flammable **Primary route(s) of entry:** Dermal Inhalation (Contd. on page 3)

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

(Contd. of page 2)

Target Organ(s): May affect Nervous system (Neurotoxin) May cause Kidney damage (Nephrotoxin) Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 67-63-0 2-Propanol Identification number(s) EC number: 200-661-7 Index number: 603-117-00-0

4 First-aid measures

Description of first aid measures

General information: Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Nausea Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents: Use fire fighting measures that suit the environment.
Special hazards arising from the substance or mixture
None known
No further relevant information available.
Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

(Contd. on page 4)

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

(Contd. of page 3)

6 Accidental release measures

Personal precautions, protective equipment and emergency proceduresRemove persons from danger area.Wear protective equipment. Keep unprotected persons away.Keep away from ignition sourcesWear protective clothing.Environmental precautions:Prevent seepage into sewage system, workpits and cellars.Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Ensure adequate ventilation.Reference to other sectionsSee Section 7 for information on safe handling.See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

67-63-0 2-Propanol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI

(Contd. on page 5)

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

(Contd. of page 4)

Ingre	edients with biological limit values:
67-6.	3-0 2-Propanol
BEI	40 mg/L
	Medium: urine
	Time: end of shift at end of workweek
	Parameter: Acetone (background, nonspecific)
Addi	tional information: The lists that were valid during the creation were used as basis.
Expo	osure controls
Perso	onal protective equipment:
Gene	eral protective and hygienic measures:
Кеер	away from foodstuffs, beverages and feed.
Imme	ediately remove all soiled and contaminated clothing.
	hands before breaks and at the end of work.
	d contact with the eyes.
	d contact with the eyes and skin.
	ot eat or drink while working.
	thing equipment: Not required.
	ection of hands:
	ective gloves
	t the glove material considering penetration time, rate of diffusion and degradation time.
	recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive
	86/EEC and the standard EN 374 derived from it.
	rial of gloves
	selection of the suitable gloves does not only depend on the material, but also on further marks of quality and
	s from manufacturer to manufacturer.
	protection:
Safet	y glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

*

Information on basic physical and General Information	chemical properties	
Appearance:		
Form:	Liquid	
Color:	Colorless	
Odor:	Alcohol-like	
Odor threshold:	Not determined.	
Change in condition		
Melting point/Melting range:	-89.5 °C (-129.1 °F)	
Boiling point/Boiling range:	82 °C (179.6 °F)	
Flash point:	13 °C (55.4 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	425 °C (797 °F)	
Decomposition temperature:	Not determined.	
Auto igniting:	Not determined.	
		(Contd. on page 6)

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

	(Contd. of page)	
Danger of explosion:	Product does not present an explosion hazard.	
	Product is not explosive. However, formation of explosive air/vapor mixtures are possible.	
Explosion limits:		
Lower:	2 Vol %	
Upper:	12 Vol %	
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)	
Density at 20 °C (68 °F):	0.785 g/cm ³ (6.55083 lbs/gal)	
Relative density at 20 °C (68 °F)	0.785 g/cm3	
Vapor density at 20 °C (68 °F)	2.1 g/cm ³ (17.5245 lbs/gal)	
Evaporation rate at 20 °C (68 °F)	1.7	
Solubility in / Miscibility with		
Water:	Fully miscible.	
Partition coefficient (n-octanol/wate	r): Not determined.	
Viscosity:	,	
Dynamic at 20 °C (68 °F):	2.43 mPas	
Kinematic:	Not determined.	
Organic solvents:	100.0 %	
VÕC content:	100.00 %	
Solids content:	0.0 %	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity:

LD/LC50 values that are relevant for classification:

67-63-0 2-Propanol

Oral	LD50	4,570 mg/kg (Rat)
Dermal	LD50	13,400 mg/kg (Rat)
Inhalative		30 mg/l (Rat)

Primary irritant effect:

on the skin: No data available. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The substance is not subject to classification.

(Contd. on page 7)

[–] ÚS

(Contd. of page 6)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

Carcinogenic categories

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

UN-Number		
DOT, ADR, IMDG, IATA	UN1219	
UN proper shipping name		
DOT	Isopropanol	

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

ADR	1219 ISOPROPANOL (ISOPROPYL ALCOHOL)
IMDG, IATA	ISOPROPANOL (ISOPROPYL ALCOHOL)
Transport hazard class(es)	
DOT	
PLANMARE LOUD	
Class	3 Flammable liquids
Label	3
ADR	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class Label	3 Flammable liquids 3
	5
Packing group DOT, ADR, IMDG, IATA	II
Environmental hazards:	
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code):	33
EMS Number:	3-06 P
Stowage Category	В
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code	Not applicable.
Transport/Additional information:	
ADR Excepted quantities (EQ)	Code: E2
Lacepicu quunuus (DQ)	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	
Excepted quantities (EQ)	Code: E2 Maximum not quantity non innon packaging: 20 ml
	Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml
	(Contd. on p

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

UN "Model Regulation":

UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act) Inventory:

Substance is listed.

Hazardous Air Pollutants

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Signal word Danger

Hazard-determining components of labeling:2-PropanolHazard statementsHighly flammable liquid and vapor.Causes serious eye irritation.May cause drowsiness or dizziness.Precautionary statementsKeep away from heat/sparks/open flames/hot surfaces. - No smoking.Ground/bond container and receiving equipment.Use explosion-proof electrical/ventilating/lighting/equipment.Use only non-sparking tools.Take precautionary measures against static discharge.

(Contd. on page 10)

A4

US

(Contd of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 08/25/2020

Trade name: 100% Isopropanol

(Conta. of page 9)
Avoid breathing dust/fume/gas/mist/vapors/spray
Wash thoroughly after handling.
Use only outdoors or in a well-ventilated area.
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.
Continue rinsing.
Call a poison center/doctor if you feel unwell.
If eye irritation persists: Get medical advice/attention.
In case of fire: Use for extinction: CO2, powder or water spray.
Store in a well-ventilated place. Keep container tightly closed.
Store in a well-ventilated place. Keep cool.
Store locked up.
Dispose of contents/container in accordance with local/regional/national/international regulations.
Water hazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison. WI Ph:(608)274-4330 Date of preparation / last revision 09/06/2020 / 3.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 * Data compared to the previous version altered.

US



Printing date 09/06/2020

Reviewed on 09/03/2020

Product ident Trade name:	
Article numbe Application o	r: A937 the substance / the mixture For Laboratory Use
Details of the Manufacture	upplier of the safety data sheet Supplier:
Promega Cor _l 2800 Woods I Madison, WI . U.S.A. 1-800-356-95	ollow Road
Promega Corj 2800 Woods I Madison, WI U.S.A. 1-800-356-95 Emergency te For Chemical and Canada:	hemicalRegulatory@promega.com oration ollow Road

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

- US -

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

(Contd. of page 1)



US

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

(Contd. of page 2)

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-17-5 ethanol	20-25%
67-63-0 2-Propanol	20-25%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Immediately remove any clothing soiled by the product.

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed Headache

Dizziness

Nausea

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

(Contd. on page 4)

(Contd. of page 3)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

6 Accidental release measures

Personal precautions, protective equipment and emergency proceduresRemove persons from danger area.Wear protective equipment. Keep unprotected persons away.Keep away from ignition sourcesWear protective clothing.Environmental precautions:Prevent seepage into sewage system, workpits and cellars.Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Ensure adequate ventilation.Reference to other sectionsSee Section 7 for information on safe handling.See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

67-63-0 2-Propanol

PEL Long-term value: 980 mg/m³, 400 ppm

(Contd. on page 5)

US

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

	(Contd. of page 4
REL Short-term value: 1225 mg/r	
Long-term value: 980 mg/m ⁴	* *
TLV Short-term value: 984 mg/m	
Long-term value: 492 mg/m ² BEI	<i>200 ppm</i>
	-
Ingredients with biological limit v	values:
67-63-0 2-Propanol	
BEI 40 mg/L	
Medium: urine	
Time: end of shift at end of w	
Parameter: Acetone (backgro	
Additional information: The lists	that were valid during the creation were used as basis.
Exposure controls	
Personal protective equipment:	
General protective and hygienic n	
Keep away from foodstuffs, bever	
Immediately remove all soiled and	
Wash hands before breaks and at	the end of work.
Avoid contact with the eyes.	
Avoid contact with the eyes and sk	
Do not eat or drink while working	
Breathing equipment:	
	ollution use respiratory filter device. In case of intensive or longer exposure us
respiratory protective device that	is independent of circulating dir.
Protection of hands:	
Protective gloves	ing population time, note of diffusion and dependention time
	ing penetration time, rate of diffusion and degradation time. ted protective gloves be tested and approved under NIOSH or EU Directiv
89/686/EEC and the standard EN	
Material of gloves	574 derived from it.
	s does not only depend on the material, but also on further marks of quality ar
	ufacturer. As the product is a preparation of several substances, the resistance
	alculated in advance and has therefore to be checked prior to the application.
<i>Eye protection:</i>	
Safety glasses	
	tested and approved under government NIOSH standards.
Physical and chemical prop	erties
Information on basic physical an General Information	d chemical properties
Appearance:	
<i>Appearance:</i> <i>Form:</i>	Fluid
Form: Color:	riuia Colorless
Odor:	Alcohol-like
Odor threshold:	Not determined.
	7
pH-value at 20 °C (68 °F):	, ,
Change in condition Melting point/Melting range:	, Undetermined.

(Contd. on page 6)

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

	(Contd. of page
Boiling point/Boiling range:	78 °C (172.4 °F)
Flash point:	< 23 °C (< 73.4 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	425 °C (797 °F)
Decomposition temperature:	Not determined.
Auto igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapo mixtures are possible.
Explosion limits:	······································
Lower:	2 Vol %
Upper:	15 Vol %
Vapor pressure at 20 °C (68 °F):	43 hPa (32.3 mm Hg)
Density at 20 °C (68 °F):	0.90053 g/cm ³ (7.51492 lbs/gal)
Relative density	Not determined.
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with	
Water:	Fully miscible.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Organic solvents:	50.0 %
Water:	49.4 %
VOC content:	50.00 %
Solids content:	0.6 %
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: Irritating effect. Sensitization: No sensitizing effects known.

(Contd. on page 7)

US

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

64-17-5 ethanol

67-63-0 2-Propanol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. **vPvB:** Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

(Contd. on page 8)

(Contd. of page 6)

1

3

Printing date 09/06/2020

*

Reviewed on 09/03/2020

Trade name: Alcohol Wash

(Contd. of page 7)

UN-Number	
DOT, ADR, IMDG, IATA	UN1987
UN proper shipping name	
DOT	Alcohols, n.o.s. (Isopropanol, Ethanol)
ADR	1987 ALCOHOLS, N.O.S. (vapour pressure at 50°C not me
	than 110 kPa) (ISOPROPANOL (ISOPROPYL ALCOHO) ETHANOL (ETHYL ALCOHOL))
IMDG	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHO
IMDO	ETHANOL (ETHYL ALCOHOL))
IATA	ALCOHOLS, N.O.S. (ISOPROPANOL (ISOPROPYL ALCOHO
	ETHANOL)
Transport hazard class(es)	
DOT	
3	
Class Label	3 Flammable liquids 3
	· · · · · · · · · · · · · · · · · · ·
ADR	
3	
Class	3 (F1) Flammable liquids
Label	3
IMDG, IATA	
Class	3 Flammable liquids
Label	3
Packing group	
DOT, ADR, IMDG, IATA	II
Environmental hazards:	N
Marine pollutant:	No
Special precautions for user	Warning: Flammable liquids
Hazard identification number (Kemler code). EMS Number:	: 33 F-E,S-D
Stowage Category	<i>г-с</i> , <i>з-D</i> В
	-
Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code	Not applicable.

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

	(Contd. of page
Transport/Additional information:	
ADR	
Excepted quantities (EQ)	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
IMDG	
Limited quantities (LQ)	1L
Excepted quantities $(\widetilde{E}Q)$	Code: E2
	Maximum net quantity per inner packaging: 30 ml
	Maximum net quantity per outer packaging: 500 ml
UN "Model Regulation":	UN 1987 ALCOHOLS, N.O.S. (VAPOUR PRESSURE AT 50°
	NOT MORE THAN 110 KPA) (ISOPROPANOL (ISOPROPY
	ALCOHOL), ETHANOL (ETHYL ALCOHOL)), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):	
None of the ingredients are listed.	
Section 313 (Specific toxic chemical listings):	
67-63-0 2-Propanol	
TSCA (Toxic Substances Control Act) Inventory:	
All ingredients are listed.	
Hazardous Air Pollutants	
None of the ingredients are listed.	
Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
64-17-5 ethanol	
Cancerogenity categories	
EPA (Environmental Protection Agency)	
None of the ingredients are listed.	
TLV (Threshold Limit Value established by ACGIH)	
64-17-5 ethanol	A3
67-63-0 2-Propanol	A4
NIOSH-Ca (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	

(Contd. on page 10)

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

(Con GHS label elements The product is classified and labeled according to the Globally Harmonized System Signal word Danger	ntd. of page 9) <i>m (GHS)</i> .
Hazard-determining components of labeling:	
2-Propanol	
Hazard statements	
Highly flammable liquid and vapor.	
Causes serious eye irritation.	
May cause drowsiness or dizziness.	
Precautionary statements	
Keep away from heat/sparks/open flames/hot surfaces No smoking.	
Ground/bond container and receiving equipment.	
Use explosion-proof electrical/ventilating/lighting/equipment.	
Use only non-sparking tools.	
Take precautionary measures against static discharge.	
Avoid breathing dust/fume/gas/mist/vapors/spray	
Wash thoroughly after handling.	
Use only outdoors or in a well-ventilated area.	
Wear protective gloves/protective clothing/eye protection/face protection.	
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.	
IF INHALED: Remove person to fresh air and keep comfortable for breathing.	
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and Continue rinsing.	easy to do.
Continue rinsing. Call a poison center/doctor if you feel unwell.	
If eye irritation persists: Get medical advice/attention.	
In case of fire: Use for extinction: CO2, powder or water spray.	
Store in a well-ventilated place. Keep container tightly closed.	
Store in a well-ventilated place. Keep cool.	
Store in a weil-ventitatea place. Keep cool. Store locked up.	
Dispose of contents/container in accordance with local/regional/national/international regulations.	
Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water.	

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/06/2020 / 3.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA)

(Contd. on page 11)

[–] US

Printing date 09/06/2020

Reviewed on 09/03/2020

Trade name: Alcohol Wash

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 *** Data compared to the previous version altered.** (Contd. of page 10)