Certificate of Analysis

pFN19K HaloTag® T7 SP6 Flexi® Vector:

Part No.	Size
G184A	20µg

Part# 9PIG184

Revised 10/16

Description: The pFN19K HaloTag® T7 SP6 Flexi® Vector[a–d] is configured to append the HaloTag® tag to the amino-terminus of the protein fusion partner and provides T7 RNA polymerase-driven protein expression in *E. coli* or T7 or SP6 RNA polymerase-driven protein expression in cell-free translation systems.

The pFN19K HaloTag® T7 SP6 Flexi® Vector contains the following features:

- **T7 and SP6 RNA polymerase promoters** for in vitro HaloTag® fusion protein expression in cell-free systems (e.g., TnT® lysate reaction).
- The **N-terminal HaloTag® region**, which rapidly forms covalent bonds with HaloTag® ligands, enabling labeling or immobilization of expressed proteins.
- A **TEV protease site** for cleavage of the expressed protein from the HaloTag® protein using ProTEV Protease (Cat.# V6051).
- The lethal **barnase gene** for positive selection of the insert. **Note:** The pFN19K HaloTag® T7 SP6 Flexi® Vector can only be propagated in *E. coli* once the barnase gene is replaced with the protein-coding sequence of interest.
- A **kanamycin-resistance gene** for selection of the plasmid.
- Unique **SgfI and PmeI sites**, which allow easy insertion of the sequence of interest. These sites create a readthrough sequence that can be joined to a protein-coding region flanked by SgfI and PmeI sites, enabling easy transfer to the pFN19K HaloTag® T7 SP6 Flexi® Vector from other Flexi® Vectors with different expression options.
- A **synthetic poly(A)** for enhanced translation in eukaryotic cell-free translation systems.
- A ***rrnB* transcription terminator** for preventing in vivo *E. coli* transcription into the insert.

Concentration: 100ng/µl.

GenBank® Accession Number: EU545995.

Storage Buffer: The pFN19K HaloTag® T7 SP6 Flexi® Vector is supplied in 10mM Tris-HCl (pH 8.0), 1mM EDTA.

Storage Conditions: See the Product Information Label for storage recommendations. Avoid multiple freeze-thaw cycles and exposure to frequent temperature changes. These fluctuations can greatly alter product stability. See label for expiration date.

Usage Notes:

1. This vector was designed to be used with the Flexi® Vector System, a directional cloning method to shuttle protein-coding sequences between compatible vectors. To prepare the HaloTag® fusion protein, the protein-coding region is cloned into the pFN19K HaloTag® T7 SP6 Flexi® Vector using the Flexi® System, Entry/Transfer (Cat.# C8640). For more information, see the *Flexi® Vector Systems Technical Manual #*TM254, available online at: **www.promega.com/protocols/**
2. In *E. coli*, this vector provides approximately two- to fourfold lower expression compared to pFN18K HaloTag® T7 Flexi® Vector.
3. Concentration gradients may form in frozen products and should be dispersed upon thawing. Mix well prior to use.

Quality Control Assays

Contaminant Assays

Contaminating Nucleic Acids: RNA, single-stranded DNA and chromosomal DNA are not evident in specified quantities of the vector as determined by agarose gel electrophoresis.

Nuclease Assay: Following incubation of 1µg of the vector in Restriction Enzyme Buffer at 37°C for 16–24 hours, no evidence of nuclease activity is detected by agarose gel electrophoresis.

Physical Purity: $A_{260}/A_{280} \geq 1.80$, $A_{260}/A_{250} \geq 1.05$.

Functional Assays

Identity Assay: The vector has been sequenced completely and has 100% identity with the published sequence available at: **www.promega.com/resources/vector-sequences/**

Restriction Digestion: The functional purity of the vector DNA is verified by successful digestion with restriction enzymes at the optimal temperature for one hour. Samples are examined by agarose gel electrophoresis, comparing cut and uncut vector DNA with marker DNA.

Signed by:

R. Wheeler, Quality Assurance

AF9PIG184 1016G184

Promega Corporation

2800 Woods Hollow Road	
Madison, WI 53711-5399	USA
Telephone	608-274-4330
Toll Free	800-356-9526
Fax	608-277-2516
Internet	www.promega.com

Part# 9PIG184
Printed in USA. Revised 10/16.

Usage Information

pFN19K HaloTag® T7 SP6 Flexi® Vector Features and Circle Map

The following features are present in the vector based on nucleotide sequence.

T7 RNA polymerase promoter (–17 to +3)	21–40
SP6 RNA polymerase promoter (–17 to +3)	45–64
HaloTag® protein coding region	80–970
TEV site	983–1003
SgfI site	1010–1017
barnase coding region	1041–1376
PmeI site	1378–1385
Synthetic poly(A) region	1516–1543
T7 terminator	1544–1591
Kanamycin resistance (Kan^r) coding region	1972–2766
*Col*E1-derived plasmid origin of replication	2935–2971
cer site (site for *E. coli* XerCD recombinase)	3642–3927
rrnB transcription terminator	3978–4379



Figure 1. pFN19K HaloTag® T7 SP6 Flexi® Vector circle map and sequence reference points.



Figure 2. pFN19K HaloTag® T7 SP6 Flexi® Vector sequence upstream and downstream of the HaloTag® gene.

Related Products

Product	Size	Cat.#
HaloTag® Cloning Starter System	1 each	G6050
Flexi® System, Entry/Transfer	5 entry and 20 transfer reactions	C8640
Flexi® System, Transfer	100 transfer reactions	C8820
Carboxy Flexi® System, Transfer	50 transfer reactions	C9320
10X Flexi® Enzyme Blend (SgfI & PmeI)	25µl	R1851
	100µl	R1852
Carboxy Flexi® Enzyme Blend (SgfI & EcoICRI)	50µl	R1901
Single Step (KRX) Competent Cells	20 × 50µl	L3002

Summary of Changes

The following changes were made to the 12/14 revision of this document:

1. Expired patent or license statements were removed.

Part# 9PIG184
Printed in USA. Revised 10/16.