

11/28/2020

### Kit Components

Product code	Description
<b>G1915</b>	<b>HaloLink® Resin, 25ml</b>
Components:	
G191	HaloLink™ Resin



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 11/28/2020

Reviewed on 11/28/2020

**1 Identification****Product identifier****Trade name:** HaloLink™ Resin**Article number:** G191**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.

1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA  
and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS02 Flame

Flam. Liq. 3 H226 Flammable liquid and vapor.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS02

**Signal word** Warning**Hazard statements**

Flammable liquid and vapor.

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/28/2020

Reviewed on 11/28/2020

Trade name: HaloLink™ Resin

(Contd. of page 1)

**Precautionary statements**

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Classification system:****NFPA ratings (scale 0 - 4)**

Health = 0

Fire = 2

Reactivity = 0

**HMIS-ratings (scale 0 - 4)**

Health = 0

Fire = 2

Reactivity = 0

**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Combustible**Target Organ(s):**

May cause Liver damage (Hepatotoxin)

May affect Nervous system (Neurotoxin)

**Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

## 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:**

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

**Dangerous components:**

64-17-5 ethanol	15-20%
-----------------	--------

**Additional information:** For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

**Description of first aid measures****After inhalation:** If the patient feels unwell or is concerned, obtain medical advice.**After skin contact:** Generally the product does not irritate the skin.**After eye contact:** Rinse opened eye for several minutes under running water.**After swallowing:** If the patient feels unwell or is concerned, obtain medical advice.**Information for doctor:****Most important symptoms and effects, both acute and delayed**

Headache

Dizziness

Nausea

(Contd. on page 3)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/28/2020

Reviewed on 11/28/2020

Trade name: HaloLink™ Resin

(Contd. of page 2)

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

**5 Fire-fighting measures****Extinguishing media****Suitable extinguishing agents:** Use fire fighting measures that suit the environment.**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** No special advice**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective equipment. Keep unprotected persons away.

Keep away from ignition sources

Wear protective clothing.

**Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

**7 Handling and storage****Handling:****Precautions for safe handling** Use only in well ventilated areas.**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** Keep receptacle tightly sealed.**Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection****Control parameters****Components with limit values that require monitoring at the workplace:**

64-17-5 ethanol

PEL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppm

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/28/2020

Reviewed on 11/28/2020

Trade name: HaloLink™ Resin

(Contd. of page 3)

REL Long-term value: 1900 mg/m<sup>3</sup>, 1000 ppmTLV Short-term value: 1880 mg/m<sup>3</sup>, 1000 ppm**Additional information:** The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:** Wash hands before breaks and at the end of work.**Breathing equipment:** Not required.**Protection of hands:**

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

**Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

**Eye protection:** Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

**Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Fluid
<b>Color:</b>	Colorless
<b>Odor:</b>	Alcohol-like
<b>Odor threshold:</b>	Not determined.

**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	Undetermined.
<b>Flash point:</b>	23 - 60 °C (73.4 - 140 °F)

**Flammability (solid, gaseous):** Not applicable.**Ignition temperature:** 425 °C (797 °F)**Decomposition temperature:** Not determined.**Auto igniting:** Product is not selfigniting.

**Danger of explosion:** Product does not present an explosion hazard.  
Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

**Explosion limits:**

<b>Lower:</b>	3.5 Vol %
<b>Upper:</b>	15 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	59 hPa (44.3 mm Hg)

**Density:** Not determined.**Relative density** Not determined.**Vapor density** Not determined.**Evaporation rate** Not determined.**Solubility in / Miscibility with****Water:** Fully miscible.

(Contd. on page 5)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/28/2020

Reviewed on 11/28/2020

Trade name: HaloLink™ Resin

(Contd. of page 4)

**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:****Dynamic:** Not determined.**Kinematic:** Not determined.**Organic solvents:** 18.8 %**Water:** 56.3 %**VOC content:** 18.75 %**Other information** No further relevant information available.

## 10 Stability and reactivity

**Reactivity** No further relevant information available.**Chemical stability****Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** No dangerous decomposition products known.

## 11 Toxicological information

**Information on toxicological effects****Acute toxicity:****LD/LC50 values that are relevant for classification:** No data available**Primary irritant effect:****on the skin:** No data available.**on the eye:** No data available.**Sensitization:** No sensitizing effects known.**Additional toxicological information:**

When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

**Carcinogenic categories****IARC (International Agency for Research on Cancer)**

64-17-5 ethanol

1

**NTP (National Toxicology Program)**

None of the ingredients are listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients are listed.

## 12 Ecological information

**Toxicity****Aquatic toxicity:**

Not available

No further relevant information available.

**Persistence and degradability**

Not available

No further relevant information available.

(Contd. on page 6)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/28/2020

Reviewed on 11/28/2020

Trade name: HaloLink™ Resin

(Contd. of page 5)

**Bioaccumulative potential**

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.**Ecotoxicological effects:****Remark:** Not available**Additional ecological information:****General notes:** No data available.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.

### 13 Disposal considerations

**Waste treatment methods****Recommendation:**

Disposal should be in accordance with applicable regional, national and local laws and regulations.

Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

**Uncleaned packagings:****Recommendation:** Disposal must be made according to official regulations.**Recommended cleansing agent:** Water, if necessary with cleansing agents.

### 14 Transport information

<b>UN-Number</b>	Not hazardous for transportation
<b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable

<b>UN proper shipping name</b>	None
<b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable

<b>Transport hazard class(es)</b>	None
<b>DOT, ADR, ADN, IMDG, IATA</b>	
<b>Class</b>	Not applicable

<b>Packing group</b>	None
<b>DOT, ADR, IMDG, IATA</b>	Not applicable

<b>Environmental hazards:</b>	
<b>Marine pollutant:</b>	No

<b>Special precautions for user</b>	Not applicable.
-------------------------------------	-----------------

<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
---	-----------------

<b>UN "Model Regulation":</b>	Not applicable
-------------------------------	----------------

(Contd. on page 7)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 11/28/2020

Reviewed on 11/28/2020

Trade name: HaloLink™ Resin

(Contd. of page 6)

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
Sara

### Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

### TSCA (Toxic Substances Control Act) Inventory:

64-17-5 ethanol

### Hazardous Air Pollutants

None of the ingredients are listed.

### Proposition 65

#### Chemicals known to cause cancer:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

#### Chemicals known to cause developmental toxicity:

64-17-5 ethanol

### Carcinogenicity categories

#### EPA (Environmental Protection Agency)

None of the ingredients are listed.

#### TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

A3

#### NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).

**Signal word** Warning

#### Hazard statements

Flammable liquid and vapor.

#### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

Use explosion-proof electrical/ventilating/lighting/equipment.

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.

(Contd. on page 8)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 11/28/2020

Reviewed on 11/28/2020

**Trade name: HaloLink™ Resin**

(Contd. of page 7)

**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.

\*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

**Department issuing SDS:**

Promega Corporation  
Chemical Regulatory Department  
2800 Woods Hollow Road  
Madison, WI  
Ph: (608) 274-4330

**Date of preparation / last revision** 11/28/2020 / 1.0

**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Flam. Liq. 3: Flammable liquids – Category 3

**\* Data compared to the previous version altered.**

US