

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 6.6 Revision Date 10.08.2020 Print Date 25.01.2022

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 2-(Methylamino)ethanol

Product Number : 471445 Brand : Aldrich

Index-No. : 603-080-00-0

REACH No. : A registration number is not available for this substance as the

substance or its uses are exempted from registration, the annual tonnage does not require a registration or the registration is envisaged for a later registration deadline.

CAS-No. : 109-83-1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

1.3 Details of the supplier of the safety data sheet

Company : Sigma-Aldrich Pte Ltd

(Co. Registration No. 199403788W)

2 Science Park Drive #05-01/12 Ascent Building

SINGAPORE 118222

SINGAPORE

Telephone : +65 6890 6633 Fax : +65 6890 6639

E-mail address : TechnicalService@merckgroup.com

1.4 Emergency telephone

Emergency Phone # : 1-800-262-8200

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302 Acute toxicity, Dermal (Category 4), H312 Skin corrosion (Sub-category 1B), H314 Serious eye damage (Category 1), H318

Specific target organ toxicity - single exposure (Category 3), Respiratory system, H335 Specific target organ toxicity - repeated exposure, Oral (Category 2), Kidney, Testes, Liver, spleen, ovary, H373

Aldrich- 471445 Page 1 of 9



For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal word Danger

Hazard statement(s)

H302 + H312 Harmful if swallowed or in contact with skin. Causes severe skin burns and eye damage.

H335 May cause respiratory irritation.

H373 May cause damage to organs (Kidney, Testes, Liver, spleen,

ovary) through prolonged or repeated exposure if swallowed.

Precautionary statement(s)

P260 Do not breathe dust/ fume/ gas/ mist/ vapors/ spray.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection/ hearing protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated

clothing. Rinse skin with water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsina.

P314 Get medical advice/ attention if you feel unwell.

Supplemental Hazard

Statements

none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.1 Substances

Synonyms : N-Methylethanolamine

Formula : C₃H₉NO

Molecular weight : 75,11 g/mol

CAS-No. : 109-83-1

EC-No. : 203-710-0

Index-No. : 603-080-00-0

Component	Classification	Concentration
2-methylaminoethanol		
	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; STOT SE 3; STOT RE 2; H302, H312, H314, H318, H335, H373	<= 100 %

Aldrich- 471445 Page 2 of 9



Concentration limits:	
	>= 5 %: STOT SE 3, H335;

For the full text of the H-Statements mentioned in this Section, see Section 16.

SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

First aider needs to protect himself. Show this material safety data sheet to the doctor in attendance.

If inhaled

After inhalation: fresh air. Call in physician.

In case of skin contact

In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Call a physician immediately.

In case of eye contact

After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

After swallowing: make victim drink water (two glasses at most), avoid vomiting (risk of perforation). Call a physician immediately. Do not attempt to neutralise.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Carbon dioxide (CO2) Foam Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.

5.2 Special hazards arising from the substance or mixture

Nature of decomposition products not known.

Combustible.

Vapors are heavier than air and may spread along floors.

Forms explosive mixtures with air on intense heating.

Forms explosive mixtures with air on intense heating.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

A

Aldrich- 471445 Page 3 of 9

5.4 Further information

Remove container from danger zone and cool with water. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Advice for non-emergency personnel: Do not breathe vapors, aerosols. Avoid substance contact. Ensure adequate ventilation. Keep away from heat and sources of ignition. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully with liquid-absorbent material (e.g. Chemizorb®). Dispose of properly. Clean up affected area.

6.4 Reference to other sections

For disposal see section 13.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Keep away from open flames, hot surfaces and sources of ignition. Take precautionary measures against static discharge. For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Tightly closed.

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Appropriate engineering controls

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

Personal protective equipment

Eye/face protection

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Aldrich- 471445 Page 4 of 9



Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.

The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Full contact

Material: Nitrile rubber

Minimum layer thickness: 0,4 mm Break through time: 480 min

Material tested: Camatril® (KCL 730 / Aldrich Z677442, Size M)

Splash contact

Material: Nitrile rubber

Minimum layer thickness: 0,2 mm

Break through time: 30 min

Material tested: Dermatril® P (KCL 743 / Aldrich Z677388, Size M)

data source: KCL GmbH, D-36124 Eichenzell, phone +49 (0)6659 87300, e-mail

sales@kcl.de, test method: EN374

If used in solution, or mixed with other substances, and under conditions which differ from EN 374, contact the supplier of the EC approved gloves. This recommendation is advisory only and must be evaluated by an industrial hygienist and safety officer familiar with the specific situation of anticipated use by our customers. It should not be construed as offering an approval for any specific use scenario.

Body Protection

protective clothing

Respiratory protection

required when vapours/aerosols are generated. Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Control of environmental exposure

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

a) Appearance Form: liquid

Color: colorless

b) Odor amine-like

c) Odor Threshold No data available

d) pH 13,6 at 100 g/l at 20 °C

e) Melting Melting point/range: -5 °C - Decomposes on heating.

point/freezing point

f) Initial boiling point 159 °C - lit.

Aldrich- 471445 Page 5 of 9



and boiling range

g) Flash point
h) Evaporation rate
i) Flammability (solid,
No data available
No data available

gas)

j) Upper/lower Upper explosion limit: 19,8 %(V) flammability or explosive limits Upper explosion limit: 1,6 %(V)

k) Vapor pressure 0,7 hPa at 20 °C l) Vapor density 2,59 - (Air = 1.0)

m) Relative density 0,935 g/cm3 at 25 °C

n) Water solubility ca.1.000 g/l at 20 °C - completely miscible

o) Partition coefficient: log Pow: -0,91 at 25 °C

n-octanol/water

p) Autoignition 350 °C

q) Decomposition No data available temperature

r) Viscosity 6,36 mm2/s at 37,5 °C -

s) Explosive properties No data availablet) Oxidizing properties No data available

9.2 Other safety information

Surface tension 34,4 mN/m at 22 °C

Dissociation constant 9,83 - 10,18

Relative vapor

density

2,59 - (Air = 1.0)

SECTION 10: Stability and reactivity

10.1 Reactivity

Forms explosive mixtures with air on intense heating.

A range from approx. 15 Kelvin below the flash point is to be rated as critical.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .

10.3 Possibility of hazardous reactions

No data available

10.4 Conditions to avoid

Strong heating.

10.5 Incompatible materials

Strong oxidizing agents, Copper, Zinc, Iron, Do not store near acids.

10.6 Hazardous decomposition products

Other decomposition products - No data available

Aldrich- 471445 Page 6 of 9



Hazardous decomposition products formed under fire conditions. - Nature of decomposition products not known.

In the event of fire: see section 5

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

LD50 Oral - Rat - female - 1.391 mg/kg (OECD Test Guideline 401) LD50 Dermal - Rabbit - female - 1.006 mg/kg (OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit Result: Corrosive - 3 min (OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit Result: Corrosive (OECD Test Guideline 405)

Respiratory or skin sensitization

Germ cell mutagenicity

Hamster fibroblast Result: negative

Carcinogenicity

No ingredient of this product present at levels greater than or equal to 0.1% is IARC:

identified as probable, possible or confirmed human carcinogen by IARC.

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Additional Information

Repeated dose toxicity - Rat - male and female - Oral - NOAEL (No observed adverse effect level) - 50 mg/kg RTECS: KL6650000

Material is extremely destructive to tissue of the mucous membranes and upper respiratory tract, eyes, and skin., Cough, Shortness of breath, Headache, Nausea

Aldrich- 471445 Page 7 of 9

SECTION 12: Ecological information

12.1 Toxicity

Toxicity to fish LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h

Toxicity to daphnia static test EC50 - Daphnia magna (Water flea) - 33 mg/l - 48 h

and other aquatic (Directive 67/548/EEC, Annex V, C.2.)

invertebrates

Toxicity to algae static test EC50 - Desmodesmus subspicatus (green algae) - 28,1

mg/l - 72 h

(Directive 67/548/EEC, Annex V, C.3.)

12.2 Persistence and degradability

Biodegradability aerobic - Exposure time 21 d

Result: 92 - 93 % - Readily biodegradable.

(OECD Test Guideline 301A)

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

See www.retrologistik.com for processes regarding the return of chemicals and containers, or contact us there if you have further questions.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2735 IMDG: 2735 IATA: 2735

14.2 UN proper shipping name

ADR/RID: AMINES, LIQUID, CORROSIVE, N.O.S. (2-methylaminoethanol) IMDG: AMINES, LIQUID, CORROSIVE, N.O.S. (2-methylaminoethanol) IATA: Amines, liquid, corrosive, n.o.s. (2-methylaminoethanol)

14.3 Transport hazard class(es)

ADR/RID: 8 IMDG: 8 IATA: 8

14.4 Packaging group

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Aldrich- 471445 Page 8 of 9



14.6 Special precautions for user

No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII)

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements referred to under sections 2 and 3.

H302	Harmful if swallowed.
H302 + H312	Harmful if swallowed or in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.
H335	May cause respiratory irritation.
H373	May cause damage to organs through prolonged or repeated exposure if
	swallowed

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Aldrich- 471445 Page 9 of 9

