

Lot No. : D 1000210224

Date : 21 February 2024

Customer : บริษัท เอ็นพี เคมีคอล ซัพพลาย จำกัด

MFG. : 21 February 2024

Attention : Quality Assurance

EXP. : 21 February 2026

Quantity : 100 Liters

TEST ITEM	SPECIFICATION	RESULT	UNIT
1. APPEARANC	CLEAR	CLEAR	-
2. COLOUR	COLOURLESS	COLOURLESS	-
3. pH (25°C)	5.5 - 7.5	6.0	-
4. TOTAL DISSOLVED SOLIDS	0.0 - 1.0	0.1	ppm
5. CHLORIDE	neg.	neg.	ppm
6. ELECTRICAL CONDUCTIVITY (25°C)	0.0 - 1.0	0.2	MICROSIEMENS
7. IRON (Fe)	neg.	neg.	ppm
8. TIN (Sn)	neg.	neg.	ppm
9. COPPER (Cu)	neg.	neg.	ppm
10. HARDNESS	neg.	neg.	ppm
11. LEAD (Pb)	neg.	neg.	ppm
12. CADMIUM (Cd)	neg.	neg.	ppm
13. CHROMIUM (Cr)	neg.	neg.	ppm
14. NICKEL (Ni)	neg.	neg.	ppm
15. NITRATE	neg.	neg.	ppm
16. SULPHATE	neg.	neg.	ppm
17. SILICA	neg.	neg.	ppm

*CHUTIMA *T*

คุณชุตินา ชุศรี

(Q.C. Department)