

## **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 8.5 Revision Date 08.01.2025 Print Date 06.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : SMC™ Human VEGF-A High Sens Kit

Product Number : 03-0180-00 Catalogue No. : 6F0389 Brand : Millipore

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Biochemical research/analysis

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

## **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 4) H332: Harmful if inhaled.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Eye irritation, (Category 2) H319: Causes serious eye irritation.

Reproductive toxicity, (Category

H360FD: May damage fertility. May

1B)

damage the unborn child.

Long-term (chronic) aquatic

H412: Harmful to aquatic life with long

hazard, (Category 3)

lasting effects.

Millipore- 03-0180-00 Page 1 of 9



## 2.2 Label elements

## Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 + H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin. H319 Causes serious eye irritation.

H360FD May damage fertility. May damage the unborn child. H412 Harmful to aquatic life with long lasting effects.

**Precautionary Statements** 

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P301 + P312 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H311 Toxic in contact with skin.

H412 Harmful to aquatic life with long lasting effects.
H360FD May damage fertility. May damage the unborn child.

**Precautionary Statements** 

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/

doctor if you feel unwell.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Supplemental Hazard

Statements

none

2.3 Other hazards - none

## **SECTION 3: Composition/information on ingredients**

Refer to component SDS

Millipore- 03-0180-00 Page 2 of 9

## **SECTION 4: First aid measures**

Refer to component SDS

## **SECTION 5: Firefighting measures**

Refer to component SDS

## SECTION 6: Accidental release measures

Refer to component SDS

## **SECTION 7: Handling and storage**

## 7.1 Precautions for safe handling

## Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

## Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

## 7.2 Conditions for safe storage, including any incompatibilities

## **Storage conditions**

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

## Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

## **SECTION 8: Exposure controls/personal protection**

Refer to component SDS

## **SECTION 9: Physical and chemical properties**

Refer to component SDS

## **SECTION 10: Stability and reactivity**

Refer to component SDS

Millipore- 03-0180-00

Page 3 of 9

## **SECTION 11: Toxicological information**

Refer to component SDS

## **SECTION 12: Ecological information**

Refer to component SDS

## **SECTION 13: Disposal considerations**

Refer to component SDS

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: 2811 IMDG: 2811 IATA: 2811

14.2 UN proper shipping name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (sodium azide)
IMDG: TOXIC SOLID, ORGANIC, N.O.S. (sodium azide)
IATA: Toxic solid, organic, n.o.s. (sodium azide)

14.3 Transport hazard class(es)

ADR/RID: 6.1 IMDG: 6.1 IATA: 6.1

14.4 Packaging group

ADR/RID: III IMDG: III IATA: III

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information : No data available

## **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

## 15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

## **SECTION 16: Other information**

**Kit Components:** 

VEGF Standard Millipore 02-8180-00 Acute Tox. 4; Acute Tox. 3; Aquatic Chronic 3; H302 +

Millipore- 03-0180-00 Page 4 of 9

The life science business of Merck operates as MilliporeSigma in the US and Canada



			H332, H311, H412
VEGF Coated Beads	Millipore	02-2180-00	
VEGF Detection Antibody	Millipore	6F0388	
Assay Buffer	Millipore	02-0357-01	Aquatic Chronic 3; H412
Standard Diluent	Millipore	02-0225-02	
Elution Buffer B	Millipore	02-0211-02	
Buffer D	Millipore	02-0446-00	
10x Wash Buffer - 50 ml	Millipore	02-0001-03	Eye Irrit. 2; Repr. 1B; Aquatic
			Chronic 3; H319, H360FD, H412

### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	Classification procedure:	
Acute Tox.4	H302	Calculation method
Acute Tox.4	H332	Calculation method
Acute Tox.3	H311	Calculation method
Eye Irrit.2	H319	Calculation method
Repr.1B	H360FD	Calculation method
Aquatic Chronic3	H412	Calculation method

Millipore- 03-0180-00 Page 5 of 9



### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 03-0180-00 Page 6 of 9



The life science business of Merck operates as MilliporeSigma in the US and Canada



# **Kit Components:**

VEGF Standard						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore - 02-		Danger	Harmful if	Avoid breathing		
8180-00	336		swallowed or if	dust. IF		
	•		inhaled.	SWALLOWED:		
			Toxic in contact	Call a POISON		
			with skin.	CENTER/ doctor		
			Harmful to	if you feel		
			aquatic life with	unwell. Avoid		
			long lasting	release to the		
			effects.	environment. IF		
				ON SKIN: Wash		
				with plenty of		
				water.Call a		
				POISON		
				CENTER/ doctor		
				if you feel		
				unwell. Wear		
				protective		
				gloves/ protective		
				clothing. IF		
				INHALED:		
				Remove person		
				to fresh air and		
				keep		
				comfortable for		
				breathing. Call a		
				POISON		
				CENTER/ doctor		
				if you feel		
				unwell.		

<b>VEGF Coated</b>	VEGF Coated Beads					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information	
Millipore - 02- 2180-00					Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.	

VEGF Detection Antibody					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore -					Not a hazardous

Millipore- 03-0180-00 Page 7 of 9

A

6F0388			substance or
			mixture
			according to
			Regulation (EC)
			No 1272/2008.

Assay Buffer							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore - 02-			Harmful to	Avoid release to			
0357-01			aquatic life with	the			
			long lasting	environment.			
			effects.	Dispose of			
				contents/			
				container to an			
				approved waste			
				disposal plant.			

Standard Dilu	Standard Diluent					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore - 02-					No hazard	
0225-02					pictogram, no	
					signal word, no	
					hazard	
					statement(s), no	
					precautionary	
					statement(s)	
					required.	

<b>Elution Buffer</b>	Elution Buffer B					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore - 02-					No hazard	
0211-02					pictogram, no	
					signal word, no	
					hazard	
					statement(s), no	
					precautionary	
					statement(s)	
					required.	

Buffer D					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 02- 0446-00					No hazard pictogram, no
					signal word, no hazard
					statement(s), no precautionary
					statement(s) required.

Millipore- 03-0180-00 Page 8 of 9

A

10x Wash But				1	T
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 02-		Danger	Causes serious	Do not handle	
0001-03	<b>1</b>		eye irritation.	until all safety	
			May damage	precautions	
			fertility. May	have been read	
	•		damage the	and understood.	
			unborn child.	IF IN EYES:	
			Harmful to	Rinse cautiously	
			aquatic life with	with water for	
			long lasting	several minutes.	
			effects.	Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing. Wash	
				skin thoroughly	
				after handling.	
				IF exposed or	
				concerned: Get	
				medical advice/	
				attention.	
				Avoid release to	
				the	
				environment.	
				Wear protective	
				gloves/ protective	
				clothing/ eye	
				protection/ face	
				protection, race	
	1	1		protection.	

Millipore- 03-0180-00 Page 9 of 9

