

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 28.08.2023 Print Date 21.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Human MMP Panel 2 Magnetic Bead Kit

Product Number : HMMP2MAG-55K

Catalogue No. : 667620 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Biochemical research/analysis

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Acute toxicity, Oral (Category 4), H302

Acute toxicity, Inhalation (Category 4), H332

Acute toxicity, Dermal (Category 4), H312

Serious eye damage (Category 1), H318

Skin sensitization (Category 1), H317

Specific target organ toxicity - repeated exposure (Category 2), Respiratory Tract, H373

Long-term (chronic) aquatic hazard (Category 2), H411

For the full text of the H-Statements mentioned in this Section, see Section 16.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Millipore- HMMP2MAG-55K Page 1 of 12

Pictogram



Signal Word Danger

Hazard statement(s)

H302 + H312 + H332 Harmful if swallowed, in contact with skin or if inhaled.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H373 May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary statement(s)

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P314 Get medical advice/ attention if you feel unwell.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard statement(s)

H317 May cause an allergic skin reaction. H318 Causes serious eye damage.

Precautionary statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Refer to component SDS

Millipore- HMMP2MAG-55K

AA

Page 2 of 12

SECTION 4: First aid measures

Refer to component SDS

SECTION 5: Firefighting measures

Refer to component SDS

SECTION 6: Accidental release measures

Refer to component SDS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

Millipore- HMMP2MAG-55K

Page 3 of 12

A

SECTION 11: Toxicological information

Refer to component SDS

SECTION 12: Ecological information

Refer to component SDS

SECTION 13: Disposal considerations

Refer to component SDS

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

Millipore- HMMP2MAG-55K Page 4 of 12

A

SECTION 16: Other information

Kit Components: Human MMP Panel 2 Standard MILLIPLEX	Millipore	HMMP2-8055-2	Acute Tox. 4; Eye Dam. 1; STOT RE 2; Aquatic Chronic 3; H302 + H312 + H332, H318, H373, H412
Human MMP Panel 2 Quality Controls	Millipore	HMMP2-6055-2	Acute Tox. 4; Eye Dam. 1; STOT RE 2; Aquatic Chronic 3; H302 + H312 + H332, H318, H373, H412
Milliplex Assay Buffer	Millipore	L-AB	
Bead Diluent COLD PACKS	Millipore	LBD	
10X Wash Buffer - MILLIPLEX	Millipore	L-WB	Skin Sens. 1; Aquatic Chronic 2; H317, H411
Human MMP Panel 2 Detection Antibod	Millipore	HMMP2-1055-2	
Streptavidin- Phycoerythrin	Millipore	L-SAPE9	
18-MMP-1 Beads- Magnetic	Millipore	HMMP1-MAG	
21-MMP-2 Beads - Magnetic	Millipore	HMMP2-MAG	
30-MMP-7 Beads- Magnetic	Millipore	HMMP7-MAG	
33-MMP-9 Beads- Magnetic	Millipore	HMMP9-MAG	
37-MMP-10 Beads- Magnetic	Millipore	HMMP10-MAG	

Millipore- HMMP2MAG-55K Page 5 of 12



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	Classification procedure:	
Acute Tox.4	H302	Calculation method
Acute Tox.4	H332	Calculation method
Acute Tox.4	H312	Calculation method
Eye Dam.1	H318	Calculation method
Skin Sens.1	H317	Calculation method
STOT RE2	H373	Calculation method
Aquatic Chronic2	H411	Calculation method

Further information

The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to

Millipore- HMMP2MAG-55K Page 6 of 12

A

appropriate safety precautions. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- HMMP2MAG-55K

The life science business of Merck operates as MilliporeSigma in the US and Canada

Page 7 of 12



Kit Components:

Human MMP F	Human MMP Panel 2 Standard MILLIPLEX					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier	_	Word	Statements	Statements	information	
Millipore -		Danger	Harmful if	Avoid release to		
HMMP2-8055-			swallowed, in	the		
2	E TO		contact with skin or if inhaled.	environment. IF		
				ON SKIN: Wash		
			Causes serious eye damage.	with plenty of water.Call a		
	\ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \		May cause	POISON		
	Ť		damage to	CENTER/ doctor		
			organs	if you feel		
			(Respiratory	unwell. Wear		
			Tract) through	protective		
			prolonged or	gloves/		
			repeated	protective		
			exposure.	clothing/ eye		
			Harmful to	protection/ face		
			aquatic life with	protection. IF		
			long lasting	INHALED:		
			effects.	Remove person		
				to fresh air and		
				keep		
				comfortable for		
				breathing. Call a		
				POISON		
				CENTER/ doctor		
				if you feel unwell. IF IN		
				EYES: Rinse		
				cautiously with		
				water for		
				several minutes.		
				Remove contact		
				lenses, if		
				present and		
				easy to do.		
				Continue		
				rinsing. Get		
				medical advice/		
				attention if you		
				feel unwell.		

Millipore- HMMP2MAG-55K

The life science business of Merck operates as MilliporeSigma in the US and Canada



Page $8\ \mathrm{of}\ 12$

Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -		Danger	Harmful if	Avoid release to	
HMMP2-6055-			swallowed, in	the	
2			contact with skin	environment. IF	
	<u>~</u> §		or if inhaled.	ON SKIN: Wash	
	X		Causes serious	with plenty of	
	(!)		eye damage.	water.Call a	
			May cause	POISON	
			damage to	CENTER/ doctor	
			organs	if you feel	
			(Respiratory	unwell. Wear	
			Tract) through	protective	
			prolonged or	gloves/	
			repeated	protective	
			exposure.	clothing/ eye	
			Harmful to	protection/ face	
			aquatic life with long lasting	protection. IF INHALED:	
			effects.		
			enects.	Remove person to fresh air and	
				keep	
				comfortable for	
				breathing. Call a	
				POISON	
				CENTER/ doctor	
				if you feel	
				unwell. IF IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing. Get	
				medical advice/	
				attention if you	
				feel unwell.	

Milliplex Assa	Milliplex Assay Buffer						
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information		
Millipore - L- AB					No hazard pictogram, no signal word, no hazard statement(s), no		

Millipore- HMMP2MAG-55K

Page 9 of 12



		precautionary
		statement(s)
		required

Bead Diluent	Bead Diluent COLD PACKS						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore - LBD					No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required		

10X Wash But	10X Wash Buffer - MILLIPLEX						
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information		
Millipore - L- WB		Warning	May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.	Avoid breathing mist or vapors. IF ON SKIN: Wash with plenty of water. Contaminated work clothing should not be allowed out of the workplace. If skin irritation or rash occurs: Get medical advice/ attention. Avoid release to the environment. Wear protective gloves.			

Human MMP F	Human MMP Panel 2 Detection Antibod						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -					Not a hazardous		
HMMP2-1055-					substance or		
2					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

Millipore- HMMP2MAG-55K

Page 10 of 12



Streptavidin-	Streptavidin-Phycoerythrin						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore - L-					Not a hazardous		
SAPE9					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

18-MMP-1 Be	18-MMP-1 Beads-Magnetic						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -					Not a hazardous		
HMMP1-MAG					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

21-MMP-2 Be	21-MMP-2 Beads - Magnetic					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore -					Not a hazardous	
HMMP2-MAG					substance or	
					mixture	
					according to	
					Regulation (EC)	
					No 1272/2008.	

30-MMP-7 Beads-Magnetic							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -					Not a hazardous		
HMMP7-MAG					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

33-MMP-9 Beads-Magnetic							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore - HMMP9-MAG					Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.		

Millipore- HMMP2MAG-55K

Page 11 of 12



37-MMP-10 Beads-Magnetic						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore -					Not a hazardous	
HMMP10-MAG					substance or	
					mixture	
					according to	
					Regulation (EC)	
					No 1272/2008.	

Millipore- HMMP2MAG-55K Page 12 of 12

