

# **SAFETY DATA SHEET**

according to Regulation (EC) No. 1907/2006

Version 8.5 Revision Date 18.10.2024 Print Date 23.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

# SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : HUMAN CANCER/ METASTASIS BIOMARKER

MAGNETIC BEAD PANEL

Product Number : HCMBMAG-22K

Catalogue No. : 667590 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Biochemical research/analysis

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

# **SECTION 2: Hazards identification**

## 2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 4) H332: Harmful if inhaled.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Serious eye damage, (Category

1)

H318: Causes serious eye damage.

Skin sensitization, (Category 1) H317: May cause an allergic skin reaction.

Specific target organ toxicity - H373: May cause damage to organs repeated exposure, (Category 2), through prolonged or repeated exposure.

Respiratory Tract

Millipore- HCMBMAG-22K Page 1 of 13



Long-term (chronic) aquatic hazard, (Category 2)

H411: Toxic to aquatic life with long lasting

effects.

#### 2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 + H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H373 May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

**Precautionary Statements** 

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsina.

P314 Get medical advice/ attention if you feel unwell.

Supplemental Hazard

Statements

none

#### Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsina.

Supplemental Hazard none

Millipore- HCMBMAG-22K Page 2 of 13



#### 2.3 Other hazards - none

# **SECTION 3: Composition/information on ingredients**

Refer to component SDS

#### **SECTION 4: First aid measures**

Refer to component SDS

# **SECTION 5: Firefighting measures**

Refer to component SDS

#### **SECTION 6: Accidental release measures**

Refer to component SDS

# **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

# Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

#### **Hygiene measures**

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

#### 7.2 Conditions for safe storage, including any incompatibilities

#### Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

#### Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

#### 7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

# **SECTION 8: Exposure controls/personal protection**

Refer to component SDS

Millipore- HCMBMAG-22K Page 3 of 13



# **SECTION 9: Physical and chemical properties**

Refer to component SDS

# **SECTION 10: Stability and reactivity**

Refer to component SDS

### **SECTION 11: Toxicological information**

Refer to component SDS

# **SECTION 12: Ecological information**

Refer to component SDS

# **SECTION 13: Disposal considerations**

Refer to component SDS

## **SECTION 14: Transport information**

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

#### **Further information**

Not classified as dangerous in the meaning of transport regulations.

# **SECTION 15: Regulatory information**

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Millipore- HCMBMAG-22K Page 4 of 13

A

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

# Refer to component SDS **15.2 Chemical Safety Assessment**

For this product a chemical safety assessment was not carried out

_	i 1014 10. Other informat			
	<b>Kit Components:</b> Hu Cancer/Metastasis	Millipore	HCMB-8022	Acute Tox. 4; Acute Tox. 3; Eye
	Std (NO HEAT STRESS	minpore	TICHID 0022	Dam. 1; STOT RE 2; Aquatic Chronic 3; H302 + H332, H311, H318, H373, H412
	Hu Cancer/Metastasis QC (NO HEAT STRESS)	Millipore	HCMB-6022	Acute Tox. 4; Acute Tox. 3; Eye Dam. 1; STOT RE 2; Aquatic Chronic 3; H302 + H332, H311, H318, H373, H412
	Serum Matrix	Millipore	MXHSM-6	Eye Dam. 1; STOT RE 2; H318, H373
	Milliplex Assay Buffer	Millipore	L-AB	
	Bead Diluent MILLIPLEX	Millipore	LBD-4	
	10X Wash Buffer - MILLIPLEX	Millipore	L-WB	Skin Sens. 1; Aquatic Chronic 2; H317, H411
	Human Cancer Metastasis Biomarker Detection Antibodies	Millipore	HCMB-1022	
	Streptavidin- Phycoerythrin (3.5 ml) MILLI	Millipore	L-SAPE6	Eye Irrit. 2; H319
	28-GDF-15 MAGNETIC 20X Beads	Millipore	HGDF15-MAG	
	29-DKK1 Beads - Magnetic	Millipore	HDKK1-MAG	
	36-NSE Beads - Magnetic	Millipore	HNSE-MAG	
	38-Osteonectin Beads - Magnetic	Millipore	H0STNCTN- MAG	
	47-Periostin Beads - Magnetic	Millipore	HPERSTN-MAG	
	52-TRAP5 Beads - Magnetic	Millipore	HTRAP5-MAG	
	61-OPG Beads - Magnetic	Millipore	H0PG-MAG	
	66- YKL40 Beads - Magnetic	Millipore	HYKL40-MAG	
	75-TWEAK Beads - Magnetic	Millipore	HTWEAK-MAG	

Page 5 of 13 Millipore- HCMBMAG-22K



#### Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	e mixture	Classification procedure:
Acute Tox.4	H302	Calculation method
Acute Tox.4	H332	Calculation method
Acute Tox.3	H311	Calculation method
Eye Dam.1	H318	Calculation method
Skin Sens.1	H317	Calculation method
STOT RE2	H373	Calculation method
Aquatic Chronic2	H411	Calculation method

Millipore- HCMBMAG-22K Page 6 of 13



#### **Further information**

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- HCMBMAG-22K Page 7 of 13





# **Kit Components:**

Hu Cancer/M	letastasis Sto	I (NO HEAT	STRESS		
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -		Danger	Harmful if	Avoid release to	
HCMB-8022	335		swallowed or if	the	
			inhaled.	environment. IF	
			Toxic in contact	ON SKIN: Wash	
	X		with skin.	with plenty of	
	T. S.		Causes serious	water.Call a	
			eye damage.	POISON	
			May cause	CENTER/ doctor	
			damage to	if you feel	
			organs	unwell. Wear	
			(Respiratory	protective	
			Tract) through	gloves/	
			prolonged or	protective	
			repeated	clothing/ eye	
			exposure.	protection/ face	
			Harmful to	protection. IF	
			aquatic life with	INHALED:	
			long lasting effects.	Remove person	
			errects.	to fresh air and	
				keep comfortable for	
				breathing. Call a	
				POISON	
				CENTER/ doctor	
				if you feel	
				unwell. IF IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing. Get	
				medical advice/	
				attention if you	
				feel unwell.	

Hu Cancer/Metastasis QC (NO HEAT STRESS)					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore -		Danger	Harmful if swallowed or if	Avoid release to the	

Millipore- HCMBMAG-22K Page 8 of 13



HCMB-6022		inhaled.	onvironment IF	
HCMB-6022			environment. IF	
		Toxic in contact	ON SKIN: Wash	
		with skin.	with plenty of	
		Causes serious	water.Call a	
	•	eye damage.	POISON	
		May cause	CENTER/ doctor	
		damage to	if you feel	
		organs	unwell. Wear	
		(Respiratory	protective	
		Tract) through	gloves/	
		prolonged or	protective	
		repeated	clothing/ eye	
		exposure.	protection/ face	
		Harmful to	protection. IF	
		aquatic life with	INHALED:	
		long lasting	Remove person	
		effects.	to fresh air and	
			keep	
			comfortable for	
			breathing. Call a	
			POISON	
			CENTER/ doctor	
			if you feel	
			unwell. IF IN	
			EYES: Rinse	
			cautiously with	
			water for	
			several minutes.	
			Remove contact	
			lenses, if	
			present and	
			easy to do.	
			Continue	
			rinsing. Get	
			medical advice/	
			attention if you	
			feel unwell.	

Serum Matrix	X				
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - MXHSM-6		Danger	Causes serious eye damage. May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure.	Do not breathe dust. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Dispose of contents/ container to an	

Millipore- HCMBMAG-22K Page 9 of 13



approved waste
disposal plant.
Wear eye
protection/ face
protection. Get
medical advice/
attention if you
feel unwell.

Milliplex Assa	y Buffer				
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - L-					No hazard
AB					pictogram, no
					signal word, no
					hazard
					statement(s), no
					precautionary
					statement(s)
					required.

Bead Diluent MILLIPLEX						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore -					No hazard	
LBD-4					pictogram, no	
					signal word, no	
					hazard	
					statement(s), no	
					precautionary	
					statement(s)	
					required.	

10X Wash Buf	fer - MILLIP	LEX			
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - L- WB		Warning	May cause an allergic skin reaction. Toxic to aquatic life with long lasting effects.	Avoid breathing mist or vapors. IF ON SKIN: Wash with plenty of water. Contaminated work clothing should not be allowed out of the workplace. If skin irritation or rash occurs: Get medical advice/ attention. Avoid release to the environment. Wear protective	

Millipore- HCMBMAG-22K Page 10 of 13



I MINVAS
I GIOVES.

<b>Human Cance</b>	Human Cancer Metastasis Biomarker Detection Antibodies						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -					Not a hazardous		
HCMB-1022					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

Streptavidin-	Streptavidin-Phycoerythrin (3.5 ml) MILLI							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental			
identifier		Word	Statements	Statements	information			
Millipore - L-		Warning	Causes serious	Wash skin				
SAPE6			eye irritation.	thoroughly after				
	•			handling. IF IN				
				EYES: Rinse				
				cautiously with				
				water for				
				several minutes.				
				Remove contact				
				lenses, if				
				present and				
				easy to do.				
				Continue				
				rinsing. Wear				
				eye protection/				
				face protection.				
				If eye irritation				
				persists: Get				
				medical advice/				
				attention.				

28-GDF-15 MAGNETIC 20X Beads							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -					Not a hazardous		
HGDF15-MAG					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

29-DKK1 Beads - Magnetic							
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information		
Millipore - HDKK1-MAG		Wo.u	Jeace.ments	Statements	No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s)		

Millipore- HCMBMAG-22K Page 11 of 13



required.
-----------

36-NSE Bead	36-NSE Beads - Magnetic							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental			
identifier		Word	Statements	Statements	information			
Millipore -					No hazard			
HNSE-MAG					pictogram, no			
					signal word, no			
					hazard			
					statement(s), no			
					precautionary			
					statement(s)			
					required.			

38-Osteonec	38-Osteonectin Beads - Magnetic							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental			
identifier		Word	Statements	Statements	information			
Millipore -					Not a hazardous			
H0STNCTN-					substance or			
MAG					mixture			
					according to			
					Regulation (EC)			
					No 1272/2008.			

47-Periostin	47-Periostin Beads - Magnetic						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -					No hazard		
HPERSTN-					pictogram, no		
MAG					signal word, no		
					hazard		
					statement(s), no		
					precautionary		
					statement(s)		
					required.		

52-TRAP5 Beads - Magnetic						
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information	
Millipore - HTRAP5-MAG					Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.	

61-OPG Beads - Magnetic							
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information		
Millipore - H0PG-MAG					No hazard pictogram, no signal word, no hazard statement(s), no		

Millipore- HCMBMAG-22K Page 12 of 13



		precautionary
		statement(s)
		required.

66- YKL40 Beads - Magnetic							
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -					Not a hazardous		
HYKL40-MAG					substance or		
					mixture		
					according to		
					Regulation (EC)		
					No 1272/2008.		

75-TWEAK Beads - Magnetic					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -					Not a hazardous
HTWEAK-MAG					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

Millipore- HCMBMAG-22K Page 13 of 13

