

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 24.04.2025 Print Date 27.04.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : Canine Kidney Toxicity MAG Panel 1

Product Number : CKT1MAG-97K

Catalogue No. : 6B8138 Brand : Millipore

REACH No. : This product is a mixture. REACH Registration Number see

section 3.

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Biochemical research/analysis

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 4) H332: Harmful if inhaled.

Acute toxicity, (Category 3) H311: Toxic in contact with skin.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

Skin sensitization, (Category 1) H317: May cause an allergic skin reaction.

Specific target organ toxicity - H373: May cause damage to organs repeated exposure, (Category 2), through prolonged or repeated exposure.

Respiratory Tract

Millipore- CKT1MAG-97K Page 1 of 12



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 + H332 Harmful if swallowed or if inhaled.

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H373 May cause damage to organs (Respiratory Tract) through

prolonged or repeated exposure.

H411 Toxic to aquatic life with long lasting effects.

Precautionary Statements

P273 Avoid release to the environment.

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water. Call a POISON CENTER/

doctor if you feel unwell.

P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable

for breathing. Call a POISON CENTER/ doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

P314 Get medical advice/ attention if you feel unwell.

Supplemental Hazard

Statements

none

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word Danger

Hazard Statements

H311 Toxic in contact with skin.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

Precautionary Statements

P280 Wear protective gloves/ protective clothing/ eye protection/ face

protection.

P302 + P352 + P312 IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/

doctor if you feel unwell.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Millipore- CKT1MAG-97K Page 2 of 12



2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher. Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

Refer to component SDS

SECTION 4: First aid measures

Refer to component SDS

SECTION 5: Firefighting measures

Refer to component SDS

SECTION 6: Accidental release measures

Refer to component SDS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Work under hood. Do not inhale substance/mixture. Avoid generation of vapours/aerosols.

Hygiene measures

Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed. Keep in a well-ventilated place. Keep locked up or in an area accessible only to qualified or authorized persons.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 6.1C: Combustible, acute toxic Cat.3 / toxic compounds or compounds which causing chronic effects

Millipore- CKT1MAG-97K Page 3 of 12



7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

SECTION 11: Toxicological information

Refer to component SDS

SECTION 12: Ecological information

Refer to component SDS

SECTION 13: Disposal considerations

Refer to component SDS

SECTION 14: Transport information

14.1 UN number

ADR/RID: - IMDG: - IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: - IMDG: - IATA: -

14.4 Packaging group

ADR/RID: - IMDG: - IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

Millipore- CKT1MAG-97K Page 4 of 12



14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

14.7 Maritime transport in bulk according to IMO instruments

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Kit Components: CKT1-8097-1 Canine Kidney Toxicity Expanded Panel 1 Standard	Millipore	CKT1-8097-1	Acute Tox. 4; Acute Tox. 3; Eye Dam. 1; STOT RE 2; Aquatic Chronic 3; H302 + H332, H311, H318, H373, H412
CKT1-6097-1 Canine Kidney Toxicity Expanded Panel 1 Quality Control 1 & 2	Millipore	CKT1-6097-1	Acute Tox. 4; Acute Tox. 3; Eye Dam. 1; STOT RE 2; Aquatic Chronic 3; H302 + H332, H311, H318, H373, H412
Milliplex Assay Buffer	Millipore	L-AB	
10X Wash Buffer - MILLIPLEX	Millipore	L-WB	Skin Sens. 1; Aquatic Chronic 2; H317, H411
CKT1-1097-1 Canine Kidney Toxicity Expanded Panel 1 Detection Antibodies	Millipore	CKT1-1097-1	Eye Irrit. 2; H319
Streptavidin- Phycoerythrin	Millipore	L-SAPE	Eye Irrit. 2; H319
34 - KIM-1 Beads - Magnetic	Millipore	CKIM1-MAG	
36 - Clusterin Beads - Magnetic	Millipore	CCLSTRN-MAG	
COPN-MAG, 39 - Osteopontin Beads- Magnetic	Millipore	COPN-MAG	
48 - IL-8 Beads- Magnetic	Millipore	CKIL8-MAG	
62 - Cystatin C Beads - Magnetic	Millipore	CCYSTNC-MAG	
CLPCLN2-MAG, 73 - Lipocalin-2/NGAL Beads- Magnetic	Millipore	CLPCLN2-MAG	
CKMCP1-MAG, 74 - MCP- 1 Beads-Magnetic	Millipore	CKMCP1-MAG	

Millipore- CKT1MAG-97K Page 5 of 12



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the	e mixture	Classification procedure:
Acute Tox.4	H302	Calculation method
Acute Tox.4	H332	Calculation method
Acute Tox.3	H311	Calculation method
Eye Dam.1	H318	Calculation method
Skin Sens.1	H317	Calculation method
STOT RE2	H373	Calculation method
Aquatic Chronic2	H411	Calculation method

Millipore- CKT1MAG-97K Page 6 of 12



Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- CKT1MAG-97K Page 7 of 12





Kit Components:

CKT1-8097-1	CKT1-8097-1 Canine Kidney Toxicity Expanded Panel 1 Standard						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental		
identifier		Word	Statements	Statements	information		
Millipore -		Danger	Harmful if	Avoid release to			
CKT1-8097-1	336		swallowed or if	the			
			inhaled.	environment. IF			
			Toxic in contact	ON SKIN: Wash			
	X		with skin.	with plenty of			
	T. B.		Causes serious	water.Call a			
			eye damage.	POISON			
			May cause	CENTER/ doctor			
			damage to	if you feel			
			organs	unwell. Wear			
			(Respiratory	protective			
			Tract) through	gloves/			
			prolonged or	protective			
			repeated	clothing/ eye			
			exposure.	protection/ face			
			Harmful to	protection. IF			
			aquatic life with	INHALED:			
			long lasting	Remove person			
			effects.	to fresh air and			
				keep			
				comfortable for			
				breathing. Call a			
				POISON			
				CENTER/ doctor			
				if you feel unwell. IF IN			
				EYES: Rinse			
				cautiously with			
				water for			
				several minutes.			
				Remove contact			
				lenses, if			
				present and			
				easy to do.			
				Continue			
				rinsing. Get			
				medical advice/			
				attention if you			
				feel unwell.			

CKT1-6097-1 Canine Kidney Toxicity Expanded Panel 1 Quality Control 1 & 2						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore -		Danger	Harmful if swallowed or if	Avoid release to the		

Millipore- CKT1MAG-97K Page 8 of 12



CKT1-6097-1	inhaled. Toxic in contact with skin. Causes serious eye damage. May cause damage to organs (Respiratory Tract) through prolonged or repeated exposure. Harmful to aquatic life with long lasting effects.	environment. IF ON SKIN: Wash with plenty of water.Call a POISON CENTER/ doctor if you feel unwell. Wear protective gloves/ protective clothing/ eye protection. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Get	
		Continue	

Milliplex Assa	Milliplex Assay Buffer					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore - L-					No hazard	
AB					pictogram, no	
					signal word, no	
					hazard	
					statement(s), no	
					precautionary	
					statement(s)	
					required.	

10X Wash Buffer - MILLIPLEX						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore - L-	1	Warning	May cause an allergic skin	Avoid breathing mist or vapors.		

Millipore- CKT1MAG-97K Page 9 of 12



WB	*	reaction. Toxic to aquatic	IF ON SKIN: Wash with	
	•	life with long	plenty of water.	
		lasting effects.	Contaminated	
			work clothing	
			should not be	
			allowed out of	
			the workplace.	
			If skin irritation	
			or rash occurs:	
			Get medical	
			advice/	
			attention.	
			Avoid release to	
			the	
			environment.	
			Wear protective	
			gloves.	

CKT1-1097-1	Canine Kidn	ey Toxicity	Expanded Panel :	1 Detection Antibo	odies
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -		Warning	Causes serious	Wash skin	
CKT1-1097-1			eye irritation.	thoroughly after	
	•			handling. IF IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing. Wear	
				eye protection/	
				face protection.	
				If eye irritation	
				persists: Get	
				medical advice/	
				attention.	

Streptavidin-Phycoerythrin						
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information	
Millipore - L- SAPE	1	Warning	Causes serious eye irritation.	Wash skin thoroughly after handling. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and		

Page 10 of 12 Millipore- CKT1MAG-97K

Canada

The life science business of Merck operates as MilliporeSigma in the US and

	easy to do.	
	Continue	
	rinsing. Wear	
	eye protection/	
	face protection.	
	If eye irritation	
	persists: Get	
	medical advice/	
	attention.	

34 - KIM-1 B	34 - KIM-1 Beads - Magnetic					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore -					Not a hazardous	
CKIM1-MAG					substance or	
					mixture	
					according to	
					Regulation (EC)	
					No 1272/2008.	

36 - Clusterin Beads - Magnetic						
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information	
Millipore - CCLSTRN- MAG					Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008.	

COPN-MAG, 39 - Osteopontin Beads-Magnetic					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -					No hazard
COPN-MAG					pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

48 - IL-8 Beads-Magnetic						
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental	
identifier		Word	Statements	Statements	information	
Millipore -					No hazard	
CKIL8-MAG					pictogram, no	
					signal word, no	
					hazard	
					statement(s), no	
					precautionary	
					statement(s)	
					required.	

Millipore- CKT1MAG-97K Page 11 of 12

A

62 - Cystatin C Beads - Magnetic					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -					Not a hazardous
CCYSTNC-					substance or
MAG					mixture
					according to
					Regulation (EC)
					No 1272/2008.

CLPCLN2-MAG, 73 - Lipocalin-2/NGAL Beads-Magnetic					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -					Not a hazardous
CLPCLN2-MAG					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

CKMCP1-MAG, 74 - MCP-1 Beads-Magnetic					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore -					No hazard
CKMCP1-MAG					pictogram, no
					signal word, no
					hazard
					statement(s), no
					precautionary
					statement(s)
					required.

Millipore- CKT1MAG-97K Page 12 of 12

