

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 8.4 Revision Date 08.01.2025 Print Date 01.05.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifiers

Product name : 8-Plex Human Src Family Kinase Magnetic

Bead Kit

Product Number : 48-650MAG Catalogue No. : 665074 Brand : Millipore

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Reagent for analysis

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephone

Emergency Phone #: +(44)-870-8200418 (CHEMTREC (GB))

+(353)-19014670 (CHEMTREC Ireland) 001-803-017-9114 (CHEMTREC India)

This is a summary SDS for a kit. For the full SDS for each of the components listed in section 16 please visit our website.

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Skin irritation, (Category 2) H315: Causes skin irritation.

Serious eye damage, (Category H318: Causes serious eye damage.

1)

Short-term (acute) aquatic H400: Very toxic to aquatic life.

hazard, (Category 1)

Long-term (chronic) aquatic H411: Toxic to aquatic life with long lasting

hazard, (Category 2) effects.

Millipore- 48-650MAG Page 1 of 10



2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram

Signal Word Danger

Hazard Statements

H302 Harmful if swallowed.H315 Causes skin irritation.

H318 Causes serious eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P264 Wash skin thoroughly after handling. P273 Avoid release to the environment.

P280 Wear protective gloves/ eye protection/ face protection.
P301 + P312 Wear protective gloves/ eye protection/ face protection.
IF SWALLOWED: Call a POISON CENTER/ doctor if you feel

unwell.

P302 + P352 IF ON SKIN: Wash with plenty of water.

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

Contains microplastic. Do not release into the environment.

Reduced Labeling (<= 125 ml)

Pictogram

Signal Word Danger

Hazard Statements

H318 Causes serious eye damage.

Precautionary Statements

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue

rinsing.

Supplemental Hazard

Statements

none

2.3 Other hazards - none

SECTION 3: Composition/information on ingredients

Refer to component SDS

SECTION 4: First aid measures

Refer to component SDS

Millipore- 48-650MAG Page 2 of 10

SECTION 5: Firefighting measures

Refer to component SDS

SECTION 6: Accidental release measures

Refer to component SDS

SECTION 7: Handling and storage

7.1 Precautions for safe handling

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Tightly closed.

Recommended storage temperature see product label.

Storage class

Storage class (TRGS 510): 10: Combustible liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

Refer to component SDS

SECTION 9: Physical and chemical properties

Refer to component SDS

SECTION 10: Stability and reactivity

Refer to component SDS

SECTION 11: Toxicological information

Refer to component SDS

SECTION 12: Ecological information

Refer to component SDS

A

SECTION 13: Disposal considerations

Refer to component SDS

SECTION 14: Transport information

14.1 UN number

ADR/RID: -IMDG: -IATA: -

14.2 UN proper shipping name

ADR/RID: Not dangerous goods IMDG: Not dangerous goods IATA: Not dangerous goods

14.3 Transport hazard class(es)

ADR/RID: -IMDG: -IATA: -

14.4 Packaging group

ADR/RID: -IMDG: -IATA: -

14.5 Environmental hazards

ADR/RID: no IMDG Marine pollutant: no IATA: no

14.6 Special precautions for user

Further information

Not classified as dangerous in the meaning of transport regulations.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Refer to component SDS

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Kit Components:

8-plex SFK Phospho MAG Millipore 42-650MAG Beads (20x) MilliplexMAP Cell Millipore 43-024A Signaling Amplification Buffer MilliplexMAP Cell Millipore 43-040 Eye Irrit. 2; Aquatic Chronic 3; Signaling Universal Lysis H319, H412 Buffer MilliplexMAP Cell Millipore 43-041 8-plex SFK Phospho Millipore 44-650KMG

Signaling Assay Buffer 2

Biotin (20x)

Streptavidin-Millipore 45-001H

Phycoerythrin

Page 4 of 10 Millipore- 48-650MAG



MilliplexMAP HeLa Cell Lysate: Unstimulated 100ul	Millipore	47-205	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 2; H302, H315, H318, H410
Ramos Cell Lysate:Pervanadate treated 100ul	Millipore	47-224	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 2; H302, H315, H318, H410
HL-60 Cell Lysate:Pervanadate treated 100uL	Millipore	47-225	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 2; H302, H315, H318, H410
HEK293 Cell Lysate: serum	Millipore	47-233	Acute Tox. 4; Skin Irrit. 2; Eye Dam. 1; Aquatic Acute 1; Aquatic Chronic 2; H302, H315, H318, H410

Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM -American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS -Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. -Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS -Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture Classification procedure:

Acute Tox.4	H302	Calculation method
Skin Irrit.2	H315	Calculation method

Millipore- 48-650MAG Page 5 of 10



Eye Dam.1	H318	Calculation method
Aquatic Acute1	H400	Calculation method
Aquatic Chronic2	H411	Calculation method

Further information

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

Millipore- 48-650MAG Page 6 of 10





Kit Components:

8-plex SFK Ph	nospho MAG	Beads (20x			
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 42-					Not a hazardous
650MAG					substance or
					mixture
					according to
					Regulation (EC)
					No 1272/2008.

MilliplexMAP	MilliplexMAP Cell Signaling Amplification Buffer				
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 43- 024A					No hazard pictogram, no signal word, no hazard statement(s), no precautionary statement(s) required.

MilliplexMAP (Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 43-		Warning	Causes serious	Wash skin	
040			eye irritation.	thoroughly after	
	•		Harmful to	handling. IF IN	
			aquatic life with	EYES: Rinse	
			long lasting	cautiously with	
			effects.	water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing. Dispose	
				of contents/	
				container to an	
				approved waste	
				disposal plant.	
				Avoid release to	
				the	
				environment. If	
				eye irritation	
				persists: Get	
				medical advice/	

Millipore- 48-650MAG Page 7 of 10



attention. Wear eye	
protection/ face	
protection.	

MilliplexMAP	MilliplexMAP Cell Signaling Assay Buffer 2				
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 43-					No hazard
041					pictogram, no
					signal word, no
					hazard
					statement(s), no
					precautionary
					statement(s)
					required.

8-plex SFK Ph	ospho Biotin	(20x)			
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 44-					No hazard
650KMG					pictogram, no
					signal word, no
					hazard
					statement(s), no
					precautionary
					statement(s)
					required.

Streptavidin-	Phycoerythri	n			
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 45-					No hazard
001H					pictogram, no
					signal word, no
					hazard
					statement(s), no
					precautionary
					statement(s)
					required.

MilliplexMAP I	MilliplexMAP HeLa Cell Lysate: Unstimulated 100ul				
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 47- 205	! !	Danger	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.	Wash skin thoroughly after handling. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Avoid release to the environment. IF ON SKIN: Wash	

Millipore- 48-650MAG Page 8 of 10



with plenty of water. Wear protective gloves/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and
present and
easy to do.
Continue
rinsing.

Ramos Cell Lysate:Pervanadate treated 100ul					
Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier	_	Word	Statements	Statements	information
Millipore - 47-		Danger	Harmful if	Wash skin	
224			swallowed.	thoroughly after	
			Causes skin	handling. IF	
			irritation.	SWALLOWED:	
	N. N. W.		Causes serious	Call a POISON	
	₹		eye damage.	CENTER/ doctor	
	~		Very toxic to	if you feel	
			aquatic life with	unwell. Avoid	
			long lasting	release to the	
			effects.	environment. IF	
				ON SKIN: Wash	
				with plenty of water. Wear	
				protective	
				gloves/ eye	
				protection/ face	
				protection, IE IN	
				EYES: Rinse	
				cautiously with	
				water for	
				several minutes.	
				Remove contact	
				lenses, if	
				present and	
				easy to do.	
				Continue	
				rinsing.	

HL-60 Cell Lysate:Pervanadate treated 100uL					
Product identifier	Pictogram	Signal Word	Hazard Statements	Precautionary Statements	Supplemental information
Millipore - 47- 225		Danger	Harmful if swallowed. Causes skin irritation.	Wash skin thoroughly after handling. IF SWALLOWED:	

Millipore- 48-650MAG Page 9 of 10

The life science business of Merck operates as MilliporeSigma in the US and Canada

lenses, if present and easy to do. Continue rinsing.		eye damage. Very toxic to aquatic life with long lasting effects.	easy to do. Continue	
--	--	---	-------------------------	--

Product	Pictogram	Signal	Hazard	Precautionary	Supplemental
identifier		Word	Statements	Statements	information
Millipore - 47- 233	· · · · · · · · · · · · · · · · · · ·	Danger	Harmful if swallowed. Causes skin irritation. Causes serious eye damage. Very toxic to aquatic life with long lasting effects.	Wash skin thoroughly after handling. IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Avoid release to the environment. IF ON SKIN: Wash with plenty of water. Wear protective gloves/ eye protection/ face protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	

Millipore- 48-650MAG Page 10 of 10

