

EN



PRECISE DISPENSING | IKA PETTE fix and vario

2 | PETTE fix and vario

IKA PETTE

/// IT FITS SO COMFORTABLY IN YOUR HAND THAT YOU DON'T WANT TO LET GO

It's everything you could ever want for precise dispensing combined in one device: With the new PETTE fix and vario pipettes, IKA combines the most popular features of this laboratory classic. With uncompromisingly accurate performance and the desired reproducibility, the new PETTE is also incredibly comfortable in your hand. This makes it ideal for a wide range of applications and frequent laboratory use.

From A to Z: autoclavable, reliable and more

IKA PETTE fix and vario are fully autoclavable, therefore ensuring easy sterilization. This guarantees fault-free, precise and safe operation. Thanks to the color coding on the IKA single-channel fix and vario pipettes, you can quickly find the right pipette. Moreover, IKA pipettes are naturally shock-resistant, UV and chemical resistant, which in turn ensures reliable dispensing.



18 Pipettes with 3 Grips each

PETTE is available in 18 different sizes, from the micro pipette, having a volume of 0.1 μ l, up to metering of 10 ml. Ten models have a fixed volume, whereas eight are adjustable. Each pipette comes with three different grip sizes. Whether you're left-handed or right-handed, have big hands or small hands - the new PETTE is always perfectly fitted to your hand.

Personalized Application Advice

You can test all the pipettes yourself at the IKA Application Center. Our experts are available for questions and various tests of all kinds.

MADE IN GERMANY

Each of the 18 IKA PETTE fix and vario models is 100% produced, assembled and calibrated in Germany.



*1+1 years after registering at www.ika.com/register, wearing parts excluded

Worldwide Service

Choosing an IKA PETTE also means choosing the excellent technical service offered by IKA. Our team is available worldwide for your service and application needs. Spare parts for your pipette are guaranteed for 10 years. In addition, we calibrate your pipette on request as often as you need according to standard (ISO 8655).

Any questions? Our service team is available for your specific requirements:

00 8000 52457 (00 8000 IKAHELP) service@ika.de



PETTE fix and vario

/// Simple liquid handling for fixed and variable volumes

An ergonomic feel combined with uncompromising precise performance: the IKA single fix and vario pipettes have been devised for use in many applications typical in a modern laboratory. Color coding makes it simple to find the right pipette. The fact that they are resistant to impact, UV, and chemicals, ensures the pipettes will provide long-term reliable dispensing. PETTE fix and vario are fully autoclavable, therefore ensuring easy sterilization. This guarantees fault-free, precise and safe operation.





/// FEATURES /// COMPLETE LAB SOLUTIONS

14 /// TECHNICAL DATA /// FAQ

10 /// ACCESSORIES

/// SCOPE OF DELIVERY

4 | Features | 5



A dose of everything you need

Ergonomic design

IKA pipettes include three exchangeable grips in different shapes and materials. Designed for both right-handers and left-handers, as well as for people with small or large hands, they are guaranteed to fit comfortably in your hand. The minimal frictional and spring forces also ensure ergonomically-friendly dispensing; without any effort. One-handed adjustment of the volume is possible using the multi-functional knob. Moreover, the tip of the pipette can be replaced regardless of your hand position, while the volume adjustment is securely locked. Together with its pleasantly smooth surface and its low weight, the ergonomic design makes for an extremely pleasant work experience.





Award-winning IKA PETTE

The new IKA PETTE fix and vario pipettes, available in a total of 18 different models, have received two prizes already. The Council for Design honored the laboratory classic with the German Design Award 2020 in the category "Excellent Product Design - Industry". In addition, the 78-member panel of experts from International Forum Design GmbH in Hanover praised the IKA PETTE's innovative shape and awared the world-renowned if Design Award 2020.



^{*} Pipettes with volume up to 200 µl

Designed to last

The tip cone and piston are coated with a high-quality coating* (DLC, diamond like carbon). PETTE fix and vario are constructed in a functional and minimalistic way and consist of a very few clearly-arranged parts. This combination makes for extra-sturdy pipettes that delivers reliable results day after day. Moreover, they are easy to clean.



6 | Features Features | 7

Convenient color coding

The different colors of the dispensing heads make it easier to choose the right pipette tip.






	PETTE FIX	IDENT-NO.	MAX. VOLUME TIP
i	5 μΙ	0020011219	10 μΙ
ı	10 μΙ	0020011220	10 μΙ
	20 μΙ	0020011221	200 μΙ
	25 μΙ	0020011222	200 μΙ
	50 μΙ	0020011223	200 μΙ
	100 μΙ	0020011224	200 μΙ
	200 μΙ	0020011225	200 μΙ
	250 μΙ	0020011226	1000 μΙ
	500 μΙ	0020011227	1000 μΙ
	1000 μΙ	0020011228	1000 μΙ

IKA PETTE VARIO	IDENT-NO.	MAX. VOLUME TIP
0,1 – 2 μl	0020011210	10 μΙ
0,5 – 10 μΙ	0020011211	10 μΙ
2 – 20 μl	0020011213	200 μΙ
10 – 100 μl	0020011214	200 μΙ
20 – 200 μl	0020011215	200 μΙ
100 – 1000 μl	0020011216	1000 μΙ
0,5 – 5 ml	0020011217	5 ml
1 – 10 ml	0020011218	10 ml

High-tech – Only the best for your lab







Pick-by-light assembly

The IKA pipettes are completely assembled according to the pickby-light procedure. Our order pickers are able to assemble the pipettes quickly and without errors using computer-controlled eye-catching lights and acknowledgment knobs. The pleasing result for our customers are hardly any return rates and short delivery times.

Calibration by robots

"Pit" and "Patty" are the names which our developers have lovingly given to the specially developed robots which calibrate all assembled pipettes fully automatically and according to standard. Pit and Patty can independently identify inaccuracies and analyze

Calibration certificate and quality certificate

You receive your IKA PETTE fix and vario with an individual quality certificate (QC) and calibration certificate according to ISO 8655.

IKA calibration software

The IKA software for independent planning, execution and documentation of calibration intervals is extremely user-friendly.

IKA calibration service

If you would rather have your pipettes calibrated externally, you are also welcome to send them in to our calibration service.

8 | Technical data



Technical data

TECHNICAL DATA	IKA PETTE fix 5 µl 10 µl 20 µl 25 µl 50 µl 100 µl 200 µl	IKA PETTE fix 250 μl 500 μl 1000 μl
Design	Air displacement piston-operated pipette	Air displacement piston-operated pipette
Handling	Mechanical	Mechanical
Volume	Fix	Fix
Number of channels	1	1
Colour Code	Gray Gray Yellow Yellow Yellow Yellow Yellow	Blue
Nominal volume	5 און 10 און 20 און 25 און 50 און 20 און 200 און 100 און 100 און	250 µl 500 µl 1000 µl
Accuracy with nominal volume	$0.06 \pm \mu l \mid 0.12 \pm \mu l \mid 0.2 \pm \mu l \mid 0.25 \pm \mu l \mid 0.35 \pm \mu l \mid 0.6 \pm \mu l \mid 1.2 \pm \mu l$	1.5 ±µl 3 ±µl 6 ±µl
Accuracy with nominal volume	1.2 ±% 1.2 ±% 1 ±% 1 ±% 0.7 ±% 0.6 ±% 0.6 ±%	0.6 ±%
Precision with nominal volume	$0.03 \pm \mu l \mid 0.06 \pm \mu l \mid 0.06 \pm \mu l \mid 0.075 \pm \mu l \mid 0.15 \pm \mu l \mid 0.2 \pm \mu l \mid 0.4 \pm \mu l$	0.5 ±µl 1 ±µl 2 ±µl
Precision with nominal volume	0.6 ±% 0.6 ±% 0.3 ±% 0.3 ±% 0.3 ±% 0.2 ±% 0.2 ±%	0.2 ±%
Certificate of confirmity according to ISO 8655	Yes	Yes
Autoclavable	Yes	Yes
Dimensions (W x H x D)	30 x 248 x 63 mm	30 x 247 x 63 mm
Weight	0.084 kg 0.084 kg 0.085 kg 0.085 kg 0.085 kg 0.085 kg 0.086 kg	0.083 kg
Permissible ambient temperature	5 – 40 °C	5 – 40 °C
Permissible relative humidity	90 %	90 %



TECHNICAL DATA	IKA PETTE vario 0.1-2 µ 0.5-10 2-20 µ 10-100 µ 20-200 µ	IKA PETTE vario 100-1000 μl 0,5-5 ml 1-10 ml
Design	Air displacement piston-operated pipette	Air displacement piston-operated pipette
Handling	Mechanical	Mechanical
Volume	Variable	Variable
Number of channels	1	1
Colour Code	Gray Gray Yellow Yellow Yellow	Blue Green Red
Nominal volume	2 µl 10 µl 20 µl 100 µl 200 µl	1000 µl 5000 µl 10 000 µl
Volume min.	0.1 µ 0.5 µ 2 µ 10 µ 20 µ	100 µl 500 µl 1000 µl
Volume max.	2 µl 10 µl 20 µl 100 µl 200 µl	1000 µl 5000 µl 10 000 µl
Increments	0.002 µl 0.01 µl 0.02 µl 0.1 µl 0.2 µl	1 μ 5 μ 10 μ
Accuracy with nominal volume	0.028 ±µl 0.1 ±µl 0.2 ±µl 0.8 ±µl 1.2 ±µl	6 ±µl 30 ±µl 60 ±µl
Accuracy with nominal volume	1.4 ±% 1 ±% 1 ±% 0.8 ±% 0.6 ±%	0.6 ±% 0.6 ±% 0.6 ±%
Precision with nominal volume	0.014 ±µl 0.04 ±µl 0.06 ±µl 0.2 ±µl 0.4 ±µl	2 ±µl 7.5 ±µl 15 ±µl
Precision with nominal volume	0.7 ±% 0.4 ±% 0.3 ±% 0.2 ±% 0.2 ±%	0.2 ±% 0.15 ±% 0.15 ±%
Accuracy with 50% of nominal volume	0.025 ±µl 0.075 ±µl 0.12 ±µl 0.5 ±µl 1 ±µl	5 ±µl 30 ±µl 40 ±µl
Accuracy with 50% of nominal volume	2.5 ±% 1.5 ±% 1.2 ±% 1 ±% 1 ±%	1 ±% 1.2 ±% 0.8 ±%
Precision with 50% of nominal volume	0.015 ±µl 0.04 ±µl 0.06 ±µl 0.15 ±µl 0.3 ±µl	1 ±µl 6.25 ±µl 10 ±µl
Precision with 50% of nominal volume	1.5 ±% 0.8 ±% 0.6 ±% 0.3 ±% 0.3 ±%	0.2 ±% 0.25 ±% 0.2 ±%
Accuracy with 10% of nominal volume	0.024 ±µl 0.025 ±µl 0.1 ±µl 0.3 ±µl 0.5 ±µl	3 ±µl 12 ±µl 30 ±µl
Accuracy with 10% of nominal volume	12 ±% 2.5 ±% 5 ±% 3 ±% 2.5 ±%	3 ±% 2.4 ±% 3 ±%
Precision with 10% of nominal volume	0.012 ±µl 0.018 ±µl 0.03 ±µl 0.1 ±µl 0.14 ±µl	0.6 ±µl 3 ±µl 6 ±µl
Precision with 10% of nominal volume	6 ±% 1.8 ±% 1.5 ±% 1 ±% 0.7 ±%	0.6 ±% 0.6 ±% 0.6 ±%
Certificate of confirmity according to ISO 8655	Yes	Yes
Autoclavable	Yes	Yes
Dimensions (W x H x D)	30 x 248 x 63 mm	30 x 247 x 63 mm 30 x 219 x 63 mm 30 x 222 x 63 mm
Weight	0.089 kg 0.089 kg 0.09 kg 0.09 kg 0.091 kg	0.088 kg 0.099 kg 0.108 kg

10 | Accessories

Accessories

If required, the following IKA devices are available for your lab to enhance your work using PETTE fix and vario pipettes:





pipettes. Ident-No.: 0020018987

LINEA Pipette holder



Pipette tips

The IKA range of pipette tips includes tips with and without filters. They provide a more accurate sample delivery and increased reproducibility. Available in sizes 0.1 μ l – 10 ml. Ident-No. IKA Tip I box (5 ml): 0020017830

Item	Description	Ident-No.
ACCESSORIES		
LINEA	Pipette rack	0020018987
Tip xs bag	Pipette tip, 10 μl, transparent	0020017816
Tip xs tray	Pipette tip, 10 μl, transparent	0020017818
Tip xs box +	Filter tip, 10 μl, sterile, transparent	0020017820
Tip s bag	Pipette tip, 200 μl, transparent	0020017822
Tip s tray	Pipette tip, 200 μl, transparent	0020017823
Tip s box +	Filter tip, 200 μl, sterile, transparent	0020017824
Tip m bag	Pipette tip, 1000 μl, transparent	0020017826
Tip m box	Pipette tip, 1000 μl, transparent	0020017827
Tip m box +	Filter tip, 1000 μl, sterile, transparent	0020017828
Tip I bag	Pipette tip, 5 ml, transparent	0020017829
Tip I box	Pipette tip, 5 ml, transparent	0020017830
Tip xl bag	Pipette tip, 10 ml, transparent	0020017831
Tip xl box	Pipette tip, 10 ml, transparent	0020017832
Pipette tip box xs/s	Stacking box	0020017834
Refill tray xs	Refill tray	0020017836
Refill tray s	Refill tray	0020017837
Pipette tip box I	Stacking box	0020017892



12 | Complete lab solutions

Complete lab solutions

Our goal is to always offer you not only the highest quality devices, but also perfect laboratory solutions. And whoever uses pipettes for dispensing also needs ...



Matrix Orbital Ident-No.: 0030000627

Thermoshakers

IKA Matrix is part of the new high-performing thermoshaker product family. Even the smallest volumes mix reliably and completely in all laboratory applications (i.e. blood samples, pharmaceutical agents, DNA/RNA samples or ELISA assays). There is no cross-contamination; instead, what you get is optimum mixing. This is what the IKA Matrix thermoshakers are all about:

- > You can mix, heat, cool or even all at the same time
- > They are impressive, with a speed of up to 3 000 rpm
- > Aluminum die cast housing ensures secure positioning and excellent stability
- > Variable inserts broaden the scope of application



ULTRA-TURRAX®
Tube Drive Power control
Ident-No.: 0025005981

Dispersers

The new IKA UTTD power control disperser assures the best stirring, dispersing, grinding and homogenization results and has been devised in particular for the safe processing of infectious, toxic or odor-intensive samples. A particularly powerful motor gives it its name.

It's strengths at a glance:

- > Disposable sample tubes systematically prevent cross-contamination
- > Time can be preprogrammed and frequently used parameters stored in the library
- > The direction of rotation is easily reversed
- > The turbo button brings even more intensity when mixing, dispersing or grinding

Shakers


IKA offers the perfect laboratory shaker for all mixing and shaking tasks. In addition to the tried and tested orbital and horizontal shakers, this also includes the incubation shaker.

IKA shakers:

- > Keep samples in motion
- > Reach up to 3 000 rpm in continuous operation
- > Offer digital display, timer function and control via the laboratory software labworldsoft®
- > Have an extensive range of attachments
- > Are durable and safe



Loopster digital Ident-No.: 0004016000



Trayster basic Ident-No.: 0004005000



ROCKER 3D digital Ident-No.: 0004001000





Scope of delivery | 15

FAQ

1. Is every pipette individually calibrated upon delivery?

Yes, every pipette is reliably calibrated at IKA using state-of-theart robotics. The calibration complies with EN ISO 8655.

2. Can I also calibrate the pipette later?

Yes, calibration tests for PETTE fix and vario are extremely user-friendly with the IKA IPCS Pipette calibration software.

3. Can I also have my pipette calibrated by IKA?

We are happy to take care of the calibration of your pipettes according to standard. Our service team will be happy to answer any questions you may have.

By e-mail: service@ika.de By phone: 00 8000 4524357

4. Are tools needed for the readjustment?

No, PETTE fix and vario are designed so that you do not need any tools for the readjustment.

5. Do tips from other manufacturers also fit onto IKA pipettes?

All models of PETTE fix and vario are compatible with pipette tips from most manufacturers.


6. Which liquids are ideally used for reverse pipetting?

Reverse pipetting is most suitable for liquids with high vapor pressure, high viscosity and a foaming tendency. It is also ideal for very small volumes. On the other hand, forward pipetting is used in aqueous solutions such as buffer solutions or dilute solutions.

7. How to sterilize IKA PETTE fix or vario?

IKA pipettes are fully autoclavable by heat sterilization under the following conditions: 121 °C, 2 bar for 20 minutes. Thanks to its simple design, the pipette can be cleaned and autoclaved even when disassembled. Alternatively, methods using UV radiation can be used.

Scope of delivery







designed for scientists

ΕN

GERMANY

IKA-Werke GmbH & Co. KG

Janke & Kunkel-Straße 10, 79219 Staufen Phone: +49 7633 831-0, Fax: +49 7633 831-98

eMail: sales@ika.de

/// WORLDWIDE

USA

IKA Works, Inc.

Phone: +1 910 452-7059 eMail: sales@ika.net

MALAYSIA

IKA Works (Asia) Sdn Bhd

Phone: +60 3 6099-5666 eMail: sales.lab@ika.my

JAPAN

IKA Japan K.K.

Phone: +81 6 6730 6781 eMail: info_japan@ika.ne.jp

VIETNAM

IKA Vietnam Company Limited

Phone: +84 28 38202142 eMail: sales.lab-vietnam@ika.com

KOREA

IKA Korea Ltd.

Phone: +82 2 2136 6800 eMail: info@ika.kr

CHINA

IKA Works Guangzhou

Phone: +86 20 8222 6771 eMail: info@ika.cn

INDIA

IKA India Private Limited

Phone: +91 80 26253 900 eMail: info@ika.in

BRAZIL

IKA Brazil

Phone: +55 19 3772-9600 eMail: sales@ika.net.br

POLAND

IKA Poland Sp. z o.o.

Phone: +48 22 201 99 79 eMail: sales.poland@ika.com

UNITED KINGDOM

IKA England LTD.

Phone: +44 1865 986 162 eMail: sales.england@ika.com





