| 09/11/2020 | Kit Components |
|--------------|--|
| Product code | Description |
| AS1470 | Maxwell [®] 16 miRNA Kit |
| Components: | |
| K406 | 100% Isopropanol |
| MC134 | DNase Buffer |
| MC108 | Isopropanol Solution |
| K300 | Ethanol Solution |
| MC302 | Maxwell® C Resin |
| MC146 | Wash Solution A |
| A208B | 1-Thioglycerol, 900ul |
| C888A | Blue Dye |
| MC501C | Lysis Buffer |
| P119C | Nuclease-Free Water |
| Z305H | Homogenization Solution, 30mL |
| MC500C | Proteinase K (PK) Solution |
| MC145A | Lytic Enhancer |
| Z358A | DNase I (lyophilized) Add 275µl of Nuclease-Free Water |



Printing date 09/11/2020

Reviewed on 09/11/2020

1 Identification

Product identifier Trade name: 100% Isopropanol

Article number: K406 CAS Number: 67-63-0 EC number: 200-661-7 Index number: 603-117-00-0 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department: SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

GHS02 Flame

Flam. Liq. 2 H225 Highly flammable liquid and vapor.

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation. STOT SE 3 H336 May cause drowsiness or dizziness.

(Contd. on page 2)

Page 1/10

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

(Contd. of page 1) Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of labeling: 2-Propanol Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1Fire = 3*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 1Fire = 3 Reactivity = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Irritant Flammable **Primary route(s) of entry:** Dermal Inhalation (Contd. on page 3)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

(Contd. of page 2)

Target Organ(s): May affect Nervous system (Neurotoxin) May cause Kidney damage (Nephrotoxin) Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 67-63-0 2-Propanol Identification number(s) EC number: 200-661-7 Index number: 603-117-00-0

4 First-aid measures

Description of first aid measures

General information: Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

After swallowing: 1) the patient jeets unwell or is concerned, obtain medica Information for doctor:

injormation jor aoc

Most important symptoms and effects, both acute and delayed

Headache Dizziness

Nausea

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents: Use fire fighting measures that suit the environment.
Special hazards arising from the substance or mixture
None known
No further relevant information available.
Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

(Contd. on page 4)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

(Contd. of page 3)

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures

 Remove persons from danger area.

 Wear protective equipment. Keep unprotected persons away.

 Keep away from ignition sources

 Wear protective clothing.

 Environmental precautions:

 Prevent seepage into sewage system, workpits and cellars.

 Dilute with plenty of water.

 Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up:

 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Ensure adequate ventilation.

 Reference to other sections

 See Section 7 for information on safe handling.

 See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

67-63-0 2-Propanol

PEL Long-term value: 980 mg/m³, 400 ppm

- REL Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm
- TLV Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm
 - BEI

(Contd. on page 5)

_ι

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

(Contd. of page 4)

| Ingre | edients with biological limit values: |
|------------|---|
| 67-6. | 3-0 2-Propanol |
| BEI | 40 mg/L |
| | Medium: urine |
| | Time: end of shift at end of workweek |
| | Parameter: Acetone (background, nonspecific) |
| Addi | tional information: The lists that were valid during the creation were used as basis. |
| Expo | osure controls |
| Perse | onal protective equipment: |
| Gene | eral protective and hygienic measures: |
| Кеер | away from foodstuffs, beverages and feed. |
| Imme | ediately remove all soiled and contaminated clothing. |
| Wash | h hands before breaks and at the end of work. |
| | d contact with the eyes. |
| | d contact with the eyes and skin. |
| Do n | ot eat or drink while working. |
| Brea | thing equipment: Not required. |
| | ection of hands: |
| | ective gloves |
| | t the glove material considering penetration time, rate of diffusion and degradation time. |
| | recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive |
| | 86/EEC and the standard EN 374 derived from it. |
| | erial of gloves |
| | selection of the suitable gloves does not only depend on the material, but also on further marks of quality and |
| varie | rs from manufacturer to manufacturer. |
| | protection: |
| Safet | y glasses |
| T T | |

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

*

| Information on basic physical and General Information | chemical properties | |
|--|----------------------|--------------------|
| Appearance: | | |
| Form: | Liquid | |
| Color: | Colorless | |
| Odor: | Alcohol-like | |
| Odor threshold: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | -89.5 °C (-129.1 °F) | |
| Boiling point/Boiling range: | 82 °C (179.6 °F) | |
| Flash point: | 13 °C (55.4 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 425 °C (797 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Not determined. | |
| | | (Contd. on page 6) |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

| | (Contd. of page : | |
|---------------------------------------|---|--|
| Danger of explosion: | Product does not present an explosion hazard. | |
| | Product is not explosive. However, formation of explosive air/vapor mixtures are possible. | |
| Explosion limits: | | |
| Lower: | 2 Vol % | |
| Upper: | 12 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 43 hPa (32.3 mm Hg) | |
| Density at 20 °C (68 °F): | 0.785 g/cm ³ (6.55083 lbs/gal) | |
| Relative density at 20 °C (68 °F) | 0.785 g/cm3 | |
| Vapor density at 20 °C (68 °F) | 2.1 g/cm ³ (17.5245 lbs/gal) | |
| Evaporation rate at 20 °C (68 °F) | 1.7 | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | r): Not determined. | |
| Viscosity: | , | |
| Dynamic at 20 °C (68 °F): | 2.43 mPas | |
| Kinematic: | Not determined. | |
| Organic solvents: | 100.0 % | |
| VÕC content: | 100.00 % | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity:

LD/LC50 values that are relevant for classification:

67-63-0 2-Propanol

| Oral | LD50 | 4,570 mg/kg (Rat) |
|------------|------|--------------------|
| Dermal | | 13,400 mg/kg (Rat) |
| Inhalative | | 30 mg/l (Rat) |

Primary irritant effect:

on the skin: No data available. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The substance is not subject to classification.

(Contd. on page 7)

US

(Contd. of page 6)

3

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

Carcinogenic categories

IARC (International Agency for Research on Cancer)

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number | | |
|-------------------------|-------------|--|
| DOT, ADR, IMDG, IATA | UN1219 | |
| UN proper shipping name | | |
| DOT | Isopropanol | |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

| ADR IMDG, IATA | 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL) |
|---|---|
| | |
| Transport hazard class(es) | |
| DOT | |
| | |
| PLANNARE LOUD | |
| | |
| Class | 3 Flammable liquids |
| Label | 3 |
| ADR | |
| | |
| | |
| 3 | |
| * | |
| Class | 3 (F1) Flammable liquids |
| Label | 3 |
| IMDG, IATA | |
| | |
| | |
| 3 | |
| Class | 2 Elanar alta linaida |
| Label | 3 Flammable liquids 3 |
| | - |
| Packing group DOT, ADR, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| | Warning: Flammable liquids |
| Special precautions for user Hazard identification number (Kemler code): | |
| EMS Number: | 3-06 |
| Stowage Category | В |
| Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| | 17 |
| Limited quantities (LQ) Example a quantities (EQ) | 1L Code: E2 |
| Excepted quantities (EQ) | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 50 ml |
| | (Contd. on pa |

(Contd. of page 8)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

UN "Model Regulation":

UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is listed.

TSCA (Toxic Substances Control Act) Inventory:

Substance is listed.

Hazardous Air Pollutants

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

A4

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Signal word Danger

Hazard-determining components of labeling:2-PropanolHazard statementsHighly flammable liquid and vapor.Causes serious eye irritation.May cause drowsiness or dizziness.Precautionary statementsKeep away from heat/sparks/open flames/hot surfaces. - No smoking.Ground/bond container and receiving equipment.Use explosion-proof electrical/ventilating/lighting/equipment.Use only non-sparking tools.Take precautionary measures against static discharge.

(Contd. on page 10)

US

(Contd of page 9)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: 100% Isopropanol

| (Conta. of page 9) |
|--|
| Avoid breathing dust/fume/gas/mist/vapors/spray |
| Wash thoroughly after handling. |
| Use only outdoors or in a well-ventilated area. |
| Wear protective gloves/protective clothing/eye protection/face protection. |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing. |
| Call a poison center/doctor if you feel unwell. |
| If eye irritation persists: Get medical advice/attention. |
| In case of fire: Use for extinction: CO2, powder or water spray. |
| Store in a well-ventilated place. Keep container tightly closed. |
| Store in a well-ventilated place. Keep cool. |
| Store locked up. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Water hazard class: Water hazard class 1 (Assessment by list): slightly hazardous for water. |

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison. WI Ph:(608)274-4330 **Date of preparation / last revision** 09/11/2020 / 3.0 Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/11/2020

| 1 Identification |
|--|
| Product identifier Trade name: <u>DNase Buffer</u> |
| Article number: MC134 Application of the substance / the mixture For Laboratory Use |
| Details of the supplier of the safety data sheet Manufacturer/Supplier: |
| Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 |
| Information department: SDS author: ChemicalRegulatory@promega.com Promega Corporation |

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 **Emergency telephone number:** For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS). Label elements **GHS label elements** Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 1*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 1 *Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown (Contd. on page 2)

Page 1/7

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: DNase Buffer

(Contd. of page 1)

50-75%

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

57-55-6 Propylene glycol

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: No special measures required.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required. **Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

Methods and material for containment and cleaning up:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

(Contd. on page 3)

US

(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: DNase Buffer

Reference to other sections

No dangerous substances are released. See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** No special measures required.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEEL Long-term value: 10 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands: Not required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

9 Physical and chemical properties

| Information on basic physical and chemical properties General Information | | |
|--|-----------------|-------------------|
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 8.5 | |
| | | (Contd. on page 4 |

puge i

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: DNase Buffer

| | (Contd. of page |
|--|---|
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | Undetermined. |
| Flash point: | > 100 °C (> 212 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | 371 °C (699.8 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | 2.6 Vol % |
| Upper: | 12.6 Vol % |
| Vapor pressure at 20 °C (68 °F): | 0.1 hPa |
| Density at 20 °C (68 °F): | 1.01556 g/cm³ (8.47485 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/water): | Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Organic solvents: | 55.0 % |
| Water: | 44.4 % |
| VOC content: | 55.00 % |
| Solids content: | 0.6% |
| Other information | No further relevant information available. |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect.

(Contd. on page 5)

⁻ US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: DNase Buffer

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

14 Transport information

UN-Number

Not hazardous for transportation

(Contd. on page 6)

(Contd. of page 4)

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: DNase Buffer

| | | (Contd. of page : |
|--|--------------------------|-------------------|
| DOT, ADR, ADN, IMDG, IATA | Not applicable | |
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | None Not applicable | |
| Transport hazard class(es) | None | |
| DOT, ADR, ADN, IMDG, IATA Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | None Not applicable | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. | |
| UN "Model Regulation": | Not applicable | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

(Contd. on page 7)

⁻ US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: DNase Buffer

(Contd. of page 6)

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/11/2020

| Product ident Trade name: | tier Isopropanol Solution |
|---|--|
| Article numb Application o | r: MC108 f the substance / the mixture For Laboratory Use |
| Details of the Manufacture | supplier of the safety data sheet /Supplier: |
| Promega Cor 2800 Woods I Madison, WI U.S.A. 1-800-356-95 | Iollow Road |
| Promega Cor 2800 Woods I Madison, WI U.S.A. 1-800-356-95 Emergency te For Chemica and Canada: | hemicalRegulatory@promega.com poration Iollow Road |
| Hazard(s) i | lentification |
| Classification | of the substance or mixture |
| GH | S02 Flame |
| Flam Lia 2 | H225 Highly flammable liquid and vapor. |

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

-US-

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

(Contd. of page 1) Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of labeling: 2-Propanol Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 1Fire = 3*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 1Fire = 3*Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant Flammable **Primary route(s) of entry:** Dermal Inhalation Target Organ(s): May affect Nervous system (Neurotoxin) May cause Kidney damage (Nephrotoxin) (Contd. on page 3)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

(Contd. of page 2)

50-75%

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

67-63-0 2-Propanol

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information:

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation. Take affected persons into fresh air and keep quiet.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor. After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Nausea

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

(Contd. on page 4)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

(Contd. of page 3)

6 Accidental release measures

Personal precautions, protective equipment and emergency proceduresRemove persons from danger area.Wear protective equipment. Keep unprotected persons away.Keep away from ignition sourcesWear protective clothing.Environmental precautions:Prevent seepage into sewage system, workpits and cellars.Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Ensure adequate ventilation.Reference to other sectionsSee Section 7 for information on safe handling.See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

| Com | Components with limit values that require monitoring at the workplace: | |
|------|--|--|
| 67-6 | 3-0 2-Propanol | |
| PEL | Long-term value: 980 mg/m³, 400 ppm | |
| REL | Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm | |
| TLV | Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI | |
| | (Contd. on page 5) | |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

(Contd. of page 4)

US

| - | edients with biological limit values: 3-0 2-Propanol |
|-------|---|
| | A. |
| DEI | 40 mg/L Medium: urine |
| | |
| | Time: end of shift at end of workweek |
| 1 1 1 | Parameter: Acetone (background, nonspecific) |
| | itional information: The lists that were valid during the creation were used as basis. |
| | osure controls |
| | onal protective equipment: |
| | eral protective and hygienic measures: |
| | o away from foodstuffs, beverages and feed. |
| | ediately remove all soiled and contaminated clothing. |
| | h hands before breaks and at the end of work. |
| | d contact with the eyes. |
| | d contact with the eyes and skin. |
| | not eat or drink while working. |
| | ithing equipment: |
| | use of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure us iratory protective device that is independent of circulating air. |
| | ection of hands: |
| Prot | ective gloves |
| Sele | ct the glove material considering penetration time, rate of diffusion and degradation time. |
| It is | recommended that the selected protective gloves be tested and approved under NIOSH or EU Directiv |
| 89/6 | 86/EEC and the standard EN 374 derived from it. |
| Mat | erial of gloves |
| | selection of the suitable gloves does not only depend on the material, but also on further marks of quality an |
| | es from manufacturer to manufacturer. As the product is a preparation of several substances, the resistanc |
| | e glove material can not be calculated in advance and has therefore to be checked prior to the application. |
| | protection: |
| 0 | ty glasses |
| Use | equipment for eye protection tested and approved under government NIOSH standards. |

9 Physical and chemical properties

*

| Information on basic physical and | chemical properties | |
|-----------------------------------|---------------------------|--------------------|
| General Information | | |
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Alcohol-like | |
| Odor threshold: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | -89 °C (-128.2 °F) | |
| Boiling point/Boiling range: | 81-83 °C (177.8-181.4 °F) | |
| Flash point: | < 23 °C (< 73.4 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 425 °C (797 °F) | |
| Decomposition temperature: | Not determined. | |
| | | (Contd. on page 6) |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

| | (Contd. of page | |
|---------------------------------------|---|--|
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| | Product is not explosive. However, formation of explosive air/vapo mixtures are possible. | |
| Explosion limits: | | |
| Lower: | 2 Vol % | |
| Upper: | 12 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 43 hPa (32.3 mm Hg) | |
| Density at 20 °C (68 °F): | 0.8495 g/cm ³ (7.08908 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | er): Not determined. | |
| Viscosity: | | |
| Dynamic at 20 °C (68 °F): | 2.27 mPas | |
| Kinematic: | Not determined. | |
| Organic solvents: | 70.0 % | |
| Water: | 30.0 % | |
| VOC content: | 70.00 % | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

67-63-0 2-Propanol

| | - | |
|------------|----------|--------------------|
| Oral | LD50 | 4,570 mg/kg (Rat) |
| Dermal | LD50 | 13,400 mg/kg (Rat) |
| Inhalative | LC50/4 h | 30 mg/l (Rat) |

Primary irritant effect:

on the skin: No data available.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

(Contd. on page 7)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

67-63-0 2-Propanol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

US

(Contd. on page 8)

(Contd. of page 6)

3

Printing date 09/11/2020

*

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

(Contd. of page 7)

| UN-Number | |
|--|--|
| DOT, ADR, IMDG, IATA | UN1219 |
| UN proper shipping name | |
| DOT | Isopropanol |
| ADR | 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) |
| IMDG, IATA | ISOPROPANOL (ISOPROPYL ALCOHOL) |
| Transport hazard class(es) | |
| DOT | |
| RAMMET 100 | |
| Class | 3 Flammable liquids |
| Label | 3 |
| ADR | |
| | |
| Class | 3 (F1) Flammable liquids |
| Label | 3 |
| | |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group | |
| DOT, ĂĎR, ÎMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code). | |
| EMS Number: | F-E,S-D |
| Stowage Category | В |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

(Contd. of page 8)

| IMDG | |
|--------------------------|--|
| Limited quantities (LQ) | lL |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 2-Propanol

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

67-63-0 2-Propanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

Hazard-determining components of labeling: 2-Propanol Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness.

(Contd. on page 10)

A4

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

| (Contd. of page 9) |
|--|
| Precautionary statements |
| Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| Ground/bond container and receiving equipment. |
| Use explosion-proof electrical/ventilating/lighting/equipment. |
| Use only non-sparking tools. |
| Take precautionary measures against static discharge. |
| Avoid breathing dust/fume/gas/mist/vapors/spray |
| Wash thoroughly after handling. |
| Use only outdoors or in a well-ventilated area. |
| Wear protective gloves/protective clothing/eye protection/face protection. |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. |
| Continue rinsing. |
| Call a poison center/doctor if you feel unwell. |
| If eye irritation persists: Get medical advice/attention. |
| In case of fire: Use for extinction: CO2, powder or water spray. |
| Store in a well-ventilated place. Keep container tightly closed. |
| Store in a well-ventilated place. Keep cool. |
| Store locked up. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. |

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 **Date of preparation / last revision** 09/11/2020 / 2.0

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances

ELINECS: European Inventory of Existing Commercial Ch ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

(Contd. on page 11)

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Isopropanol Solution

TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 * Data compared to the previous version altered. (Contd. of page 10)

US –



Printing date 09/11/2020

Reviewed on 09/08/2020

| | ct identifier name: <u>Ethanol Solution</u> |
|---|---|
| | e number: K300 ation of the substance / the mixture For Laboratory Use |
| | s of the supplier of the safety data sheet facturer/Supplier: |
| 2800) Madis U.S.A. | ga Corporation Voods Hollow Road on, WI 53711 356-9526 or (608)-274-4330 |
| SDS a Prome 2800 V Madis U.S.A. | nation department: uthor: ChemicalRegulatory@promega.com ga Corporation Voods Hollow Road on, WI 53711 356-9526 or (608)-274-4330 |
| Emerg For C and C | s550-9520 or (008)-274-4550 g ency telephone number: hemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within US anada: 1-800-424-9300 le USA and Canada: +1 703-527-3887 (collect calls accepted) |

2 Hazard(s) identification

Classification of the substance or mixture



Flam. Liq. 2 H225 Highly flammable liquid and vapor.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger Hazard statements Highly flammable liquid and vapor.

(Contd. on page 2) US

Page 1/9

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Ethanol Solution

| | (Contd. of page 1) |
|---|--------------------|
| Precautionary statements | |
| Keep away from heat/sparks/open flames/hot surfaces No smoking. | |
| Keep container tightly closed. | |
| Ground/bond container and receiving equipment. | |
| Use explosion-proof electrical/ventilating/lighting/equipment. | |
| Use only non-sparking tools. | |
| Take precautionary measures against static discharge. | |
| Wear protective gloves/protective clothing/eye protection/face protection. | |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. | |
| In case of fire: Use for extinction: CO2, powder or water spray. | |
| Store in a well-ventilated place. Keep cool. | |
| Dispose of contents/container in accordance with local/regional/national/international regulations | 5. |
| Classification system: | |
| NFPA ratings (scale 0 - 4) | |
| Health = 0 | |
| Fire = 3 | |
| Reactivity = 0 | |
| HMIS-ratings (scale 0 - 4) | |
| Health = 0 | |
| Fire = 3 | |
| Reactivity = 0 | |
| OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Flammable | |
| Primary route(s) of entry: Inhalation | |
| Target Organ(s): | |
| May cause Liver damage (Hepatotoxin) | |
| May affect Nervous system (Neurotoxin) | |
| Other hazards | |
| Results of PBT and vPvB assessment | |
| <i>PBT:</i> Not applicable. | |
| vPvB: Not applicable. | |
| ····· · · · · · · · · · · · · · · · · | |

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

64-17-5 ethanol

75-100%

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice. *Information for doctor:*

Most important symptoms and effects, both acute and delayed Headache

(Contd. on page 3)

⁻ US

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Ethanol Solution

Dizziness

(Contd. of page 2)

Nausea Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

6 Accidental release measures

Personal precautions, protective equipment and emergency proceduresRemove persons from danger area.Wear protective equipment. Keep unprotected persons away.Keep away from ignition sourcesWear protective clothing.Environmental precautions:Prevent seepage into sewage system, workpits and cellars.Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Ensure adequate ventilation.Reference to other sectionsSee Section 7 for information on safe handling.See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. **Information about protection against explosions and fires:** Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles.

(Contd. on page 4)

US

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Ethanol Solution

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

PEL Long-term value: 1900 mg/m³, 1000 ppm

REL Long-term value: 1900 mg/m³, 1000 ppm

TLV Short-term value: 1880 mg/m³, 1000 ppm

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eve protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

| Information on basic physical and General Information Appearance: | chemical properties | |
|---|---------------------|--|
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Alcohol-like | |
| Odor threshold: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 78 °C (172.4 °F) | |
| Flash point: | < 23 °C (< 73.4 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 425 °C (797 °F) | |

(Contd. of page 3)

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Ethanol Solution

| | (Contd. of page | |
|---------------------------------------|---|--|
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. Product is not explosive. However, formation of explosive air/vapo mixtures are possible. | |
| Explosion limits: | - | |
| Lower: | 3.5 Vol % | |
| Upper: | 15 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 59 hPa (44.3 mm Hg) | |
| Density at 20 °C (68 °F): | 0.832 g/cm ³ (6.94304 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Organic solvents: | 80.0 % | |
| Water: | 20.0 % | |
| VOC content: | 80.00 % | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: No data available. Sensitization: No sensitizing effects known. Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

(Contd. on page 6)

US

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Ethanol Solution

(Contd. of page 5)

1

Carcinogenic categories

IARC (International Agency for Research on Cancer)

64-17-5 ethanol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number | | |
|-------------------------|---------|--|
| DOT, ADR, IMDG, IATA | UN1170 | |
| UN proper shipping name | | |
| DOT | Ethanol | |

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Ethanol Solution

| | (Contd. of pa |
|--|---|
| ADR | 1170 ETHANOL (ETHYL ALCOHOL) |
| IMDG | ETHANOL (ETHYL ALCOHOL) |
| IATA | ETHANOL |
| Transport hazard class(es) | |
| DOT | |
| | |
| Class Label | 3 Flammable liquids 3 |
| ADR | |
| | |
| Class | 3 (F1) Flammable liquids |
| Label | 3 |
| IMDG, IATA | |
| Class | 3 Flammable liquids |
| Label | 3 |
| Packing group DOT, ADR, IMDG, IATA | II |
| Environmental hazards: | |
| Marine pollutant: | No |
| Special precautions for user | Warning: Flammable liquids |
| Hazard identification number (Kemler code): | |
| EMS Number: Stowage Category | F-E,S-D A |
| | 11 |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |
| Transport/Additional information: | |
| ADR | |
| Excepted quantities (EQ) | Code: E2 |
| · · ~ | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| IMDG | |
| Limited quantities (LQ) | |
| Excepted quantities (EQ) | Code: E2 Maximum nat quantity per inner packaging: 30 ml |
| | Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml |
| | maximum net quantity per outer puckaging. 500 mi |

Printing date 09/11/2020

Reviewed on 09/08/2020

(Contd. of page 7)

Trade name: Ethanol Solution

UN "Model Regulation":

UN 1170 ETHANOL (ETHYL ALCOHOL), 3, II

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

64-17-5 ethanol

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

64-17-5 ethanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger **Hazard statements**

Highly flammable liquid and vapor. Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Keep container tightly closed.

Ground/bond container and receiving equipment.

 $Use \ explosion-proof \ electrical/ventilating/lighting/equipment.$

Use only non-sparking tools.

Take precautionary measures against static discharge.

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

In case of fire: Use for extinction: CO2, powder or water spray.

Store in a well-ventilated place. Keep cool.

(Contd. on page 9)

AЗ

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Ethanol Solution

(Contd. of page 8)

Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 **Date of preparation / last revision** 09/11/2020 / 2.0 Abbreviations and acronvms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail) ICAO: Internation Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/08/2020

| Identifica | <i>ution</i> |
|--|--|
| Product ide Trade nam | entifier e: Maxwell® C Resin |
| | nber: MC302 a of the substance / the mixture For Laboratory Use |
| | he supplier of the safety data sheet rer/Supplier: |
| Madison, W U.S.A. | 's Hollow Road |
| SDS author Promega C 2800 Wood Madison, V U.S.A. | 's Hollow Road |
| <i>Emergency</i> For Chemi and Canad | y telephone number: cal Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within U. a: 1-800-424-9300 A and Canada: +1 703-527-3887 (collect calls accepted) |

2 Hazard(s) identification

Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS). Label elements **GHS label elements** Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0= 0 Fire *Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown (Contd. on page 2)

Page 1/7

US

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Maxwell® C Resin

(Contd. of page 1)

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components: Not applicable *Additional information:* For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

General information: No special measures required. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available.

Advice for firefighters No special advice Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.

 Environmental precautions: Dilute with plenty of water.

 Methods and material for containment and cleaning up:

 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Reference to other sections

 No dangerous substances are released.

 See Section 7 for information on safe handling.

(Contd. on page 3)

US

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Maxwell® C Resin

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Not required. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Not required.

| Information on basic physical and General Information | chemical properties | |
|--|---------------------|--|
| Appearance: Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Odorless | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 7 | |
| Change in condition | | |
| Melting point/Melting range: | 0 °C (32 °F) | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Maxwell® C Resin

| | (Contd. of p | age |
|--|---|-----|
| Decomposition temperature: | Not determined. Product is not selfigniting. | |
| Auto igniting: | | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |
| Density at 20 °C (68 °F): | 1.01507 g/cm ³ (8.47076 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/water): Not determined. | | |
| Viscosity: | | |
| Dynamic at 20 °C (68 °F): | 0.0952 mPas | |
| Kinematic: | Not determined. | |
| Water: | <i>99.0 %</i> | |
| VOC content: | 0.00 % | |
| Solids content: | 0.5 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification: No data available

Primary irritant effect:

on the skin: No irritant effect.

on the eye: No irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product is not subject to classification according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

(Contd. on page 5)

⁻ US

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Maxwell® C Resin

(Contd. of page 4)

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment *PBT:* Not applicable. **vPvB:** Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number | Not hazardous for transportation | |
|----------------------------|----------------------------------|--|
| DOT, ADR, ADN, IMDG, IATA | Not applicable | |
| UN proper shipping name | None | |
| DOT, ADR, ADN, IMDG, IATA | Not applicable | |
| Transport hazard class(es) | None | |

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Maxwell® C Resin

| | (Contd. of page |
|-----------------|--|
| | |
| Not applicable | |
| None | |
| Not applicable | |
| | |
| No | |
| Not applicable. | |
| : II of | |
| Not applicable. | |
| Not applicable | |
| | None Not applicable No Not applicable. : II of Not applicable. |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

26628-22-8 sodium azide

A4: Not classifiable as human carcinogen

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

(Contd. on page 7)

US

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Maxwell® C Resin

(Contd. of page 6)

Water hazard class: Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/11/2020

| Article numl Application of | er: MC146 f the substance / the mixture For Laboratory Use |
|--|---|
| Details of the Manufacture | supplier of the safety data sheet r/Supplier: |
| Promega Con 2800 Woods Madison, WI U.S.A. 1-800-356-9: | Hollow Road |
| Promega Con 2800 Woods Madison, WI U.S.A. 1-800-356-9. Emergency t For Chemica and Canada: | ChemicalRegulatory@promega.com poration Hollow Road |
| Hazard(s) | identification |

GHS07

Eye Irrit. 2A H319 Causes serious eye irritation.

STOT SE 3 H336 May cause drowsiness or dizziness.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

(Contd. of page 1) Hazard pictograms GHS02 GHS07 Signal word Danger Hazard-determining components of labeling: 2-Propanol Hazard statements Highly flammable liquid and vapor. Causes serious eye irritation. May cause drowsiness or dizziness. **Precautionary statements** Keep away from heat/sparks/open flames/hot surfaces. - No smoking. Ground/bond container and receiving equipment. Use explosion-proof electrical/ventilating/lighting/equipment. Use only non-sparking tools. Take precautionary measures against static discharge. Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Call a poison center/doctor if you feel unwell. If eye irritation persists: Get medical advice/attention. In case of fire: Use for extinction: CO2, powder or water spray. Store in a well-ventilated place. Keep container tightly closed. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 3*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 2Fire = 3*Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Irritant Flammable **Primary route(s) of entry:** Dermal Inhalation Target Organ(s): May affect Nervous system (Neurotoxin) May cause Kidney damage (Nephrotoxin)

(Contd. on page 3)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

(Contd. of page 2)

50-75%

15-20%

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

67-63-0 2-Propanol

57-55-6 Propylene glycol

4 First-aid measures

Description of first aid measures

General information:

Take affected persons out into the fresh air.

Take affected persons out of danger area and lay down.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Take affected persons into fresh air and keep quiet.

After skin contact: Generally the product does not irritate the skin.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Headache

Dizziness

Nausea

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: Use fire fighting measures that suit the environment. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit.

(Contd. on page 4)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

(Contd. of page 3)

6 Accidental release measures

Personal precautions, protective equipment and emergency proceduresRemove persons from danger area.Wear protective equipment. Keep unprotected persons away.Keep away from ignition sourcesWear protective clothing.Environmental precautions:Prevent seepage into sewage system, workpits and cellars.Dilute with plenty of water.Do not allow to enter sewers/ surface or ground water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Ensure adequate ventilation.Reference to other sectionsSee Section 7 for information on safe handling.See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Use only in well ventilated areas. Information about protection against explosions and fires: Keep ignition sources away - Do not smoke. Protect against electrostatic charges.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: Store in a cool location. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Store in cool, dry conditions in well sealed receptacles. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

| Components with limit values that require monitoring at the workplace: 67-63-0 2-Propanol | | | | |
|--|--|--|--|--|
| | | | | |
| REL | Short-term value: 1225 mg/m³, 500 ppm Long-term value: 980 mg/m³, 400 ppm | | | |
| TLV | Short-term value: 984 mg/m³, 400 ppm Long-term value: 492 mg/m³, 200 ppm BEI | | | |
| | (Contd. on page 5) | | | |

(Contd. of page 4)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

| 57-55-6 Propylene glycol | |
|--------------------------|--|
|--------------------------|--|

WEEL Long-term value: 10 mg/m³

Ingredients with biological limit values:

67-63-0 2-Propanol

BEI 40 mg/L

Medium: urine Time: end of shift at end of workweek Parameter: Acetone (background, nonspecific)

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the eyes.

Avoid contact with the eyes and skin.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eve protection:**

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

| Information on basic physical and General Information | chemical properties | |
|---|---------------------------------|--|
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 3-10 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 82 °C (179.6 °F) | |
| Flash point: | $< 23 \circ C (< 73.4 \circ F)$ | |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

| | (Contd. of page 5 |
|--|--|
| Flammability (solid, gaseous): | Not applicable. |
| Ignition temperature: | 371 °C (699.8 °F) |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| | <i>Product is not explosive. However, formation of explosive air/vapo mixtures are possible.</i> |
| Explosion limits: | - |
| Lower: | 2 Vol % |
| Upper: | 12.6 Vol % |
| Vapor pressure at 20 °C (68 °F): | 43 hPa (32.3 mm Hg) |
| Density at 20 °C (68 °F): | 0.87 g/cm ³ (7.26015 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/water): | Not determined. |
| Viscosity: | Net determined |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| Organic solvents: | 86.5 % |
| Water: | 13.0 % |
| VOC content: | 86.50 % |
| Solids content: | 0.5 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

| LD/LC50 values that are relevant for classificati | | | |
|---|----------|--------------------|--|
| 67-63-0 2-Propanol | | | |
| Oral | | 4,570 mg/kg (Rat) | |
| Dermal | LD50 | 13,400 mg/kg (Rat) | |
| Inhalative | LC50/4 h | 30 mg/l (Rat) | |

(Contd. on page 7)

⁻ US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

(Contd. of page 6)

3

Primary irritant effect: on the skin: No data available. on the eye: Irritating effect. Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

67-63-0 2-Propanol

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

(Contd. on page 8)

US -

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

(Contd. of page 7)

| Transport information | |
|--|--|
| | |
| UN-Number DOT, ADR, IMDG, IATA | UN1219 |
| UN proper shipping name DOT ADR IMDG, IATA | Isopropanol 1219 ISOPROPANOL (ISOPROPYL ALCOHOL) ISOPROPANOL (ISOPROPYL ALCOHOL) |
| Transport hazard class(es) | |
| DOT | |
| Class Label | 3 Flammable liquids 3 |
| ADR | |
| Class | 3 (F1) Flammable liquids |
| Label | 3 |
| IMDG, IATA | |
| Class Label | 3 Flammable liquids 3 |
| Packing group DOT, ADR, IMDG, IATA | II |
| Environmental hazards: | Not applicable. |
| Special precautions for user Hazard identification number (Kemler code): EMS Number: Stowage Category | Warning: Flammable liquids 33 F-E,S-D B |
| Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code | Not applicable. |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

| | (Contd. of page 3 |
|-----------------------------------|--|
| Transport/Additional information: | |
| ADR | |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1219 ISOPROPANOL (ISOPROPYL ALCOHOL), 3, II |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

67-63-0 2-Propanol

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

67-63-0 2-Propanol

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger

(Contd. on page 10)

A4

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

| (Contd. of page 9) |
|--|
| Hazard-determining components of labeling: |
| 2-Propanol |
| Hazard statements |
| Highly flammable liquid and vapor. |
| Causes serious eye irritation. |
| May cause drowsiness or dizziness. |
| Precautionary statements |
| Keep away from heat/sparks/open flames/hot surfaces No smoking. |
| Ground/bond container and receiving equipment. |
| Use explosion-proof electrical/ventilating/lighting/equipment. |
| Use only non-sparking tools. |
| Take precautionary measures against static discharge. |
| Avoid breathing dust/fume/gas/mist/vapors/spray |
| Wash thoroughly after handling. |
| Use only outdoors or in a well-ventilated area. |
| Wear protective gloves/protective clothing/eye protection/face protection. |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing. |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. |
| Call a poison center/doctor if you feel unwell. |
| If eye irritation persists: Get medical advice/attention. |
| In case of fire: Use for extinction: CO2, powder or water spray. |
| Store in a well-ventilated place. Keep container tightly closed. |
| Store in a well-ventilated place. Keep cool. |
| Store locked up. |
| Dispose of contents/container in accordance with local/regional/national/international regulations. |
| Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. |

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

(Contd. on page 11)

US

(Contd. of page 10)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Wash Solution A

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit BEI: Biological Exposure Limit Flam. Liq. 2: Flammable liquids – Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 *** Data compared to the previous version altered.**



Printing date 09/11/2020

Reviewed on 09/09/2020

1 Identification

Product identifier Trade name: <u>1-Thioglycerol</u>, 900ul

Article number: A208B CAS Number: 96-27-5 EC number: 202-495-0 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture

GHS06 Skull and crossbones

Acute Tox. 3 H311 Toxic in contact with skin.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.
Skin Irrit. 2 H315 Causes skin irritation.
Eye Irrit. 2A H319 Causes serious eye irritation.
STOT SE 3 H335 May cause respiratory irritation.

(Contd. on page 2)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

(Contd. of page 1) Label elements GHS label elements The substance is classified and labeled according to the Globally Harmonized System (GHS). Hazard pictograms GHS06 GHS07 Signal word Danger Hazard-determining components of labeling: 3-mercaptopropane-1,2-diol Hazard statements Harmful if swallowed. Toxic in contact with skin. Causes skin irritation. Causes serious eye irritation. May cause respiratory irritation. **Precautionary statements** Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors or in a well-ventilated area. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth. Take off immediately all contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store in a well-ventilated place. Keep container tightly closed. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) Health = 2Fire = 1*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 2Fire = 1 *Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant **Primary route(s) of entry:** Dermal Inhalation Oral Target Organ(s): Not applicable or unknown (Contd. on page 3) US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

(Contd. of page 2)

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 96-27-5 3-mercaptopropane-1,2-diol Identification number(s) EC number: 202-495-0

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

In case of unconsciousness place patient stably in side position for transportation.

Seek medical treatment in case of complaints.

After skin contact:

Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed None

No further relevant information available. **Indication of any immediate medical attention and special treatment needed** No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

(Contd. on page 4)

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

(Contd. of page 3)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not requirements. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment: General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat or drink while working. Clean skin thoroughly immediately after handling the product. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves

(Contd. on page 5)

US

Printing date 09/11/2020

Trade name: 1-Thioglycerol, 900ul

Reviewed on 09/09/2020

(Contd. of page 4)

Select the glove material considering penetration time, rate of diffusion and degradation time. It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

| Information on basic physical and che General Information | mical properties |
|--|---|
| Appearance: | |
| Appeurunce. Form: | Viscous |
| Color: | Colorless |
| Odor: | Not determined |
| Odor: Odor threshold: | Not determined Not determined. |
| Ouor inresnola: | Noi delerminea. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 118 °C (244.4 °F) |
| Flash point: | 112 °C (233.6 °F) |
| Flammability (solid, gaseous): | Not applicable. |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Not determined. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure: | Not determined. |
| Density at 20 °C (68 °F): | 1.295 g/cm ³ (10.80678 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not determined. |
| Evaporation rate | Not determined. |
| Solubility in / Miscibility with | |
| Water: | Fully miscible. |
| Partition coefficient (n-octanol/water). | Not determined. |
| Viscosity: | |
| Dynamic: | Not determined. |
| Kinematic: | Not determined. |
| VOC content: | 0.00 % |
| Solids content: | 0.0 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

Reactivity No further relevant information available.

(Contd. on page 6)

[–] US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

(Contd. of page 5)

Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: Oxidizing agents Strong reducing agents Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: Irritant to skin and mucous membranes. on the eye: Irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The substance is not subject to classification.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Water hazard class 3 (Assessment by list): extremely hazardous for water Do not allow product to reach ground water, water course or sewage system, even in small quantities. Danger to drinking water if even extremely small quantities leak into the ground. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable.

(Contd. on page 7)

⁻ US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

(Contd. of page 6)

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| IN Noutes | |
|--|---|
| UN-Number DOT, ADR, IMDG, IATA | UN2810 |
| UN proper shipping name DOT ADR | None Toxic, liquids, organic, n.o.s. (3-mercaptopropane-1,2-diol) 2810 TOXIC LIQUID, ORGANIC, N.O.S. (3-mercaptopropane-1, diol) |
| IMDG, IATA | TOXIC LIQUID, ORGANIC, N.O.S. (3-mercaptopropane-1,2-diol |
| Transport hazard class(es) | None |
| DOT | |
| | |
| Class | 6.1 Toxic substances |
| Label | 6.1 |
| ADR, IMDG, IATA | |
| Class | 6.1 Toxic substances |
| Label | 6.1 |
| Packing group DOT, ADR, IMDG, IATA | None III |
| Environmental hazards: | Not applicable. |
| Special precautions for user Stowage Category Stowage Code | Warning: Toxic substances A SW2 Clear of living quarters. |

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

| | (Contd. of page 2 |
|--|--|
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. |
| Transport/Additional information: | |
| ADR Excepted quantities (EQ) | Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| IMDG Limited quantities (LQ) Excepted quantities (EQ) | 5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml |
| UN "Model Regulation": | UN 2810 TOXIC LIQUID, ORGANIC, N.O.S. (3 MERCAPTOPROPANE-1,2-DIOL), 6.1, III |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

| Section 355 (extremely hazardous substances): |
|---|
| Substance is not listed. |
| Section 313 (Specific toxic chemical listings): |
| Substance is not listed. |
| TSCA (Toxic Substances Control Act) Inventory: |
| Substance is listed. |
| Hazardous Air Pollutants |
| Substance is not listed. |
| Proposition 65 |
| Chemicals known to cause cancer: |
| Substance is not listed. |
| Chemicals known to cause reproductive toxicity for females: |
| Substance is not listed. |
| Chemicals known to cause reproductive toxicity for males: |
| Substance is not listed. |
| Chemicals known to cause developmental toxicity: |
| Substance is not listed. |
| Cancerogenity categories |
| EPA (Environmental Protection Agency) |
| Substance is not listed |

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

(Contd. on page 9)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

| | (Contd. of page 8) |
|---|--------------------|
| GHS label elements | |
| The substance is classified and labeled according to the Globally Harmonized System (GHS). Signal word Danger | |
| Hazard-determining components of labeling: | |
| 3-mercaptopropane-1,2-diol | |
| Hazard statements | |
| Harmful if swallowed. | |
| Toxic in contact with skin. | |
| Causes skin irritation. | |
| Causes serious eye irritation. | |
| May cause respiratory irritation. | |
| Precautionary statements | |
| Avoid breathing dust/fume/gas/mist/vapors/spray | |
| Wash thoroughly after handling. | |
| Do not eat, drink or smoke when using this product. | |
| Use only outdoors or in a well-ventilated area. | |
| Wear protective gloves/protective clothing/eye protection/face protection. | |
| If swallowed: Call a poison center/doctor if you feel unwell. | |
| If on skin: Wash with plenty of water. | |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if presen | it and easy to do. |
| Continue rinsing. | |
| Rinse mouth. | |
| Take off immediately all contaminated clothing and wash it before reuse. | |
| If skin irritation occurs: Get medical advice/attention. | |
| If eye irritation persists: Get medical advice/attention. | |
| Store in a well-ventilated place. Keep container tightly closed. | |
| Store locked up. | |
| Dispose of contents/container in accordance with local/regional/national/international regulation | ons. |
| <i>Water hazard class: Water hazard class 3 (Assessment by list): extremely hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.</i> | |

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 2.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

(Contd. on page 10)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: 1-Thioglycerol, 900ul

| LC50: Lethal concentration, 50 percent |
|--|
| LD50: Lethal dose, 50 percent |
| PBT: Persistent, Bioaccumulative and Toxic |
| vPvB: very Persistent and very Bioaccumulative |
| NIOSH: National Institute for Occupational Safety |
| OSHA: Occupational Safety & Health |
| TLV: Threshold Limit Value |
| PEL: Permissible Exposure Limit |
| REL: Recommended Exposure Limit |
| Acute Tox. 4: Acute toxicity – Category 4 |
| Acute Tox. 3: Acute toxicity – Category 3 |
| Skin Irrit. 2: Skin corrosion/irritation – Category 2 |
| Eye Irrit. 2A: Serious eye damage/eye irritation – Category 2A |
| STOT SE 3: Specific target organ toxicity (single exposure) – Category 3 |
| * Data compared to the previous version altered. |

(Contd. of page 9)

US



Printing date 09/11/2020

Reviewed on 09/09/2020

| Product identifier Trade name: <u>Blue Dye</u> | |
|--|--|
| <i>Article number:</i> C888A <i>Application of the substance / the m</i> | ixture For Laboratory Use |
| Details of the supplier of the safety of Manufacturer/Supplier: | lata sheet |
| Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 | |
| Information department: SDS author: ChemicalRegulatory@p Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Lea and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-5. | k, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within U |

2 Hazard(s) identification

Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS). Label elements **GHS label elements** Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0= 0 Fire *Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown (Contd. on page 2)

Page 1/7

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Blue Dye

(Contd. of page 1)

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components: Not applicable

4 First-aid measures

Description of first aid measures General information: No special measures required. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.
Environmental precautions: Dilute with plenty of water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Reference to other sections
See Section 7 for information on safe handling.

(Contd. on page 3)

US –

Printing date 09/11/2020

Reviewed on 09/09/2020

(Contd. of page 2)

Trade name: Blue Dye

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Not required. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

Eye protection: Not required.

| Information on basic physical and General Information | chemical properties | |
|---|---------------------|--|
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Odorless | |
| Odor threshold: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | 0 °C (32 °F) | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |

_ī

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Blue Dye

| | (Con | td. of page 3 |
|------------------------------------|---|---------------|
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |
| Density at 20 °C (68 °F): | 1 g/cm ³ (8.345 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/w | ater): Not determined. | |
| Viscosity: | , | |
| Dynamic at 20 °C (68 °F): | 0.0952 mPas | |
| Kinematic: | Not determined. | |
| Water: | 98.7 % | |
| VOC content: | 0.00 % | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity:

LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Brilliant blue FCF

(Contd. on page 5)

3

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Blue Dye

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. Results of PBT and vPvB assessment *PBT:* Not applicable. **vPvB:** Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number | Not hazardous for transportation | |
|----------------------------|----------------------------------|--|
| DOT, ADR, IMDG, IATA | Not applicable | |
| UN proper shipping name | None | |
| DOT, ADR, ADN, IMDG, IATA | Not applicable | |
| Transport hazard class(es) | None | |

(Contd. of page 4)

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Blue Dye

(Contd. of page 5) DOT, ADR, ADN, IMDG, IATA Class Not applicable Packing group None DOT, ADR, IMDG, IATA Not applicable **Environmental hazards:** Not applicable. Special precautions for user Not applicable. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable. **UN "Model Regulation":** Not applicable

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

Water hazard class: Generally not hazardous for water.

υ

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Blue Dye

(Contd. of page 6)

<u>16 Other information</u>

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 **Date of preparation / last revision** 09/11/2020 / 1.0 **Abbreviations and acronyms:** ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transport Association ACGIH: American Conference of Governmental Industrial Hygienists

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

* Data compared to the previous version altered.



Printing date 09/11/2020

*

Reviewed on 09/09/2020

| Product ia Trade nan | entifier 1e: <u>Lysis Buffer</u> |
|---|---|
| | mber: MC501C n of the substance / the mixture For Laboratory Use |
| | the supplier of the safety data sheet urer/Supplier: |
| 2800 Woo Madison, U.S.A. | Corporation ds Hollow Road WI 53711 -9526 or (608)-274-4330 |
| SDS autho Promega (2800 Woo Madison, U.S.A. 1-800-356 Emergenc For Chem and Canad | on department: r: ChemicalRegulatory@promega.com Corporation ds Hollow Road WI 53711 -9526 or (608)-274-4330 y telephone number: ical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within US la: 1-800-424-9300 SA and Canada: +1 703-527-3887 (collect calls accepted) |
| Hazard(| s) identification |
| Classifica | ion of the substance or mixture |
| | GHS08 Health hazard |
| STOT SE 2 | P. H371 May cause damage to organs. |
| $\langle ! \rangle$ | GHS07 |
| Acute Tox. | 4 H302 Harmful if swallowed. |
| Claire Innit | 2 H315 Causes skin irritation |

Skin Irrit. 2 H315 Causes skin irritation.

Eye Irrit. 2A H319 Causes serious eye irritation.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

(Contd. of page 1) Hazard pictograms GHS07 GHS08 Signal word Warning Hazard-determining components of labeling: guanidinium chloride sodium dodecyl sulphate Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs. Precautionary statements Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves / eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Call a poison center/doctor. Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations. Classification system: NFPA ratings (scale 0 - 4) *Health* = 2Fire = 1*Reactivity* = 0HMIS-ratings (scale 0 - 4) Health $= \overline{*2}$ Fire = 1 *Reactivity* = 0OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Irritant **Primary route(s) of entry:** Dermal Oral Target Organ(s): May affect Nervous system (Neurotoxin) May cause behavioral changes May affect Bones **Other hazards** Results of PBT and vPvB assessment **PBT:** Not applicable. (Contd. on page 3)

on page 5

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

vPvB: Not applicable.

(Contd. of page 2)

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

| Dangeroi | is components: | |
|----------|-------------------------|--------|
| 50-01-1 | guanidinium chloride | 38.2% |
| 57-13-6 | urea | 25-50% |
| 151-21-3 | sodium dodecyl sulphate | 1-5% |
| | | |

4 First-aid measures

Description of first aid measures

General information:

Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor.

After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

After swallowing: Seek immediate medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Wear protective clothing.

(Contd. on page 4)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

Environmental precautions:

Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. **Methods and material for containment and cleaning up:** Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. **Reference to other sections** See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Prevent formation of aerosols. **Information about protection against explosions and fires:** No special measures required.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the other constituents have no known exposure limits.

57-13-6 urea

WEEL Long-term value: 10 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing. Wash hands before breaks and at the end of work. Avoid contact with the eyes and skin. Do not eat or drink while working. Clean skin thoroughly immediately after handling the product. Breathing equipment: In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air. Protection of hands: Protective gloves (Contd. on page 5)

(Contd. of page 3)

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

(Contd. of page 4)

Select the glove material considering penetration time, rate of diffusion and degradation time. It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eve protection:**

Safety glasses

*

Use equipment for eye protection tested and approved under government NIOSH standards.

| Information on basic physical and ch | emical properties | |
|---|---|--|
| General Information | | |
| Appearance: | | |
| Form: | Fluid | |
| Color: | Not determined. | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 6.4 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | > 100 °C (> 212 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |
| Density at 20 °C (68 °F): | 1.205 g/cm ³ (10.05573 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/water) | : Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Water: | 12.2 % | |
| VOC content: | 0.00 % | |
| Solids content: | 0.0 % | |

US –

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

(Contd. of page 5)

Other information

No further relevant information available.

10 Stability and reactivity

Reactivity No further relevant information available. **Chemical stability Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications. **Possibility of hazardous reactions** Reacts with strong acids and oxidizing agents.

Conditions to avoid No further relevant information available.

Incompatible materials: Oxidizing agents

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

50-01-1 guanidinium chloride

| Oral | LD50 | 475 mg/kg (Rat) |
|--------------------|-------|-------------------|
| Irritation of eyes | acute | 500 mg (Rabbit) |
| | | Severe Irritation |

Primary irritant effect:

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating effect.

Sensitization: No sensitizing effects known.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Irritant

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity Aquatic toxicity: Not available No further relevant information available. **Persistence and degradability** Not available No further relevant information available.

(Contd. on page 7)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

(Contd. of page 6)

Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: Remark: Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number DOT, ADR, IMDG, IATA | Not hazardous for transportation Not applicable | |
|--|--|--|
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | None Not applicable | |
| Transport hazard class(es) | None | |
| DOT, ADR, ADN, IMDG, IATA Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | None Not applicable | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. | |
| UN "Model Regulation": | Not applicable | |

(Contd. on page 8)

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

(Contd. of page 7)

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

57-13-6 urea

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Warning

Hazard-determining components of labeling: guanidinium chloride sodium dodecyl sulphate Hazard statements Harmful if swallowed. Causes skin irritation. Causes serious eye irritation. May cause damage to organs. **Precautionary statements** Do not breathe dust/fume/gas/mist/vapors/spray. Wash thoroughly after handling. Do not eat, drink or smoke when using this product. Wear protective gloves / eye protection / face protection. If swallowed: Call a poison center/doctor if you feel unwell. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

US

Ш

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Lysis Buffer

(Contd. of page 8)

IF exposed or concerned: Call a poison center/doctor. Rinse mouth. Take off contaminated clothing and wash it before reuse. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Store locked up. Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Irrit. 2A: Serious eye damage/eye irritation - Category 2A STOT SE 2: Specific target organ toxicity (single exposure) – Category 2 * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/08/2020

Page 1/7

1 Identification

Product identifier Trade name: Nuclease-Free Water

Article number: P119C CAS Number: 7732-18-5 EC number: 231-791-2 Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number:

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture The substance is not classified as hazardous according to the Globally Harmonized System (GHS).

Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0 HMIS-ratings (scale 0 - 4) Health = 0 Fire = 0 Reactivity = 0

(Contd. on page 2)

US

Printing date 09/11/2020

Reviewed on 09/08/2020

(Contd. of page 1)

(Contd. on page 3)

US

Trade name: Nuclease-Free Water

OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable Target Organ(s): Not applicable or unknown Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Substances CAS No. Description 7732-18-5 water Identification number(s) EC number: 231-791-2

4 First-aid measures

Description of first aid measuresGeneral information: No special measures required.After inhalation: If the patient feels unwell or is concerned, obtain medical advice.After skin contact: Generally the product does not irritate the skin.After eye contact: Rinse opened eye for several minutes under running water.After swallowing: If the patient feels unwell or is concerned, obtain medical advice.Information for doctor:Most important symptoms and effects, both acute and delayedNoneNo further relevant information available.Indication of any immediate medical attention and special treatment neededNo further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

Protective equipment: No special measures required.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Not required.Environmental precautions: Dilute with plenty of water.Methods and material for containment and cleaning up:Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).Reference to other sectionsNo dangerous substances are released.See Section 7 for information on safe handling.

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Nuclease-Free Water

(Contd. of page 2)

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace: Not required. Additional information: The lists that were valid during the creation were used as basis.

Exposure controls Personal protective equipment: General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed. Breathing equipment: Not required. Protection of hands: Not required. Material of gloves The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. Eye protection: Not required.

| Information on basic physical and | chemical properties | |
|-----------------------------------|---|--|
| General Information | | |
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Odorless | |
| Odor threshold: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | 0 °C (32 °F) | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Not determined. | |
| Danger of explosion: | Product does not present an explosion hazard. | |

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Nuclease-Free Water

| | | (Contd. of page |
|-------------------------------------|--|-----------------|
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |
| Density at 20 °C (68 °F): | 1 g/cm ³ (8.345 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/we | uter): Not determined. | |
| Viscosity: | , , | |
| Dynamic at 20 °C (68 °F): | 0.0952 mPas | |
| Kinematic: | Not determined. | |
| Water: | 100.0 % | |
| VOC content: | 0.00 % | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The substance is not subject to classification.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

Substance is not listed.

NTP (National Toxicology Program)

Substance is not listed.

OSHA-Ca (Occupational Safety & Health Administration)

Substance is not listed.

(Contd. on page 5)

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Nuclease-Free Water

(Contd. of page 4)

12 Ecological information

Toxicity Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability *Not available* No further relevant information available. Bioaccumulative potential Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: *Remark:* Not available Additional ecological information: General notes: Not available. Not known to be hazardous to water. **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number DOT, ADR, ADN, IMDG, IATA | Not hazardous for transportation Not applicable | |
|--|--|--|
| UN proper shipping name DOT, ADR, IMDG, IATA ADN | None Not applicable | |
| Transport hazard class(es) | None | |
| DOT, ADR, ADN, IMDG, IATA Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | None Not applicable | |

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Nuclease-Free Water

| | | (Contd. of page 5) |
|--|--------------------------------|--------------------|
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex L MARPOL73/78 and the IBC Code | I of Not applicable. | |
| UN "Model Regulation": | Not applicable | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

Substance is not listed.

Section 313 (Specific toxic chemical listings):

Substance is not listed.

TSCA (Toxic Substances Control Act) Inventory:

Substance is listed.

Hazardous Air Pollutants

Substance is not listed.

Proposition 65

Chemicals known to cause cancer:

Substance is not listed.

Chemicals known to cause reproductive toxicity for females:

Substance is not listed.

Chemicals known to cause reproductive toxicity for males:

Substance is not listed.

Chemicals known to cause developmental toxicity:

Substance is not listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

Substance is not listed.

TLV (Threshold Limit Value established by ACGIH)

Substance is not listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

Substance is not listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

Water hazard class: Generally not hazardous for water. *Chemical safety assessment:* A Chemical Safety Assessment has not been carried out.

(Contd. on page 7)

Printing date 09/11/2020

Reviewed on 09/08/2020

Trade name: Nuclease-Free Water

(Contd. of page 6)

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison. WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/09/2020

Page 1/11

| Product identifier Trade name: Homogenization Solution, . | 30mL |
|--|---|
| Article number: Z305H Application of the substance / the mixtur | e For Laboratory Use |
| Details of the supplier of the safety data s Manufacturer/Supplier: | heet |
| Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 | |
| Information department: SDS author: ChemicalRegulatory@prome Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Leak, Fi. and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-38 | re, Exposure, or Accident Call CHEMTREC Day or Night Within USA |

2 Hazard(s) identification

Classification of the substance or mixture

GHS05 Corrosion

Skin Corr. 1B H314 Causes severe skin burns and eye damage. Eye Dam. 1 H318 Causes serious eye damage.

GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Acute Tox. 4 H312 Harmful in contact with skin.

Acute Tox. 4 H332 Harmful if inhaled.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). (Contd. on page 2)

_____US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

(Contd. of page 1)



(Contd. of page 2)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

593-84-0 guanidinium thiocyanate

Additional information: For the wording of the listed risk phrases refer to section 15.

25-50%

4 First-aid measures

Description of first aid measures General information: Immediately remove any clothing soiled by the product. Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident. Seek medical treatment. After inhalation: Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist. In case of unconsciousness place patient stably in side position for transportation. Seek medical treatment in case of complaints. After skin contact: Immediately wash with water and soap and rinse thoroughly. If skin irritation continues, consult a doctor. After eye contact: Call a doctor immediately. After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor. Seek immediate medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters In the case of fire, wear respiratory protective equipment and chemical protective suit. (Contd. on page 4)

us

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

(Contd. of page 3)

Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Mount respiratory protective device. Remove persons from danger area. Wear protective equipment. Keep unprotected persons away. *Keep people at a distance and stay upwind.* Wear protective clothing. **Environmental precautions:** Do not allow product to reach sewage system or any water course. Inform respective authorities in case of seepage into water course or sewage system. Dilute with plenty of water. Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust). Use neutralizing agent. Dispose contaminated material as waste according to Section 13. Ensure adequate ventilation. Keep away from water. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Keep receptacles tightly sealed. Ensure good ventilation/exhaustion at the workplace. Open and handle receptacle with care. Prevent formation of aerosols. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage:

Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Do not store together with acids. Further information about storage conditions: Keep receptacle tightly sealed. Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

(Contd. on page 5)

US —

Printing date 09/11/2020

*

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

(Contd. of page 4)

| Exposure contro | ls |
|--------------------|--|
| Personal protect | |
| General protecti | ve and hygienic measures: |
| | foodstuffs, beverages and feed. |
| | ove all soiled and contaminated clothing. |
| | re breaks and at the end of work. |
| Avoid contact wi | |
| | th the eyes and skin. |
| | nk while working. |
| | ughly immediately after handling the product. |
| Breathing equip | |
| In case of brief e | xposure or low pollution use respiratory filter device. In case of intensive or longer exposure use active device that is independent of circulating air. |
| Protection of ha | |
| Protective gloves | |
| 0 | al has to be impermeable and resistant to the product/ the substance/ the preparation. |
| | naterial considering penetration time, rate of diffusion and degradation time. |
| | ed that the selected protective gloves be tested and approved under NIOSH or EU Directive |
| | the standard EN 374 derived from it. |
| Material of glove | 25 |
| | the suitable gloves does not only depend on the material, but also on further marks of quality and |
| | ufacturer to manufacturer. As the product is a preparation of several substances, the resistance |
| | rial can not be calculated in advance and has therefore to be checked prior to the application. |
| Eye protection: | · · · · · · · · · · · · · · · · · · · |
| Tightly sealed go | ggles |
| | veve protection tested and approved under government NIOSH standards |

Use equipment for eye protection tested and approved under government NIOSH standards.

| Information on basic physical and General Information | chemical properties | |
|---|---|--|
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 7.5 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | Undetermined. | |
| Flash point: | Not applicable. | |
| Flammability (solid, gaseous): | Not applicable. | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure: | Not determined. | |

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

| | | (Contd. of page 5 |
|----------------------------------|--|-------------------|
| Density: | Not determined. | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octan | ol/water): Not determined. | |
| Viscosity: | | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Water: | 52.0 % | |
| VOC content: | 0.00 % | |
| Solids content: | 48.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available.

Chemical stability

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. *Possibility of hazardous reactions* No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials:

Exposure to strong acid will result in the generation of toxic gases

Exposure to bleach may result in the generation of toxic gas

Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values that are relevant for classification:

593-84-0 guanidinium thiocyanate

Oral LD50 475 mg/kg (Rat)

Dermal LD50 By analogy to guanidine hydrochloride By analogy to Guanidine hydrochloride.

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye: Strong caustic effect.

Sensitization: Sensitization possible through inhalation.

Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

Corrosive

Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of esophagus and stomach.

(Contd. on page 7)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

(Contd. of page 6)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program) None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Harmful to aquatic life with long lasting effects. Persistence and degradability *Not available* No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Harmful to fish Additional ecological information: General notes: Water hazard class 2 (Self-assessment): hazardous for water Do not allow product to reach ground water, water course or sewage system. Must not reach bodies of water or drainage ditch undiluted or unneutralized. Danger to drinking water if even small quantities leak into the ground. Harmful to aquatic organisms Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

- US

(Contd. on page 8)

Printing date 09/11/2020

*

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

(Contd. of page 7)

| UN-Number | |
|--|--|
| DOT, ADR, IMDG, IATA | UN1760 |
| UN proper shipping name | None |
| DOT | Corrosive liquid, n.o.s. solution |
| ADR | 1760 CORROSIVE LIQUID, N.O.S. solution |
| IMDG, IATA | CORROSIVE LIQUID, N.O.S. solution |
| Transport hazard class(es) | None |
| DOT | |
| | |
| | |
| 8 | |
| | 9 Companyo aukatan og |
| Class Label | 8 Corrosive substances 8 |
| | 0 |
| ADR | |
| P3 | |
| | |
| 8 | |
| | |
| Class | 8 (C9) Corrosive substances |
| Label | 8 |
| IMDG, IATA | |
| | |
| | |
| 8 | |
| © Class | 8 Corrosive substances |
| Label | 8 |
| | None |
| Packing group DOT, ADR, IMDG, IATA | None II |
| | |
| Environmental hazards: Marine pollutant: | No |
| | |
| Special precautions for user | <i>Warning: Corrosive substances</i> |
| Hazard identification number (Kemler code). EMS Number: | : 80 F-A,S-B |
| Stowage Category | В |
| Stowage Code | SW2 Clear of living quarters. |
| Transport in bulk according to Annex II of | |
| MARPOL73/78 and the IBC Code | Not applicable. |

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

| Transport/Additional information: | (Contd. of page 8 |
|--|--|
| ADR | |
| Excepted quantities (EQ) | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| IMDG | |
| Limited quantities (LQ) | 1L |
| Excepted quantities $(\widetilde{E}Q)$ | Code: E2 |
| | Maximum net quantity per inner packaging: 30 ml |
| | Maximum net quantity per outer packaging: 500 ml |
| UN "Model Regulation": | UN 1760 CORROSIVE LIQUID, N.O.S. SOLUTION, 8, II |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger

(Contd. on page 10)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

| (Co | ontd. of page 9) |
|---|------------------|
| Hazard-determining components of labeling: | |
| guanidinium thiocyanate | |
| Hazard statements | |
| Harmful if swallowed, in contact with skin or if inhaled. | |
| Causes severe skin burns and eye damage. | |
| Precautionary statements | |
| Do not breathe dusts or mists. | |
| Wash thoroughly after handling. | |
| Do not eat, drink or smoke when using this product. | |
| Use only outdoors or in a well-ventilated area. | |
| Wear protective gloves/protective clothing/eye protection/face protection. | |
| If swallowed: Call a poison center/doctor if you feel unwell. | |
| If swallowed: Rinse mouth. Do NOT induce vomiting. | |
| Immediately call a poison center/doctor. | |
| If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. | |
| IF INHALED: Remove person to fresh air and keep comfortable for breathing. | |
| If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and | easy to do. |
| Continue rinsing. | |
| Take off contaminated clothing and wash it before reuse. | |
| Wash contaminated clothing before reuse. | |
| Store locked up. | |
| Dispose of contents/container in accordance with local/regional/national/international regulations. | |

Water hazard class: Water hazard class 2 (Self-assessment): hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 **Date of preparation / last revision** 09/11/2020 / 2.0

Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health TLV: Threshold Limit Value

(Contd. on page 11)

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: Homogenization Solution, 30mL

(Contd. of page 10)

US

PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Acute Tox. 4: Acute toxicity – Category 4 Skin Corr. 1B: Skin corrosion/irritation – Category 1B Eye Dam. 1: Serious eye damage/eye irritation – Category 1 * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/11/2020

Page 1/8

| 1 Identification |
|---|
| Product identifier Trade name: <u>Proteinase K (PK) Solution</u> |
| <i>Article number: MC500C</i> <i>Application of the substance / the mixture</i> For Laboratory Use |
| Details of the supplier of the safety data sheet Manufacturer/Supplier: |
| Promega Corporation |

2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 **Emergency telephone number:** For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger

Hazard-determining components of labeling: Proteinase, Tritirachium album serine

(Contd. on page 2)

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Proteinase K (PK) Solution

| | (Contd. of page 1) |
|--|--------------------|
| Hazard statements | |
| May cause allergy or asthma symptoms or breathing difficulties if inhaled. | |
| Precautionary statements | |
| Avoid breathing dust/fume/gas/mist/vapors/spray | |
| [In case of inadequate ventilation] wear respiratory protection. | |
| If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing | <i>ç</i> . |
| If experiencing respiratory symptoms: Call a poison center/doctor. | |
| Dispose of contents/container in accordance with local/regional/national/international regulation | ns. |
| Classification system: | |
| NFPA ratings (scale 0 - 4) | |
| Health = 2 | |
| Fire = 1 | |
| Reactivity = 0 | |
| HMIS-ratings (scale 0 - 4) | |
| Health = 2 | |
| Fire = 1 | |
| Reactivity = 0 | |
| OSHA Hazard Overview (Criteria according to 29CFR1910.1200): | |
| Irritant | |
| Sensitizer | |
| Primary route(s) of entry: Inhalation | |
| Target Organ(s): May cause Kidney damage (Nephrotoxin) | |
| Other hazards | |
| Results of PBT and vPvB assessment | |
| PBT: Not applicable. | |
| v PvB: Not applicable. | |

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

| | Dangerous components: | |
|---|---|--------|
| ſ | 56-81-5 glycerol | 25-50% |
| | 39450-01-6 Proteinase, Tritirachium album serin | e 1-5% |

4 First-aid measures

Description of first aid measures

After inhalation: Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation. After skin contact: Generally the product does not irritate the skin. After eye contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed Allergic reactions

(Contd. on page 3)

us

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Proteinase K (PK) Solution

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture None known No further relevant information available. Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures
Remove persons from danger area.
Wear protective clothing.
Environmental precautions:
Dilute with plenty of water.
Do not allow to enter sewers/ surface or ground water.
Methods and material for containment and cleaning up:
Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
Dispose contaminated material as waste according to Section 13.
Ensure adequate ventilation.
Reference to other sections
See Section 7 for information on safe handling.
See Section 13 for disposal information.

7 Handling and storage

Handling:

 Precautions for safe handling

 Keep receptacles tightly sealed.

 Ensure good ventilation/exhaustion at the workplace.

 Prevent formation of aerosols.

 Work only in fume cabinet.

 Information about protection against explosions and fires: Keep respiratory protective device available.

 Conditions for safe storage, including any incompatibilities

Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None. Specific end use(s) No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Proteinase K (PK) Solution

(Contd. of page 3)

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

56-81-5 glycerol

PEL Long-term value: $15*5**mg/m^3$

mist; *total dust **respirable fraction

TLV TLV withdrawn-insufficient data human occup. exp.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time. It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:**

Lye protection

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

| Information on basic physical and General Information | chemical properties | |
|---|---|--|
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| pH-value at 20 °C (68 °F): | 7.2 | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | $> 100 \ ^{\circ}C \ (> 212 \ ^{\circ}F)$ | |

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Proteinase K (PK) Solution

| | | (Contd. of page |
|---------------------------------------|---|-----------------|
| Flammability (solid, gaseous): | Not applicable. | |
| Ignition temperature: | 400 °C (752 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | Not determined. | |
| Upper: | Not determined. | |
| Vapor pressure at 20 °C (68 °F): | <0.1 hPa | |
| Density at 20 °C (68 °F): | 1.119 g/cm ³ (9.33806 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | • | |
| Viscosity: | , , | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Organic solvents: | 50.0 % | |
| Water: | 47.8 % | |
| VOC content: | 0.00 % | |
| Solids content: | 0.0 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: No data available. Sensitization: Sensitization possible through inhalation. Additional toxicological information: The product shows the following dangers according to internally approved calculation methods for preparations: Harmful

(Contd. on page 6)

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Proteinase K (PK) Solution

(Contd. of page 5)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program) None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| 4 Transport information | | |
|---------------------------|----------------------------------|--|
| UN-Number | Not hazardous for transportation | |
| DOT, ADR, IMDG, IATA | Not applicable | |
| UN proper shipping name | None | |
| DOT, ADR, ADN, IMDG, IATA | Not applicable | |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Proteinase K (PK) Solution

| | | (Contd. of page |
|--|--------------------------|-----------------|
| Transport hazard class(es) | None | |
| DOT, ADR, ADN, IMDG, IATA Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | None Not applicable | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. | |
| UN "Model Regulation": | Not applicable | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

56-81-5 glycerol

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Signal word* Danger

(Contd. on page 8)

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Proteinase K (PK) Solution

(Contd. of page 7)

 Hazard-determining components of labeling:

 Proteinase, Tritirachium album serine

 Hazard statements

 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

 Precautionary statements

 Avoid breathing dust/fume/gas/mist/vapors/spray

 [In case of inadequate ventilation] wear respiratory protection.

 If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

 If experiencing respiratory symptoms: Call a poison center/doctor.

 Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS: Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 **Date of preparation / last revision** 09/11/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Resp. Sens. 1: Respiratory sensitisation - Category 1 * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/11/2020

| 1 1 1 | | ~ | . • |
|-------|------|-----------------------|-----|
| 1 Ide | 7111 | 1001 | 101 |
| I Iuc | | <i>i</i> c <i>u i</i> | iun |
| | | | |

Product identifier Trade name: <u>Lytic Enhancer</u>

Article number: MC145A Application of the substance / the mixture For Laboratory Use

Details of the supplier of the safety data sheet Manufacturer/Supplier:

Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330

Information department:

SDS author: ChemicalRegulatory@promega.com Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 **Emergency telephone number:** For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

2 Hazard(s) identification

Classification of the substance or mixture The product is not classified as hazardous according to the Globally Harmonized System (GHS). Label elements GHS label elements Not applicable Hazard pictograms Not applicable Signal word Not applicable Hazard statements Not applicable Classification system: NFPA ratings (scale 0 - 4) Health = 0Fire = 0*Reactivity* = 0HMIS-ratings (scale 0 - 4) *Health* = 0Fire = 1 *Reactivity* = 0**OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable Target Organ(s): Not applicable or unknown (Contd. on page 2)

Page 1/7

US

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Lytic Enhancer

(Contd. of page 1)

50-75%

Other hazards Results of PBT and vPvB assessment PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

Dangerous components:

57-55-6 Propylene glycol

4 First-aid measures

Description of first aid measures

General information: No special measures required. After inhalation: If the patient feels unwell or is concerned, obtain medical advice. After skin contact: Generally the product does not irritate the skin. After system contact: Rinse opened eye for several minutes under running water. After swallowing: If the patient feels unwell or is concerned, obtain medical advice. Information for doctor: Most important symptoms and effects, both acute and delayed None No further relevant information available. Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media
Suitable extinguishing agents:
CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
Special hazards arising from the substance or mixture
None known
No further relevant information available.
Advice for firefighters No special advice
Protective equipment: No special measures required.

6 Accidental release measures

 Personal precautions, protective equipment and emergency procedures Not required.

 Environmental precautions:

 Dilute with plenty of water.

 Do not allow to enter sewers/ surface or ground water.

 Methods and material for containment and cleaning up:

 Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

 Reference to other sections

 See Section 7 for information on safe handling.

(Contd. on page 3)

⁻ U

Printing date 09/11/2020

Reviewed on 09/11/2020

(Contd. of page 2)

Trade name: Lytic Enhancer

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special measures required. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities Storage: Requirements to be met by storerooms and receptacles: No special requirements. Information about storage in one common storage facility: Not required. Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

57-55-6 Propylene glycol

WEEL Long-term value: 10 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment: Not required.

Protection of hands: Not required.

Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Not required.

| Information on basic physical and General Information | chemical properties | |
|---|---------------------|--|
| Appearance: | | |
| Form: | Fluid | |
| Color: | Colorless | |
| Odor: | Not determined | |
| Odor threshold: | Not determined. | |
| Change in condition | | |
| Melting point/Melting range: | Undetermined. | |
| Boiling point/Boiling range: | 100 °C (212 °F) | |
| Flash point: | > 100 °C (> 212 °F) | |
| Flammability (solid, gaseous): | Not applicable. | |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Lytic Enhancer

| | | (Contd. of page |
|---------------------------------------|---|-----------------|
| Ignition temperature: | 371 °C (699.8 °F) | |
| Decomposition temperature: | Not determined. | |
| Auto igniting: | Product is not selfigniting. | |
| Danger of explosion: | Product does not present an explosion hazard. | |
| Explosion limits: | | |
| Lower: | 2.6 Vol % | |
| Upper: | 12.6 Vol % | |
| Vapor pressure at 20 °C (68 °F): | 0.1 hPa | |
| Density at 20 °C (68 °F): | 1.048 g/cm³ (8.74556 lbs/gal) | |
| Relative density | Not determined. | |
| Vapor density | Not determined. | |
| Evaporation rate | Not determined. | |
| Solubility in / Miscibility with | | |
| Water: | Fully miscible. | |
| Partition coefficient (n-octanol/wate | r): Not determined. | |
| Viscosity: | , , | |
| Dynamic: | Not determined. | |
| Kinematic: | Not determined. | |
| Organic solvents: | 53.6 % | |
| Water: | 42.3 % | |
| VOC content: | 53.60 % | |
| Solids content: | 1.5 % | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity No further relevant information available. Chemical stability Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications. Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No irritant effect. on the eye: No irritating effect. Sensitization: No sensitizing effects known. Additional toxicological information: The product is not subject to classification according to internally approved calculation methods for preparations:

(Contd. on page 5)

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Lytic Enhancer

(Contd. of page 4)

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program) None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: *Not available* No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: Not known to be hazardous to water. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number | Not hazardous for transportation | |
|---------------------------|----------------------------------|--|
| DOT, ADR, IMDG, IATA | Not applicable | |
| UN proper shipping name | None | |
| DOT, ADR, ADN, IMDG, IATA | Not applicable | |

Printing date 09/11/2020

Reviewed on 09/11/2020

Trade name: Lytic Enhancer

| | | (Contd. of page : |
|--|--------------------------|-------------------|
| Transport hazard class(es) | None | |
| DOT, ADR, ADN, IMDG, IATA Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | None Not applicable | |
| Environmental hazards: | Not applicable. | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL73/78 and the IBC Code | II of Not applicable. | |
| UN "Model Regulation": | Not applicable | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

Proposition 65

Chemicals known to cause cancer:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements Not applicable Signal word Not applicable Hazard statements Not applicable

(Contd. on page 7)

US

Printing date 09/11/2020

Trade name: Lytic Enhancer

Reviewed on 09/11/2020

(Contd. of page 6)

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 1.0 Abbreviations and acronyms: ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit * Data compared to the previous version altered.



Printing date 09/11/2020

Reviewed on 09/09/2020

Page 1/8

| Product identifier Trade name: <u>DNase I (lyophilized)</u> | |
|--|--|
| Article number: Z358A Application of the substance / the mi | xture For Laboratory Use |
| Details of the supplier of the safety d Manufacturer/Supplier: | ata sheet |
| Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 | |
| Information department: SDS author: ChemicalRegulatory@pt Promega Corporation 2800 Woods Hollow Road Madison, WI 53711 U.S.A. 1-800-356-9526 or (608)-274-4330 Emergency telephone number: For Chemical Emergency Spill, Leak and Canada: 1-800-424-9300 Outside USA and Canada: +1 703-52 | , Fire, Exposure, or Accident Call CHEMTREC Day or Night Within US |

2 Hazard(s) identification

Classification of the substance or mixture



GHS08 Health hazard

Resp. Sens. 1 H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Label elements

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). *Hazard pictograms*



Signal word Danger Hazard-determining components of labeling: Nuclease, deoxyribo-

(Contd. on page 2)

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: DNase I (lyophilized)

| | (Contd. of page 1) |
|---|--------------------|
| Hazard statements | |
| May cause allergy or asthma symptoms or breathing difficulties if inhaled. | |
| Precautionary statements | |
| Avoid breathing dust/fume/gas/mist/vapors/spray | |
| [In case of inadequate ventilation] wear respiratory protection. | |
| If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing. | |
| If experiencing respiratory symptoms: Call a poison center/doctor. | |
| Dispose of contents/container in accordance with local/regional/national/international regulation. | <i>s</i> . |
| Classification system: | |
| NFPÅ ratings (scale 0 - 4) | |
| Health = 2 | |
| Fire = 0 | |
| Reactivity = 0 | |
| HMIS-ratings (scale 0 - 4) | |
| Health $= 2$ | |
| Fire = 0 | |
| Reactivity = 0 | |
| OSHA Hazard Overview (Criteria according to 29CFR1910.1200): Not applicable | |
| Target Organ(s): Not applicable or unknown | |
| Other hazards | |
| Results of PBT and vPvB assessment | |
| PBT: Not applicable. | |
| vPvB: Not applicable. | |
| 11 | |

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description:

The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.

| Dangerous | components: | |
|------------|----------------------|--------|
| 1185-53-1 | Tris HCl | 15-20% |
| 9003-98-9 | Nuclease, deoxyribo- | 5-10% |
| 10043-52-4 | Calcium chloride | 1-5% |
| 4 1 1 1 . | | |

Additional information: For the wording of the listed risk phrases refer to section 15.

4 First-aid measures

Description of first aid measures

After inhalation: If the patient feels unwell or is concerned, obtain medical advice.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing: If the patient feels unwell or is concerned, obtain medical advice.

Information for doctor:

Most important symptoms and effects, both acute and delayed

None

No further relevant information available.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

(Contd. on page 3)

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: DNase I (lyophilized)

(Contd. of page 2)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam. Special hazards arising from the substance or mixture

None known

No further relevant information available.

Advice for firefighters No special advice

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures Remove persons from danger area. Avoid formation of dust. Wear protective clothing. Environmental precautions: Do not allow to enter sewers/ surface or ground water. Methods and material for containment and cleaning up: Pick up mechanically. Reference to other sections See Section 7 for information on safe handling. See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling No special precautions are necessary if used correctly. **Information about protection against explosions and fires:** The product is not flammable.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: No special requirements.

Information about storage in one common storage facility: Not required.

Further information about storage conditions: None.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment: General protective and hygienic measures: Wash hands before breaks and at the end of work. Breathing equipment: Not required. Protection of hands: Protective gloves Select the glove material considering penetration time, rate of diffusion and degradation time. It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

(Contd. on page 4)

⁻ U

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: DNase I (lyophilized)

Material of gloves

(Contd. of page 3)

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application. **Eye protection:** Use equipment for eye protection tested and approved under government NIOSH standards.

9 Physical and chemical properties

| Information on basic physical and ch General Information | emical properties |
|---|---|
| Appearance: | |
| Form: | Solid |
| Color: | Colorless |
| Odor: | Odorless |
| Odor threshold: | Not determined. |
| pH-value: | Not applicable. |
| Change in condition | |
| Melting point/Melting range: | Undetermined. |
| Boiling point/Boiling range: | 1,500 °C (34.700 °F) |
| Flash point: | Not applicable. |
| Flammability (solid, gaseous): | Not determined. |
| Decomposition temperature: | Not determined. |
| Auto igniting: | Product is not selfigniting. |
| Danger of explosion: | Product does not present an explosion hazard. |
| Explosion limits: | |
| Lower: | Not determined. |
| Upper: | Not determined. |
| Vapor pressure: | Not applicable. |
| Density at 20 °C (68 °F): | 1.02 g/cm ³ (8.5119 lbs/gal) |
| Relative density | Not determined. |
| Vapor density | Not applicable. |
| Evaporation rate | Not applicable. |
| Solubility in / Miscibility with | |
| Water: | Soluble. |
| Partition coefficient (n-octanol/water |): Not determined. |
| Viscosity: | |
| Dynamic: | Not applicable. |
| Kinematic: | Not applicable. |
| Water: | 0.0 % |
| VOC content: | 0.00 % |
| Solids content: | 100.0 % |
| Other information | No further relevant information available. |

10 Stability and reactivity

Reactivity No further relevant information available. **Chemical stability Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

US

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: DNase I (lyophilized)

(Contd. of page 4)

Possibility of hazardous reactions No dangerous reactions known. Conditions to avoid No further relevant information available. Incompatible materials: No further relevant information available. Hazardous decomposition products: No dangerous decomposition products known.

11 Toxicological information

Information on toxicological effects Acute toxicity: LD/LC50 values that are relevant for classification: No data available Primary irritant effect: on the skin: No data available. on the eye: No data available. Sensitization: No sensitizing effects known. Additional toxicological information: When used and handled according to specifications, the product does not have any harmful effects according to our experience and the information provided to us.

Carcinogenic categories

IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

NTP (National Toxicology Program)

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: Not available No further relevant information available. Persistence and degradability Not available No further relevant information available. **Bioaccumulative potential** Not known No further relevant information available. Mobility in soil No further relevant information available. Ecotoxicological effects: **Remark:** Not available Additional ecological information: General notes: No data available. Results of PBT and vPvB assessment **PBT:** Not applicable. vPvB: Not applicable. Other adverse effects No further relevant information available.

(Contd. on page 6)

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: DNase I (lyophilized)

(Contd. of page 5)

13 Disposal considerations

Waste treatment methods

Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations. Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations. **Recommended cleansing agent:** Water, if necessary with cleansing agents.

| UN-Number DOT, ADR, ADN, IMDG, IATA | Not hazardous for transportation Not applicable | |
|---|--|--|
| UN proper shipping name DOT, ADR, ADN, IMDG, IATA | None Not applicable | |
| Transport hazard class(es) | None | |
| DOT, ADR, ADN, IMDG, IATA Class | Not applicable | |
| Packing group DOT, ADR, IMDG, IATA | None Not applicable | |
| Environmental hazards: Marine pollutant: | No | |
| Special precautions for user | Not applicable. | |
| Transport in bulk according to Annex MARPOL 73/78 and the IBC Code | II of Not applicable. | |
| UN "Model Regulation": | Not applicable | |

15 Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture Sara

Section 355 (extremely hazardous substances):

None of the ingredients are listed.

Section 313 (Specific toxic chemical listings):

None of the ingredients are listed.

TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

Hazardous Air Pollutants

None of the ingredients are listed.

(Contd. on page 7)

⁻ US

Printing date 09/11/2020

Proposition 65

Reviewed on 09/09/2020

Trade name: DNase I (lyophilized)

(Contd. of page 6)

Chemicals known to cause cancer: None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Cancerogenity categories

EPA (Environmental Protection Agency)

None of the ingredients are listed.

TLV (Threshold Limit Value established by ACGIH)

None of the ingredients are listed.

NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

GHS label elements The product is classified and labeled according to the Globally Harmonized System (GHS). **Signal word** Danger

Hazard-determining components of labeling:

Nuclease, deoxyribo-

Hazard statements

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

[In case of inadequate ventilation] wear respiratory protection.

If inhaled: If breathing is difficult, remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a poison center/doctor.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Water hazard class: Water hazard class 1 (Self-assessment): slightly hazardous for water. Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Promega Corporation Chemical Regulatory Department 2800 Woods Hollow Road Madison, WI Ph:(608)274-4330 Date of preparation / last revision 09/11/2020 / 2.0

Abbreviations and acronyms:

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: Internation Civil Aviation Organization ADR: Accord européen sur le transport des marchandises dangereuse

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

(Contd. on page 8)

(Contd. of page 7)

Safety Data Sheet acc. to OSHA HCS

Printing date 09/11/2020

Reviewed on 09/09/2020

Trade name: DNase I (lyophilized)

DOT: US Department of Transportation IATA: International Air Transport Association ACGIH: American Conference of Governmental Industrial Hygienists EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) NFPA: National Fire Protection Association (USA) HMIS: Hazardous Materials Identification System (USA) VOC: Volatile Organic Compounds (USA, EU) *LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent* PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety OSHA: Occupational Safety & Health TLV: Threshold Limit Value PEL: Permissible Exposure Limit REL: Recommended Exposure Limit Resp. Sens. 1: Respiratory sensitisation - Category 1 * Data compared to the previous version altered.