

10/12/2020

### Kit Components

Product code	Description
<b>E1701</b>	<b>QuantiLum® Recombinant Luciferase, 1mg</b>
Components:	
E170	QuantiLum® Recombinant Luciferase



**Safety Data Sheet**  
**acc. to OSHA HCS**

Printing date 10/12/2020

Reviewed on 10/12/2020

**1 Identification****Product identifier****Trade name:** QuantiLum® Recombinant Luciferase**Article number:** E170**Application of the substance / the mixture** For Laboratory Use**Details of the supplier of the safety data sheet****Manufacturer/Supplier:**

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.  
1-800-356-9526 or (608)-274-4330

**Information department:**SDS author: [ChemicalRegulatory@promega.com](mailto:ChemicalRegulatory@promega.com)

Promega Corporation  
2800 Woods Hollow Road  
Madison, WI 53711  
U.S.A.

1-800-356-9526 or (608)-274-4330

**Emergency telephone number:**

For Chemical Emergency Spill, Leak, Fire, Exposure, or Accident Call CHEMTREC Day or Night Within USA  
and Canada: 1-800-424-9300

Outside USA and Canada: +1 703-527-3887 (collect calls accepted)

**2 Hazard(s) identification****Classification of the substance or mixture**

GHS08 Health hazard

STOT RE 2 H373 May cause damage to organs through prolonged or repeated exposure.

**Label elements****GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Hazard pictograms**

GHS08

**Signal word** Warning**Hazard-determining components of labeling:**

ethane-1,2-diol

(Contd. on page 2)

US

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

Trade name: **QuantiLum® Recombinant Luciferase**

(Contd. of page 1)

**Hazard statements***May cause damage to organs through prolonged or repeated exposure.***Precautionary statements***Do not breathe dust/fume/gas/mist/vapors/spray.**Get medical advice/attention if you feel unwell.**Dispose of contents/container in accordance with local/regional/national/international regulations.***Classification system:****NFPA ratings (scale 0 - 4)***Health = 0**Fire = 1**Reactivity = 0***HMIS-ratings (scale 0 - 4)***Health = 1**Fire = 1**Reactivity = 0***OSHA Hazard Overview (Criteria according to 29CFR1910.1200):** Not applicable**Primary route(s) of entry:** Oral**Target Organ(s):***May cause Liver damage (Hepatotoxin)**May affect Nervous system (Neurotoxin)**May cause Kidney damage (Nephrotoxin)***Other hazards****Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.

## 3 Composition/information on ingredients

**Chemical characterization: Mixtures****Description:***The product is made up of a mixture of non-hazardous components. The exact concentration percentages and components name may be withheld as a Promega Corp. trade secret.***Dangerous components:**

107-21-1	ethane-1,2-diol	25-50%
56-81-5	glycerol	10-15%
61970-00-1	Luciferase, recombinant	1-5%

**Additional information:** For the wording of the listed risk phrases refer to section 15.

## 4 First-aid measures

**Description of first aid measures****General information:***Symptoms of poisoning may even occur after several hours; therefore medical observation for at least 48 hours after the accident.***After inhalation:** *If the patient feels unwell or is concerned, obtain medical advice.***After skin contact:** *Generally the product does not irritate the skin.***After eye contact:** *Rinse opened eye for several minutes under running water.***After swallowing:** *Seek immediate medical advice.*

(Contd. on page 3)

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

**Trade name:** *QuantiLum® Recombinant Luciferase*

(Contd. of page 2)

**Information for doctor:****Most important symptoms and effects, both acute and delayed**

None

No further relevant information available.

**Indication of any immediate medical attention and special treatment needed**

No further relevant information available.

### 5 Fire-fighting measures

**Extinguishing media****Suitable extinguishing agents:**CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fires with water spray or alcohol resistant foam.**Special hazards arising from the substance or mixture**

None known

No further relevant information available.

**Advice for firefighters** No special advice

### 6 Accidental release measures

**Personal precautions, protective equipment and emergency procedures**

Remove persons from danger area.

Wear protective clothing.

**Environmental precautions:**

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

**Methods and material for containment and cleaning up:**

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Dispose contaminated material as waste according to Section 13.

Ensure adequate ventilation.

**Reference to other sections**

See Section 7 for information on safe handling.

See Section 13 for disposal information.

### 7 Handling and storage

**Handling:****Precautions for safe handling**

Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

**Information about protection against explosions and fires:** No special measures required.**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** No special requirements.**Information about storage in one common storage facility:** Not required.**Further information about storage conditions:** None.**Specific end use(s)** No further relevant information available.

US

(Contd. on page 4)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

Trade name: **QuantiLum® Recombinant Luciferase**

(Contd. of page 3)

## 8 Exposure controls/personal protection

### Control parameters

#### Components with limit values that require monitoring at the workplace:

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 107-21-1 ethane-1,2-diol

TLV	Short-term value: 10** mg/m <sup>3</sup> , 50* ppm Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only
WEEL	I (2)

#### 56-81-5 glycerol

PEL	Long-term value: 15* 5** mg/m <sup>3</sup> mist; *total dust **respirable fraction
TLV	TLV withdrawn-insufficient data human occup. exp.

**Additional information:** The lists that were valid during the creation were used as basis.

### Exposure controls

#### Personal protective equipment:

##### General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Do not eat or drink while working.

##### Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

##### Protection of hands:

Protective gloves

Select the glove material considering penetration time, rate of diffusion and degradation time.

It is recommended that the selected protective gloves be tested and approved under NIOSH or EU Directive 89/686/EEC and the standard EN 374 derived from it.

##### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

##### Eye protection:

Safety glasses

Use equipment for eye protection tested and approved under government NIOSH standards.

## 9 Physical and chemical properties

### Information on basic physical and chemical properties

#### General Information

##### Appearance:

Form:	Fluid
Color:	Colorless
Odor:	Not determined
Odor threshold:	Not determined.

(Contd. on page 5)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

Trade name: **QuantiLum® Recombinant Luciferase**

(Contd. of page 4)

<b>pH-value at 20 °C (68 °F):</b>	7.8
<b>Change in condition</b>	
<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	197 °C (386.6 °F)
<b>Flash point:</b>	> 100 °C (> 212 °F)
<b>Flammability (solid, gaseous):</b>	Not applicable.
<b>Ignition temperature:</b>	400 °C (752 °F)
<b>Decomposition temperature:</b>	Not determined.
<b>Auto igniting:</b>	Product is not selfigniting.
<b>Danger of explosion:</b>	Product does not present an explosion hazard.
<b>Explosion limits:</b>	
<b>Lower:</b>	3.2 Vol %
<b>Upper:</b>	53 Vol %
<b>Vapor pressure at 20 °C (68 °F):</b>	0.1 hPa
<b>Density:</b>	Not determined.
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.
<b>Solubility in / Miscibility with</b>	
<b>Water:</b>	Fully miscible.
<b>Partition coefficient (n-octanol/water):</b>	Not determined.
<b>Viscosity:</b>	
<b>Dynamic:</b>	Not determined.
<b>Kinematic:</b>	Not determined.
<b>Organic solvents:</b>	15.0 %
<b>Water:</b>	50.1 %
<b>VOC content:</b>	0.00 %
<b>Solids content:</b>	2.9 %
<b>Other information</b>	No further relevant information available.

\*

### 10 Stability and reactivity

**Reactivity** No further relevant information available.

**Chemical stability**

**Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.

**Possibility of hazardous reactions** No dangerous reactions known.

**Conditions to avoid** No further relevant information available.

**Incompatible materials:**

Oxidizing agents

Strong acids

**Hazardous decomposition products:** No dangerous decomposition products known.

US

(Contd. on page 6)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

Trade name: **QuantiLum® Recombinant Luciferase**

(Contd. of page 5)

## 11 Toxicological information

### Information on toxicological effects

#### Acute toxicity:

#### LD/LC50 values that are relevant for classification:

#### 107-21-1 ethane-1,2-diol

Oral	LD50	4,500 mg/kg (Rat)
Dermal	LD50	9,530 mg/kg (Rabbit)

#### Primary irritant effect:

**on the skin:** No data available.

**on the eye:** No data available.

**Sensitization:** No sensitizing effects known.

#### Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:  
Harmful

#### Carcinogenic categories

#### IARC (International Agency for Research on Cancer)

None of the ingredients are listed.

#### NTP (National Toxicology Program)

None of the ingredients are listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

## 12 Ecological information

### Toxicity

#### Aquatic toxicity:

Not available

No further relevant information available.

#### Persistence and degradability

Not available

No further relevant information available.

#### Bioaccumulative potential

Not known

No further relevant information available.

**Mobility in soil** No further relevant information available.

#### Ecotoxicological effects:

**Remark:** Not available

#### Additional ecological information:

**General notes:** No data available.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable.

**vPvB:** Not applicable.

**Other adverse effects** No further relevant information available.

(Contd. on page 7)



# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

Trade name: **QuantiLum® Recombinant Luciferase**

(Contd. of page 6)

## 13 Disposal considerations

### Waste treatment methods

#### Recommendation:

Disposal should be in accordance with applicable regional, national and local laws and regulations.  
Refer to Section 7: Handling and Storage and Section 8: Exposure Control/Personal Protection for additional handling information and protection of employees.

#### Uncleaned packagings:

**Recommendation:** Disposal must be made according to official regulations.

**Recommended cleansing agent:** Water, if necessary with cleansing agents.

## 14 Transport information

<b>UN-Number</b>	Not hazardous for transportation
<b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable

<b>UN proper shipping name</b>	None
<b>DOT, ADR, ADN, IMDG, IATA</b>	Not applicable

<b>Transport hazard class(es)</b>	None
<b>DOT, ADR, ADN, IMDG, IATA Class</b>	Not applicable

<b>Packing group</b>	None
<b>DOT, ADR, IMDG, IATA</b>	Not applicable

<b>Environmental hazards:</b>	
<b>Marine pollutant:</b>	No

<b>Special precautions for user</b>	Not applicable.
-------------------------------------	-----------------

<b>Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code</b>	Not applicable.
---	-----------------

<b>UN "Model Regulation":</b>	Not applicable
-------------------------------	----------------

## 15 Regulatory information

**Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Sara**

### Section 355 (extremely hazardous substances):

None of the ingredients are listed.

### Section 313 (Specific toxic chemical listings):

107-21-1	ethane-1,2-diol
7783-20-2	ammonium sulphate

### TSCA (Toxic Substances Control Act) Inventory:

All ingredients are listed.

### Hazardous Air Pollutants

107-21-1	ethane-1,2-diol
----------	-----------------

(Contd. on page 8)

US

# Safety Data Sheet

## acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

Trade name: **QuantiLum® Recombinant Luciferase**

(Contd. of page 7)

**Proposition 65****Chemicals known to cause cancer:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients are listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients are listed.

**Chemicals known to cause developmental toxicity:**

107-21-1 ethane-1,2-diol

**Carcinogenicity categories****EPA (Environmental Protection Agency)**

None of the ingredients are listed.

**TLV (Threshold Limit Value established by ACGIH)**

107-21-1 ethane-1,2-diol

A4

**NIOSH-Ca (National Institute for Occupational Safety and Health)**

None of the ingredients are listed.

**GHS label elements** The product is classified and labeled according to the Globally Harmonized System (GHS).**Signal word** Warning**Hazard-determining components of labeling:**

ethane-1,2-diol

**Hazard statements**

May cause damage to organs through prolonged or repeated exposure.

**Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

**Water hazard class:** Water hazard class 1 (Self-assessment): slightly hazardous for water.**Chemical safety assessment:** A Chemical Safety Assessment has not been carried out.**16 Other information**

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

**Department issuing SDS:**

Promega Corporation

Chemical Regulatory Department

2800 Woods Hollow Road

Madison, WI

Ph: (608) 274-4330

**Date of preparation / last revision** 10/12/2020 / 1.0**Abbreviations and acronyms:**

RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer (Regulations Concerning the International Transport of Dangerous Goods by Rail)

ICAO: International Civil Aviation Organization

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation

IATA: International Air Transport Association

ACGIH: American Conference of Governmental Industrial Hygienists

(Contd. on page 9)

# Safety Data Sheet

acc. to OSHA HCS

Printing date 10/12/2020

Reviewed on 10/12/2020

**Trade name: QuantiLum® Recombinant Luciferase**

(Contd. of page 8)

EINECS: European Inventory of Existing Commercial Chemical Substances  
ELINCS: European List of Notified Chemical Substances  
CAS: Chemical Abstracts Service (division of the American Chemical Society)  
NFPA: National Fire Protection Association (USA)  
HMIS: Hazardous Materials Identification System (USA)  
VOC: Volatile Organic Compounds (USA, EU)  
LC50: Lethal concentration, 50 percent  
LD50: Lethal dose, 50 percent  
PBT: Persistent, Bioaccumulative and Toxic  
vPvB: very Persistent and very Bioaccumulative  
NIOSH: National Institute for Occupational Safety  
OSHA: Occupational Safety & Health  
TLV: Threshold Limit Value  
PEL: Permissible Exposure Limit  
REL: Recommended Exposure Limit  
STOT RE 2: Specific target organ toxicity (repeated exposure) – Category 2  
**\* Data compared to the previous version altered.**

US