

SAFETY DATA SHEET

according to Regulation (EC) No. 1907/2006

Version 9.7

Revision Date 27.11.2024

Print Date 30.03.2025

GENERIC EU MSDS - NO COUNTRY SPECIFIC DATA - NO OEL DATA

SECTION 1: Identification of the substance/mixture and of the company/undertaking**1.1 Product identifiers**

Product name : MSMLS Plate 2 (Water soluble)

Product Number : MSMLS02

Brand : Sigma

REACH No. :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Identified uses : Laboratory chemicals, Manufacture of substances

Uses advised against : For R&D use only. Not for pharmaceutical, household or other uses.

1.3 Details of the supplier of the safety data sheet

Company :

1.4 Emergency telephoneEmergency Phone # : +(44)-870-8200418 (CHEMTREC (GB))
+(353)-19014670 (CHEMTREC Ireland)
001-803-017-9114 (CHEMTREC India)**SECTION 2: Hazards identification****2.1 Classification of the substance or mixture**

Acute toxicity, (Category 4) H302: Harmful if swallowed.

Acute toxicity, (Category 2) H330: Fatal if inhaled.

Skin irritation, (Category 2) H315: Causes skin irritation.

Serious eye damage, (Category 1) H318: Causes serious eye damage.

Respiratory sensitization, (Category 1) H334: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Skin sensitization, (Category 1) H317: May cause an allergic skin reaction.

Germ cell mutagenicity, H341: Suspected of causing genetic



(Category 2)

defects.

Reproductive toxicity, (Category 1B)

H360D: May damage the unborn child.

2.2 Label elements

Labelling according Regulation (EC) No 1272/2008

Pictogram



Signal Word

Danger

Hazard Statements

H302

Harmful if swallowed.

H315

Causes skin irritation.

H317

May cause an allergic skin reaction.

H318

Causes serious eye damage.

H330

Fatal if inhaled.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H341

Suspected of causing genetic defects.

H360D

May damage the unborn child.

Precautionary Statements

P202

Do not handle until all safety precautions have been read and understood.

P280

Wear protective gloves/ protective clothing/ eye protection/ face protection.

P301 + P312

IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell.

P302 + P352

IF ON SKIN: Wash with plenty of water.

P304 + P340 + P310

IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.

P305 + P351 + P338

IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Supplemental Hazard Statements

none

Restricted to professional users.

Reduced Labeling (<= 125 ml)

Pictogram



Signal Word

Danger

Hazard Statements

H330

Fatal if inhaled.

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H317

May cause an allergic skin reaction.

H341

Suspected of causing genetic defects.

H318

Causes serious eye damage.

H360D

May damage the unborn child.



Precautionary Statements

P202	Do not handle until all safety precautions have been read and understood.
P280	Wear protective gloves/ protective clothing/ eye protection/ face protection.
P302 + P352	IF ON SKIN: Wash with plenty of water.
P304 + P340 + P310	IF INHALED: Remove person to fresh air and keep comfortable for breathing. Immediately call a POISON CENTER/ doctor.
P305 + P351 + P338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Supplemental Hazard Statements	none

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

Ecological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

Toxicological information:

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

No components need to be disclosed according to the applicable regulations.

Guanidine, 1-methyl-, hydrochloride			
CAS-No.	21770-81-0	Acute Tox. 4; Skin Irrit. 2; Eye Irrit. 2; H302, H315, H319	>= 1 - < 10 %
*			
4-ACETAMIDOBUTYRIC ACID			
CAS-No.	3025-96-5	Eye Irrit. 2; H319	>= 1 - < 10 %
EC-No.	221-186-1		
*			
pyridine-2-carboxylic acid			
CAS-No.	98-98-6	Acute Tox. 4; Eye Dam. 1; H302, H318	>= 1 - < 3 %
EC-No.	202-719-7		
*			



pidolic acid			
CAS-No.	98-79-3	Eye Dam. 1; Aquatic Chronic 3; H318, H412	>= 1 - < 2.5 %
EC-No.	202-700-3		
	*		
pyridine-2,3-dicarboxylic acid			
CAS-No.	89-00-9	Eye Irrit. 2; STOT SE 3; H319, H335	>= 1 - < 10 %
EC-No.	201-874-8		
	*		
3-Hydroxy-5-(hydroxymethyl)-2-methylisonicotinic acid			
CAS-No.	82-82-6	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	>= 1 - < 10 %
EC-No.	201-440-8		
	*		
2-Hydroxy-2-methylpropionic acid			
CAS-No.	594-61-6	Skin Irrit. 2; Eye Dam. 1; STOT SE 3; H315, H318, H335	>= 1 - < 3 %
EC-No.	209-848-8		
	*		
Theophylline			
CAS-No.	58-55-9	Acute Tox. 3; Repr. 1B; H301, H360D	>= 1 - < 10 %
EC-No.	200-385-7		
Index-No.	613-342-00-6		
	*		
2,6-Diaminopimelic acid			
CAS-No.	583-93-7	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	>= 1 - < 10 %
EC-No.	209-524-6		
	*		
NAADP(nicotinate adenine dinucleotidephosphate)			
CAS-No.	5502-96-5	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	>= 1 - < 10 %
	*		
2-Aminoadipic acid			
CAS-No.	542-32-5	Skin Sens. 1; H317	>= 1 - < 10 %
EC-No.	208-809-2		
	*		
(-)-Norepinephrine			
CAS-No.	51-41-2	Acute Tox. 2; Acute Tox. 1; Acute Tox. 2; H300, H330, H310	>= 1 - < 10 %
EC-No.	200-096-6		
	*		
3-Nitropropionic acid			
CAS-No.	504-88-1	Acute Tox. 3; H301	>= 1 - < 10 %
EC-No.	208-003-0		



*			
2,5-Dihydroxybenzoic acid			
CAS-No.	490-79-9	Acute Tox. 4; H302	>= 1 - < 10 %
EC-No.	207-718-5		
*			
(S)-Piperidine-2-carboxylic acid			
CAS-No.	3105-95-1	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	>= 1 - < 10 %
EC-No.	221-462-1		
*			
(2-Aminoethyl)phosphonic acid			
CAS-No.	2041-14-7	Skin Irrit. 2; Eye Irrit. 2; H315, H319	>= 1 - < 10 %
EC-No.	218-043-0		
*			
(-)-Tartaric acid			
CAS-No.	147-71-7	Eye Dam. 1; H318	>= 1 - < 3 %
EC-No.	205-695-6		
*			
Triox			
CAS-No.	1184-78-7	Acute Tox. 4; H302, H332	>= 1 - < 10 %
EC-No.	214-675-6		
*			
3-Sulphino-L-alanine			
CAS-No.	1115-65-7	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	>= 1 - < 10 %
EC-No.	214-228-5		
*			
1,3-diaminopropane			
CAS-No.	109-76-2	Flam. Liq. 3; Met. Corr. 1; Acute Tox. 4; Acute Tox. 2; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1B; Skin Sens. 1B; H226, H290, H302, H310, H314, H318, H334, H317	>= 1 - < 3 %
EC-No.	203-702-7		
*			
Nicotinamide hypoxanthinedinucleotide sodium salt			
CAS-No.	104809-38-3	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	>= 1 - < 10 %
*			
3,7-Dihydro-1,7-dimethyl-1H-purine-2,6-dione			
CAS-No.	611-59-6	Acute Tox. 4; H302	>= 1 - < 10 %
EC-No.	210-271-9		
*			



3-Dehydroshikimic acid			
CAS-No.	2922-42-1	Eye Irrit. 2; H319	>= 1 - < 10 %
	*		
1,2,3,4-Butanetetrol			
CAS-No.	2418-52-2	Skin Irrit. 2; Eye Irrit. 2; STOT SE 3; H315, H319, H335	>= 1 - < 10 %
	*		
Trehalose 6-phosphate dipotassium salt			
CAS-No.	136632-28-5	Acute Tox. 4; H302, H332, H312	>= 1 - < 10 %
	*		
O-Phosphoserine			
CAS-No.	407-41-0	Skin Corr. 1B; H314	>= 1 - < 3 %
EC-No.	206-986-0		
Registration number	01-2120757187-46-XXXX		
dopamine hydrochloride			
CAS-No.	62-31-7	Skin Sens. 1; H317	>= 1 - < 10 %
EC-No.	200-527-8		
	*		
Caffeine			
CAS-No.	58-08-2	Acute Tox. 4; H302	>= 1 - < 10 %
EC-No.	200-362-1		
Index-No.	613-086-00-5		
Registration number	01-2119433305-48-XXXX		
3,3'-iminodi(propylamine)			
CAS-No.	56-18-8	Acute Tox. 4; Acute Tox. 1; Acute Tox. 3; Skin Corr. 1A; Skin Sens. 1A; Muta. 2; STOT RE 2; H302, H330, H311, H314, H317, H341, H373	>= 1 - < 3 %
EC-No.	200-261-2		
Index-No.	612-063-00-7		
	*		
succinic acid anhydride			
CAS-No.	108-30-5	Acute Tox. 4; Skin Corr. 1B; Eye Dam. 1; Resp. Sens. 1; Skin Sens. 1; H302, H314, H318, H334, H317	>= 1 - < 3 %
EC-No.	203-570-0		
Index-No.	607-103-00-5		
	*		

*A registration number is not available for this substance as the substance or its use are exempted from registration according to Article 2 REACH Regulation (EC) No 1907/2006, or the annual tonnage does not require a registration.



SECTION 4: First aid measures

4.1 Description of first-aid measures

General advice

Consult a physician. Show this material safety data sheet to the doctor in attendance. First aiders need to protect themselves. Show this material safety data sheet to the doctor in attendance.

If inhaled

If breathed in, move person into fresh air. If not breathing, give artificial respiration. Consult a physician. After inhalation: fresh air. Immediately call in physician. If breathing stops: immediately apply artificial respiration, if necessary also oxygen.

In case of skin contact

Take off contaminated clothing and shoes immediately. Wash off with soap and plenty of water. Take victim immediately to hospital. Consult a physician. In case of skin contact: Take off immediately all contaminated clothing. Rinse skin with water/ shower. Consult a physician.

In case of eye contact

Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician. After eye contact: rinse out with plenty of water. Immediately call in ophthalmologist. Remove contact lenses.

If swallowed

Do NOT induce vomiting. Never give anything by mouth to an unconscious person. Rinse mouth with water. Consult a physician. After swallowing: immediately make victim drink water (two glasses at most). Consult a physician.

4.2 Most important symptoms and effects, both acute and delayed

The most important known symptoms and effects are described in the labelling (see section 2.2) and/or in section 11

4.3 Indication of any immediate medical attention and special treatment needed

No data available

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

Use water spray, alcohol-resistant foam, dry chemical or carbon dioxide. Water Foam
Carbon dioxide (CO₂) Dry powder

Unsuitable extinguishing media

For this substance/mixture no limitations of extinguishing agents are given.



5.2 Special hazards arising from the substance or mixture

Carbon oxides

Nitrogen oxides (NO_x)

Sulfur oxides

Oxides of phosphorus

Hydrogen chloride gas

Potassium oxides

Sodium oxides

Selenium/selenium oxides

Carbon oxides

Nitrogen oxides (NO_x)

Sulfur oxides

Oxides of phosphorus

Hydrogen chloride gas

Hydrogen bromide gas

Potassium oxides

Sodium oxides

Lithium oxides

Mixture with combustible ingredients.

Vapors are heavier than air and may spread along floors.

Development of hazardous combustion gases or vapours possible in the event of fire.

5.3 Advice for firefighters

Wear self-contained breathing apparatus for firefighting if necessary. Stay in danger area only with self-contained breathing apparatus. Prevent skin contact by keeping a safe distance or by wearing suitable protective clothing.

5.4 Further information

Use water spray to cool unopened containers. Suppress (knock down) gases/vapors/mists with a water spray jet. Prevent fire extinguishing water from contaminating surface water or the ground water system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear respiratory protection. Avoid breathing vapors, mist or gas. Ensure adequate ventilation. Remove all sources of ignition. Evacuate personnel to safe areas. Beware of vapors accumulating to form explosive concentrations. Vapors can accumulate in low areas. Advice for non-emergency personnel: Avoid generation and inhalation of dusts in all circumstances. Avoid substance contact. Ensure adequate ventilation. Evacuate the danger area, observe emergency procedures, consult an expert. For personal protection see section 8.

6.2 Environmental precautions

Prevent further leakage or spillage if safe to do so. Do not let product enter drains. Discharge into the environment must be avoided. Do not let product enter drains.

6.3 Methods and materials for containment and cleaning up

Contain spillage, and then collect with an electrically protected vacuum cleaner or by wet-brushing and place in container for disposal according to local regulations (see section 13). Cover drains. Collect, bind, and pump off spills. Observe possible material restrictions (see sections 7 and 10). Take up carefully. Dispose of properly. Clean up affected area. Avoid generation of dusts.

6.4 Reference to other sections

For disposal see section 13.



SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Work under hood. Do not inhale substance/mixture.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take measures to prevent the build up of electrostatic charge.

Hygiene measures

Avoid contact with skin, eyes and clothing. Wash hands before breaks and immediately after handling the product. Immediately change contaminated clothing. Apply preventive skin protection. Wash hands and face after working with substance.

For precautions see section 2.2.

7.2 Conditions for safe storage, including any incompatibilities

Storage conditions

Store in cool place. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

Keep locked up or in an area accessible only to qualified or authorized persons.

Storage stability Recommended storage temperature

-20 °C

Storage class

Storage class (TRGS 510): 3: Flammable liquids

7.3 Specific end use(s)

Apart from the uses mentioned in section 1.2 no other specific uses are stipulated

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Ingredients with workplace control parameters

8.2 Exposure controls

Personal protective equipment

Eye/face protection

Tightly fitting safety goggles. Faceshield (8-inch minimum). Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU).

Use equipment for eye protection tested and approved under appropriate government standards such as NIOSH (US) or EN 166(EU). Tightly fitting safety goggles

Skin protection

Handle with gloves. Gloves must be inspected prior to use. Use proper glove removal technique (without touching glove's outer surface) to avoid skin contact with this product. Dispose of contaminated gloves after use in accordance with applicable laws and good laboratory practices. Wash and dry hands.



The selected protective gloves have to satisfy the specifications of Regulation (EU) 2016/425 and the standard EN 374 derived from it.

Body Protection

Complete suit protecting against chemicals, Flame retardant antistatic protective clothing., The type of protective equipment must be selected according to the concentration and amount of the dangerous substance at the specific workplace. protective clothing

Respiratory protection

Where risk assessment shows air-purifying respirators are appropriate use a full-face respirator with multi-purpose combination (US) or type ABEK (EN 14387) respirator cartridges as a backup to engineering controls. If the respirator is the sole means of protection, use a full-face supplied air respirator. Use respirators and components tested and approved under appropriate government standards such as NIOSH (US) or CEN (EU).

required when dusts are generated.

Our recommendations on filtering respiratory protection are based on the following standards: DIN EN 143, DIN 14387 and other accompanying standards relating to the used respiratory protection system.

Recommended Filter type: Filter type P3

The entrepreneur has to ensure that maintenance, cleaning and testing of respiratory protective devices are carried out according to the instructions of the producer. These measures have to be properly documented.

Control of environmental exposure

Prevent further leakage or spillage if safe to do so. Do not let product enter drains.

Discharge into the environment must be avoided.

Do not let product enter drains.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

- | | |
|---|-------------------|
| a) Physical state | solid |
| b) Color | No data available |
| c) Odor | No data available |
| d) Melting point/freezing point | No data available |
| e) Initial boiling point and boiling range | No data available |
| f) Flammability (solid, gas) | No data available |
| g) Upper/lower flammability or explosive limits | No data available |
| h) Flash point | 49.5 °C |
| i) Autoignition temperature | No data available |
| j) Decomposition temperature | No data available |



k) pH	No data available
l) Viscosity	Viscosity, kinematic: No data available Viscosity, dynamic: No data available
m) Water solubility	No data available
n) Partition coefficient: n-octanol/water	No data available
o) Vapor pressure	No data available
p) Density	No data available
Relative density	No data available
q) Relative vapor density	No data available
r) Particle characteristics	No data available
s) Explosive properties	No data available
t) Oxidizing properties	No data available

9.2 Other safety information

No data available

SECTION 10: Stability and reactivity

10.1 Reactivity

The following applies in general to flammable organic substances and mixtures: in correspondingly fine distribution, when whirled up a dust explosion potential may generally be assumed.

10.2 Chemical stability

The product is chemically stable under standard ambient conditions (room temperature) .
Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Violent reactions possible with:
Oxidizing agents

10.4 Conditions to avoid

Heat, flames and sparks.
no information available

10.5 Incompatible materials

No data available

10.6 Hazardous decomposition products

In the event of fire: see section 5



SECTION 11: Toxicological information

11.1 Information on toxicological effects

Mixture

Acute toxicity

Acute toxicity estimate Oral - 413.31 mg/kg

(Calculation method)

Symptoms: Irritations of mucous membranes in the mouth, pharynx, oesophagus and gastrointestinal tract.

Acute toxicity estimate Inhalation - 4 h - 0.4091 mg/l - dust/mist (Calculation method)

Symptoms: Possible symptoms: , mucosal irritations

Acute toxicity estimate Dermal - > 2,000 mg/kg

(Calculation method)

Skin corrosion/irritation

Remarks: Mixture causes skin irritation.

Serious eye damage/eye irritation

Remarks: Mixture causes serious eye damage.

Respiratory or skin sensitization

Mixture may cause allergy or asthma symptoms or breathing difficulties if inhaled. Mixture may cause an allergic skin reaction.

Germ cell mutagenicity

Evidence of genetic defects.

Carcinogenicity

No data available

Reproductive toxicity

May harm the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

11.2 Additional Information

Endocrine disrupting properties

Product:

Assessment

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

To the best of our knowledge, the chemical, physical, and toxicological properties have not been thoroughly investigated.

Other dangerous properties can not be excluded.

This substance should be handled with particular care.



Handle in accordance with good industrial hygiene and safety practice.

Components

Guanidine, 1-methyl-, hydrochloride

Acute toxicity

LD50 Oral - Mouse - 680 mg/kg

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

4-ACETAMIDOBUTYRIC ACID

Acute toxicity

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: Causes serious eye irritation.

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available



Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

pyridine-2-carboxylic acid**Acute toxicity**

LD50 Oral - Rat - female - > 300 - < 2,000 mg/kg

(OECD Test Guideline 420)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye - 10 s

(OECD Test Guideline 405)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

pidolic acid**Acute toxicity**

LD50 Oral - Rat - female - > 2,000 mg/kg

(OECD Test Guideline 420)

Inhalation: Irritating to respiratory system.

Dermal: No data available



Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 24 h

Serious eye damage/eye irritation

Eyes - Cattle

Result: Causes burns. - 4 h

(OECD Test Guideline 437)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: Not a skin sensitizer.

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: gene mutation test

Test system: mouse lymphoma cells

Result: negative

Method: OECD Test Guideline 474

Species: Mouse - male and female

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

pyridine-2,3-dicarboxylic acid**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

The preceding data, or interpretation of data, was determined using Quantitative Structure Activity Relationship (QSAR) modeling. Prolonged or repeated exposure may cause allergic reactions in certain sensitive individuals.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

3-Hydroxy-5-(hydroxymethyl)-2-methylisonicotinic acid**Acute toxicity**

LD50 Oral - Rat - 7,500 mg/kg

Inhalation: Irritating to respiratory system.

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

2-Hydroxy-2-methylpropionic acid**Acute toxicity**

Oral: No data available

Inhalation: Irritating to respiratory system.

Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin irritation.

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

No data available



Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Theophylline**Acute toxicity**

LD50 Oral - Rat - 225 mg/kg

Remarks: (RTECS)

Acute toxicity estimate Oral - 225 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 4 h - > 6.7 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Remarks: The value is given in analogy to the following substances: Caffeine

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Remarks: (ECHA)

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster ovary cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Species: Mouse - male and female - Red blood cells (erythrocytes)



Result: negative
Remarks: (ECHA)
Species: Rat - male - sperm
Result: negative
Remarks: (ECHA)
Species: Mouse - male - Bone marrow
Result: negative
Remarks: (ECHA)

Carcinogenicity

No data available

Reproductive toxicity

May damage the unborn child.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

2,6-Diaminopimelic acid

Acute toxicity

Oral: No data available
Inhalation: No data available
Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

NAADP(nicotinate adenine dinucleotidephosphate)

Acute toxicity

Oral: No data available



Inhalation: Irritating to respiratory system.
Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

2-Aminoadipic acid

Acute toxicity

Oral: No data available
Inhalation: No data available
Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



(-)-Norepinephrine

Acute toxicity

LD50 Oral - 5.1 mg/kg

LC50 Inhalation - 4 h - 0.005 mg/l - dust/mist

LD50 Dermal - 51 mg/kg

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Exposure during pregnancy can provoke uterine contractions which can result in fetal asphyxia.

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

3-Nitropropionic acid

Acute toxicity

LD50 Oral - Mouse - 68.1 mg/kg

Remarks: Behavioral:Ataxia.

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Laboratory experiments have shown mutagenic effects.

Carcinogenicity

No data available

Reproductive toxicity

No data available



Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

2,5-Dihydroxybenzoic acid**Acute toxicity**

LD50 Oral - Rat - 800 mg/kg

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Human

Test system: lymphocyte

Remarks: DNA inhibition

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

(S)-Piperidine-2-carboxylic acid**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available



Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

May cause respiratory irritation. - Respiratory system

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

(2-Aminoethyl)phosphonic acid**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

(-)-Tartaric acid**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available



Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Triox**Acute toxicity**

LD50 Oral - Rat - male and female - 766 mg/kg

(OECD Test Guideline 401)

LC50 Inhalation - Rat - male - 4 h - 8.58 mg/l - vapor

Remarks: (ECHA)

Inhalation: Irritating to respiratory system.

LD50 Dermal - Rat - male and female - > 5,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - reconstructed human epidermis (RhE)

Result: No skin irritation - 3 - 60 min

(OECD Test Guideline 431)

Serious eye damage/eye irritation

Eyes - Bovine cornea

Result: No eye irritation - 4 h

(OECD Test Guideline 437)

Respiratory or skin sensitization

KeratinoSens assay - In vitro study

Result: negative

(OECD Test Guideline 442D)

Direct Peptide Reactivity Assay (DPRA) - In vitro study



Result: negative
(OECD Test Guideline 442C)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Human lymphocytes

Result: negative

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available

3-Sulphino-L-alanine

Acute toxicity

Oral: No data available

Inhalation: Irritating to respiratory system.

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



1,3-diaminopropane

Acute toxicity

LD50 Oral - Rat - male - 311 mg/kg

(OECD Test Guideline 401)

Acute toxicity estimate Oral - 311 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - 4 h - > 17.63 mg/l - vapor

(OECD Test Guideline 433)

LD50 Dermal - Rabbit - male - 178 mg/kg

(OECD Test Guideline 402)

Acute toxicity estimate Dermal - 178 mg/kg

(ATE value derived from LD50/LC50 value)

Skin corrosion/irritation

Skin - In vitro study

Result: Causes burns.

(OECD Test Guideline 435)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Irreversible effects on the eye

(OECD Test Guideline 405)

Remarks: Causes serious eye damage.

Respiratory or skin sensitization

Maximization Test - Guinea pig

Result: positive

(OECD Test Guideline 406)

Remarks: The value is given in analogy to the following substances: ethylenediamine

Human experience - Human

Result: positive

Remarks: (ECHA)

The value is given in analogy to the following substances: ethylenediamine

Germ cell mutagenicity

Test Type: Ames test

Test system: Salmonella typhimurium

Result: negative

Test Type: Mutagenicity (mammal cell test): chromosome aberration.

Test system: Chinese hamster lung cells

Result: negative

Test Type: In vitro mammalian cell gene mutation test

Test system: Chinese hamster lung cells

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

Aspiration hazard

No data available



Nicotinamide hypoxanthinedinucleotide sodium salt

Acute toxicity

Oral: No data available

Inhalation: Irritating to respiratory system.

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

3,7-Dihydro-1,7-dimethyl-1H-purine-2,6-dione

Acute toxicity

LD50 Oral - Rat - female - 829.20 mg/kg

(OECD Test Guideline 423)

Acute toxicity estimate Oral - 829.2 mg/kg

(ATE value derived from LD50/LC50 value)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available



Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

3-Dehydroshikimic acid**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

No data available

Serious eye damage/eye irritation

Remarks: Moderate eye irritation

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

1,2,3,4-Butanetetrol**Acute toxicity**

Oral: No data available

Inhalation: Irritating to respiratory system.

Dermal: No data available

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available



Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Inhalation - May cause respiratory irritation.

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

Trehalose 6-phosphate dipotassium salt**Acute toxicity**

LD50 Oral - 500.1 mg/kg

LC50 Inhalation - 4.0 h - 1.5 mg/l - dust/mist

LD50 Dermal - 1,100.0 mg/kg

Skin corrosion/irritation

Remarks: No data available

Serious eye damage/eye irritation

Remarks: No data available

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

O-Phosphoserine**Acute toxicity**

Oral: No data available

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Remarks: Causes skin burns.
(ECHA)

Serious eye damage/eye irritation

Remarks: Causes serious eye damage.



(ECHA)

Respiratory or skin sensitization

No data available

Germ cell mutagenicity

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available

dopamine hydrochloride

Acute toxicity

LD50 Oral - Rat - 2,859 mg/kg

Remarks: (External MSDS)

Inhalation: No data available

Dermal: No data available

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization

May cause allergic skin reaction.

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



Caffeine

Acute toxicity

LD50 Oral - Rat - male and female - 367.7 mg/kg

(OECD Test Guideline 401)

Remarks: (Regulation (EC) No 1272/2008, Annex VI)

Acute toxicity estimate Oral - 367.7 mg/kg

(ATE value derived from LD50/LC50 value)

LC50 Inhalation - Rat - male and female - 4 h - 4.94 mg/l - aerosol

(OECD Test Guideline 403)

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - Rabbit

Result: No skin irritation - 4 h

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: No eye irritation

(OECD Test Guideline 405)

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: negative

(OECD Test Guideline 429)

Germ cell mutagenicity

Test Type: In vitro mammalian cell gene mutation test

Test system: mouse lymphoma cells

Result: negative

Test Type: Ames test

Test system: Escherichia coli/Salmonella typhimurium

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Human lymphocytes

Result: negative

Test Type: Chromosome aberration test in vitro

Test system: Chinese hamster lung cells

Result: positive

Species: Mouse - male

Result: negative

Remarks: (ECHA)

Species: Mouse - male

Result: negative

Remarks: (ECHA)

Method: OECD Test Guideline 474

Species: Mouse - male and female - Red blood cells (erythrocytes)

Result: Positive results were obtained in some in vivo tests.

Species: Rat

Result: negative

Remarks: (ECHA)

Carcinogenicity

No data available



Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure**Aspiration hazard**

No data available

3,3'-iminodi(propylamine)**Acute toxicity**

LD50 Oral - Rat - 738 mg/kg

LC50 Inhalation - Rat - 4 h - 0.03 mg/l - dust/mist

LD50 Dermal - 300 mg/kg

Skin corrosion/irritation

Skin - Rabbit

Result: Causes severe burns.

(OECD Test Guideline 404)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive to eyes

Respiratory or skin sensitization

in vivo assay - Mouse

The product is a skin sensitizer, sub-category 1A.

(OECD Test Guideline 429)

Germ cell mutagenicity

In vitro tests showed mutagenic effects

Result: Not mutagenic in Ames Test.

Result: Positive results were obtained in some in vivo tests.

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

No data available

Specific target organ toxicity - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

- thymus

Aspiration hazard

No data available



succinic acid anhydride

Acute toxicity

LD50 Oral - Rat - male and female - 1,794.9 mg/kg

(OECD Test Guideline 401)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Acute toxicity estimate Oral - 1,794.9 mg/kg

(ATE value derived from LD50/LC50 value)

Inhalation: No data available

LD50 Dermal - Rat - male and female - > 2,000 mg/kg

(OECD Test Guideline 402)

Skin corrosion/irritation

Skin - In vitro study

Result: Corrosive - 1 h

(OECD Test Guideline 431)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Serious eye damage/eye irritation

Eyes - Rabbit

Result: Corrosive - 18 - 24 h

(OECD Test Guideline 405)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Remarks: Risk of blindness!

Respiratory or skin sensitization

Local lymph node assay (LLNA) - Mouse

Result: positive

(OECD Test Guideline 429)

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

May cause allergic respiratory and skin reactions Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Germ cell mutagenicity

No data available

Carcinogenicity

No data available

Reproductive toxicity

No data available

Specific target organ toxicity - single exposure

Corrosive to the respiratory tract.

Remarks: Classified according to Regulation (EU) 1272/2008, Annex VI (Table 3.1/3.2)

Specific target organ toxicity - repeated exposure

No data available

Aspiration hazard

No data available



SECTION 12: Ecological information

12.1 Toxicity

Mixture

No data available

12.2 Persistence and degradability

No data available

12.3 Bioaccumulative potential

No data available

12.4 Mobility in soil

No data available

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

Product:

Assessment : The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

12.7 Other adverse effects

Very toxic to aquatic life with long lasting effects.

Components

Components

Guanidine, 1-methyl-, hydrochloride

No data available

4-ACETAMIDOBUTYRIC ACID

No data available

pyridine-2-carboxylic acid

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - 13 mg/l - 72 h (OECD Test Guideline 201) static test NOEC - Pseudokirchneriella subcapitata (green algae) - 3.2 mg/l - 72 h (OECD Test Guideline 201)

pidolic acid



Toxicity to fish	semi-static test NOEC - <i>Oncorhynchus mykiss</i> (rainbow trout) - 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - <i>Daphnia magna</i> (Water flea) - > 94.14 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test NOEC - <i>Raphidocelis subcapitata</i> (freshwater green alga) - > 0.66 mg/l - 72 h (OECD Test Guideline 201)

pyridine-2,3-dicarboxylic acid

No data available

3-Hydroxy-5-(hydroxymethyl)-2-methylisonicotinic acid

No data available

2-Hydroxy-2-methylpropionic acid

No data available

Theophylline

Toxicity to fish	static test LC50 - <i>Leuciscus idus</i> (Golden orfe) - 100 mg/l - 96 h (DIN 38412 part 15)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - <i>Daphnia magna</i> (Water flea) - 178 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.)
Toxicity to algae	ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)

2,6-Diaminopimelic acid

No data available

NAADP(nicotinate adenine dinucleotidephosphate)

No data available

2-Aminoadipic acid

No data available

(-)-Norepinephrine

No data available

3-Nitropropionic acid

No data available



2,5-Dihydroxybenzoic acid

No data available

(S)-Piperidine-2-carboxylic acid

No data available

(2-Aminoethyl)phosphonic acid

No data available

(-)-Tartaric acid

No data available

Triox

Toxicity to fish	semi-static test LC50 - <i>Oryzias latipes</i> - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - <i>Daphnia magna</i> (Water flea) - 139.95 mg/l - 48 h Remarks: (ECHA)
Toxicity to algae	static test ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - 150 mg/l - 72 h (DIN 38412)

3-Sulphino-L-alanine

No data available

1,3-diaminopropane

Toxicity to fish	static test LC50 - <i>Leuciscus idus</i> (Golden orfe) - > 100 mg/l - 96 h (DIN 38412 part 15)
Toxicity to daphnia and other aquatic invertebrates	static test EC50 - <i>Daphnia</i> - 27 mg/l - 48 h (Directive 67/548/EEC, Annex V, C.2.)
Toxicity to algae	static test ErC50 - <i>Desmodesmus subspicatus</i> (green algae) - 175.1 mg/l - 72 h (DIN 38412) static test NOEC - <i>Desmodesmus subspicatus</i> (green algae) - >= 500 mg/l - 72 h (DIN 38412)
Toxicity to bacteria	static test EC50 - activated sludge - > 1,000 mg/l - 0.5 h (OECD Test Guideline 209)
Toxicity to daphnia and other aquatic invertebrates(Chronic toxicity)	semi-static test NOEC - <i>Daphnia magna</i> (Water flea) - >= 10 mg/l - 21 d (OECD Test Guideline 211)

Nicotinamide hypoxanthinedinucleotide sodium salt

No data available



3,7-Dihydro-1,7-dimethyl-1H-purine-2,6-dione

No data available

3-Dehydroshikimic acid

No data available

1,2,3,4-Butanetetrol

No data available

Trehalose 6-phosphate dipotassium salt

No data available

O-Phosphoserine

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - > 100 mg/l - 48 h (OECD Test Guideline 202)
---	--

Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
-------------------	--

dopamine hydrochloride

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - 2,200 - 4,600 mg/l - 96 h (DIN 38412 part 15)
------------------	--

Caffeine

Toxicity to fish	static test LC50 - Leuciscus idus (Golden orfe) - ca. 87 mg/l - 96 h (DIN 38412 part 15) static test NOEC - Leuciscus idus (Golden orfe) - 46 mg/l - 96 h (DIN 38412 part 15)
------------------	--

Toxicity to daphnia and other aquatic invertebrates	static test EC50 - Daphnia magna (Water flea) - 182 mg/l - 48 h (DIN 38412)
---	--

Toxicity to algae	static test ErC50 - Desmodesmus subspicatus (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
-------------------	--

Toxicity to bacteria	EC50 - activated sludge - > 1,000 mg/l - 3 h (OECD Test Guideline 209)
----------------------	---

3,3'-iminodi(propylamine)

Toxicity to fish	LC50 - Leuciscus idus (Golden orfe) - 230 mg/l - 96 h
------------------	---

Toxicity to daphnia and other aquatic invertebrates	EC50 - Daphnia magna (Water flea) - 37.35 mg/l - 48 h
---	---



Toxicity to algae	EC50 - Desmodesmus subspicatus (green algae) - 599.2 mg/l - 72 h
succinic acid anhydride	
Toxicity to fish	semi-static test LC50 - Danio rerio (zebra fish) - > 100 mg/l - 96 h (OECD Test Guideline 203)
Toxicity to daphnia and other aquatic invertebrates	semi-static test EC50 - Daphnia magna (Water flea) - > 102 mg/l - 48 h (OECD Test Guideline 202)
Toxicity to algae	static test ErC50 - Pseudokirchneriella subcapitata (green algae) - > 100 mg/l - 72 h (OECD Test Guideline 201)
	static test NOEC - Pseudokirchneriella subcapitata (green algae) - 100 mg/l - 72 h (OECD Test Guideline 201)
Toxicity to bacteria	static test EC50 - activated sludge - > 300 mg/l - 3 h (OECD Test Guideline 209)

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

Burn in a chemical incinerator equipped with an afterburner and scrubber but exert extra care in igniting as this material is highly flammable. Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

Dispose of as unused product.

SECTION 14: Transport information

14.1 UN number

ADR/RID: 2811

IMDG: 2811

IATA: 2811

14.2 UN proper shipping name

ADR/RID: TOXIC SOLID, ORGANIC, N.O.S. (1,3-diaminopropane)

IMDG: TOXIC SOLID, ORGANIC, N.O.S. (1,3-diaminopropane)

IATA: Toxic solid, organic, n.o.s. (1,3-diaminopropane)

14.3 Transport hazard class(es)

ADR/RID: 6.1

IMDG: 6.1

IATA: 6.1

14.4 Packaging group

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: no

IMDG Marine pollutant: no

IATA: no



14.6 Special precautions for user

Further information : No data available

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

This material safety data sheet complies with the requirements of Regulation (EC) No. 1907/2006.

Authorisations and/or restrictions on use

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, mixtures and articles (Annex XVII) : Theophylline

National legislation

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. H2 ACUTE TOXIC

Other regulations

Observe work restrictions regarding maternity protection in accordance to Dir 92/85/EEC or stricter national regulations where applicable.

Take note of Dir 94/33/EC on the protection of young people at work.

15.2 Chemical Safety Assessment

For this product a chemical safety assessment was not carried out

SECTION 16: Other information

Full text of H-Statements

H226	Flammable liquid and vapor.
H290	May be corrosive to metals.
H300	Fatal if swallowed.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H310	Fatal in contact with skin.
H311	Toxic in contact with skin.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H332	Harmful if inhaled.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.
H335	May cause respiratory irritation.
H341	Suspected of causing genetic defects.
H360D	May damage the unborn child.
H373	May cause damage to organs through prolonged or repeated exposure.



Full text of other abbreviations

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Classification of the mixture

Acute Tox.4	H302
Acute Tox.2	H330
Skin Irrit.2	H315
Eye Dam.1	H318
Resp. Sens.1	H334
Skin Sens.1	H317
Muta.2	H341
Repr.1B	H360D

Classification procedure:

Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method
Calculation method

Further information

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture



and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

The information is believed to be correct but is not exhaustive and will be used solely as a guideline, which is based on current knowledge of the chemical substance or mixture and is applicable to appropriate safety precautions for the product. It does not represent any guarantee of the properties of the product. Sigma-Aldrich Corporation and its Affiliates shall not be held liable for any damage resulting from handling or from contact with the above product. See www.sigma-aldrich.com and/or the reverse side of invoice or packing slip for additional terms and conditions of sale.

Copyright 2020 Sigma-Aldrich Co. LLC. License granted to make unlimited paper copies for internal use only.

The branding on the header and/or footer of this document may temporarily not visually match the product purchased as we transition our branding. However, all of the information in the document regarding the product remains unchanged and matches the product ordered. For further information please contact mlsbranding@sial.com.

